

**Volume 21:
Three Carbon–Heteroatom Bonds:
Amides and Derivatives; Peptides; Lactams**

	Preface	V
	Table of Contents	IX
21	Introduction	
	Y. R. Mahajan and S. M. Weinreb	1
21.1	Product Class 1: Amides	
	Y. R. Mahajan and S. M. Weinreb	17
21.1.1	Synthesis from Carbonic Acid Derivatives	
	D. Stien	27
21.1.2	Synthesis from Carboxylic Acids and Derivatives	
	T. Ziegler	43
21.1.3	Synthesis from Aldehydes, Ketones, and Related Compounds	
	D. J. Austin and S. M. Miller	77
21.1.4	Synthesis from Amines	
	G. R. Cook	111
21.1.5	Synthesis by Rearrangement	
	W. R. Judd, C. E. Katz, and J. Aubé	133
21.1.6	Synthesis with Retention of the Functional Group	
	W.-R. Li	179
21.2	Product Class 2: Triacylamines, Imides (Diacylamines), and Related Compounds	
	F. A. Luzzio	259
21.3	Product Class 3: <i>N</i>-[α-(Heteroatom)alkyl]-Substituted Alkanamides	
	J. K. Cha	325
21.4	Product Class 4: <i>N</i>-Arylalkanamides, Ynamides, Enamides, Dienamides, and Allenamides	
	M. R. Tracey, R. P. Hsung, J. Antoline, K. C. M. Kurtz, L. Shen, B. W. Slafer, and Y. Zhang	387
21.5	Product Class 5: α-Heteroatom-Substituted Alkanamides	
	M. Pätzel, S. Pritz, and J. Liebscher	477
21.6	Product Class 6: α,β-Unsaturated Amides: Alk-2-ynamides, Arenecarboxamides, and Alk-2-enamides	
	M. F. Lipton and M. A. Mauragis	537
21.7	Product Class 7: β-Heteroatom-Substituted Alkanamides	
	S. Manyem and M. P. Sibi	565

21.8	Product Class 8: α-Lactams R. V. Hoffman and V. Cesare	591
21.9	Product Class 9: β-Lactams C. Coates, J. Kabir, and E. Turos	609
21.10	Product Class 10: γ-Lactams and Larger Ring Lactams M. B. Smith	647
21.11	Product Class 11: Peptides W. D. Lubell, J. W. Blankenship, G. Fridkin, and R. Kaul	713
21.12	Product Class 12: Metal Amides and Imides T. R. Bailey	811
21.13	Product Class 13: N-Heteroatom-Substituted Alkanamides P. R. Blakemore	833
21.14	Product Class 14: Acylphosphorus Compounds A. Whitehead, S. R. Sieck, S. Mukherjee, and P. R. Hanson	907
	Keyword Index	941
	Author Index	979
	Abbreviations	1031

Table of Contents

21	Introduction Y. R. Mahajan and S. M. Weinreb	
21	Introduction	1
21.1	Product Class 1: Amides Y. R. Mahajan and S. M. Weinreb	
21.1	Product Class 1: Amides	17
21.1.1	Synthesis from Carbonic Acid Derivatives D. Stien	
21.1.1	Synthesis from Carbonic Acid Derivatives	27
21.1.1.1	Method 1: Synthesis from Carbon Dioxide and Compounds Related to Carbonic Acid	27
21.1.1.1.1	Variation 1: From Carbon Dioxide	27
21.1.1.1.2	Variation 2: From Carbon Tetrachloride	28
21.1.1.1.3	Variation 3: From Phosgene, Phosgene Surrogates, and Chloroformates ..	28
21.1.1.1.4	Variation 4: From Carbonates	29
21.1.1.2	Method 2: Synthesis from Carbamic Acids and Related Derivatives	30
21.1.1.2.1	Variation 1: From <i>O</i> -Alkyl or <i>O</i> -Aryl Carbamates	30
21.1.1.2.2	Variation 2: From Carbamoyl Halides and Related Derivatives	31
21.1.1.2.3	Variation 3: From Cyanic Acid and Cyanic Acid Salts	32
21.1.1.2.4	Variation 4: From Isocyanates	32
21.1.1.3	Method 3: Synthesis from Ureas and Related Derivatives	33
21.1.1.3.1	Variation 1: From Diverse <i>N</i> -Substituted Ureas	33
21.1.1.3.2	Variation 2: From Diimides and Cyanamides	35
21.1.1.3.3	Variation 3: From <i>O</i> -Alkylated Ureas	35
21.1.1.4	Method 4: Synthesis from Sulfur-Containing Compounds	37
21.1.1.4.1	Variation 1: Reduction of the C–S Bond	37
21.1.1.4.2	Variation 2: C–C Bond Formation	38
21.1.2	Synthesis from Carboxylic Acids and Derivatives T. Ziegler	
21.1.2	Synthesis from Carboxylic Acids and Derivatives	43
21.1.2.1	Method 1: Aminolysis of Acylboranes	43
21.1.2.2	Method 2: Synthesis from Acid Halides	43
21.1.2.2.1	Variation 1: By Condensation with Amines and Alkyl(trialkylsilyl)amines ..	43
21.1.2.2.2	Variation 2: By Indium Catalysis	44
21.1.2.3	Method 3: Synthesis from Carboxylic Acids	44
21.1.2.3.1	Variation 1: By Direct Condensation with Amines	44
21.1.2.3.2	Variation 2: By Condensation with Borane or Borohydrides	45

21.1.2.3.3	Variation 3:	By Condensation with Carbodiimides	46
21.1.2.3.4	Variation 4:	By Other Dehydrating Agents	46
21.1.2.3.5	Variation 5:	By Redox Condensation	46
21.1.2.4	Method 4:	Synthesis from Acid Anhydrides	47
21.1.2.4.1	Variation 1:	By Condensation with Isocyanates	47
21.1.2.4.2	Variation 2:	By Condensation with Amines	48
21.1.2.5	Method 5:	Synthesis from Esters	49
21.1.2.5.1	Variation 1:	By Aminolysis with Amines or Metal Amides	49
21.1.2.5.2	Variation 2:	Via Intermediate Acyl Cyanides	50
21.1.2.5.3	Variation 3:	By Electrolysis	51
21.1.2.5.4	Variation 4:	By Enzyme Catalysis	51
21.1.2.6	Method 6:	Synthesis from Thiocarboxylic Acids or Carbothioate Esters	51
21.1.2.6.1	Variation 1:	From Thiocarboxylic Acids	52
21.1.2.6.2	Variation 2:	From Carbothioate Esters and Amines	55
21.1.2.6.3	Variation 3:	From 5-Benzothiazol-2-yl Carbothioates	56
21.1.2.6.4	Variation 4:	From Carbothioate Esters by Reaction with Alkyl Azides	56
21.1.2.7	Method 7:	Synthesis from Acyl Azides	57
21.1.2.7.1	Variation 1:	By Reduction	57
21.1.2.7.2	Variation 2:	By Substitution with Amines	58
21.1.2.8	Method 8:	Synthesis from Imidates and Related Compounds	58
21.1.2.8.1	Variation 1:	By Rearrangement	58
21.1.2.8.2	Variation 2:	From 4,5-Dihydrooxazoles by Ring Opening	58
21.1.2.9	Method 9:	Synthesis from Nitriles by Functional Group Transformation	58
21.1.2.9.1	Variation 1:	By Hydrolysis	58
21.1.2.9.2	Variation 2:	N-Alkylation by Ritter-Type Reactions	61
21.1.2.10	Method 10:	Synthesis from Isocyanides	66
21.1.2.10.1	Variation 1:	By Passerini-Type Reactions	66
21.1.2.10.2	Variation 2:	By Ugi Reactions	68
21.1.2.11	Method 11:	Synthesis from 1,1,1-Trihaloalkanes	69
21.1.2.12	Method 12:	Synthesis from Ketenes, Ketene Acetals, or Ynamines	70

21.1.3 Synthesis from Aldehydes, Ketones, and Related Compounds

D. J. Austin and S. M. Miller

21.1.3	Synthesis from Aldehydes, Ketones, and Related Compounds		77
21.1.3.1	Method 1:	Oxidation of Aldehydes	77
21.1.3.1.1	Variation 1:	Radical-Promoted Oxidation	78
21.1.3.1.2	Variation 2:	Palladium-Catalyzed Oxidation	79
21.1.3.1.3	Variation 3:	Manganese(IV) Oxide Promoted Oxidation	80
21.1.3.1.4	Variation 4:	Nickel Peroxide Mediated Oxidation	80
21.1.3.1.5	Variation 5:	Photochemical Oxidation of Aryl Aldehydes	81
21.1.3.1.6	Variation 6:	Electrochemical Oxidation	82
21.1.3.2	Method 2:	Oxidative Decyanation of α -Aminonitrile Derivatives of Aldehydes	83
21.1.3.3	Method 3:	Amination and Hydrolysis of <i>O</i> -Trimethylsilyl Cyanohydrins	84
21.1.3.3.1	Variation 1:	Direct Hydrolysis of <i>O</i> -Trimethylsilyl Cyanohydrins	84
21.1.3.4	Method 4:	Electrochemical Oxidation of Aryl and Aliphatic Ketones	85

21.1.3.5	Method 5:	Fragmentation of Non-Enolizable Ketones (Haller–Bauer Reaction)	87
21.1.3.6	Method 6:	Hydrolysis of Iminium Salts Formed from Ketones and Dichloromethylenedimethylammonium Chloride	88
21.1.3.7	Method 7:	Reductive Amidation of Ketones (Leuckart Reaction)	89
21.1.3.8	Method 8:	Condensation of Carbonyl Compounds with Ynamines	91
21.1.3.9	Method 9:	Reaction of Ketones with Chloroform and Amines under Phase-Transfer Conditions	92
21.1.3.10	Method 10:	Oxidation of Imines	93
21.1.3.10.1	Variation 1:	With 3-Chloroperoxybenzoic Acid	93
21.1.3.10.2	Variation 2:	With Sodium Perborate	94
21.1.3.10.3	Variation 3:	With Potassium Permanganate	95
21.1.3.10.4	Variation 4:	Oxidation of Quinone Imines	96
21.1.3.10.5	Variation 5:	With Chromyl Chloride	97
21.1.3.10.6	Variation 6:	With Phosphorus Pentachloride	97
21.1.3.11	Method 11:	Oxidation of Cyclic Iminium Salts	99
21.1.3.12	Method 12:	Transition-Metal-Catalyzed Carbonylation of Imines	99
21.1.3.12.1	Variation 1:	With Octacarbonyldicobalt(0), Thiols, Imines, and Carbon Monoxide	100
21.1.3.12.2	Variation 2:	With Octacarbonyldicobalt(0), Alkyl Boranes, and Carbon Monoxide	102
21.1.3.13	Method 13:	Base-Induced Cycloreversion of Nitrile Oxide Cycloadducts ..	103
21.1.3.14	Method 14:	Reaction of Acetals with Isocyanides	104
21.1.3.15	Method 15:	Acylation of Enamines	105
21.1.3.16	Method 16:	Palladium-Catalyzed Arylation with α -Anilinoalkenenitriles ..	105
21.1.3.17	Method 17:	Reaction of α -Aminoalkenenitriles	107
21.1.4	Synthesis from Amines		
	G. R. Cook		
<hr/>			
21.1.4	Synthesis from Amines		111
21.1.4.1	By Oxidation		111
21.1.4.1.1	Method 1:	Oxidation of Benzylamines with Potassium Permanganate ...	111
21.1.4.1.2	Method 2:	Oxidation of 2-Aminonitriles	112
21.1.4.1.3	Method 3:	Oxidation of Aldimines	112
21.1.4.1.3.1	Variation 1:	With Sodium Perborate	113
21.1.4.1.3.2	Variation 2:	With 3-Chloroperoxybenzoic Acid	113
21.1.4.2	By Carbonylation		114
21.1.4.2.1	Method 1:	Palladium-Catalyzed Aminocarbonylation of Aryl and Vinyl Halides and Trifluoromethanesulfonates, and Related Compounds	114
21.1.4.2.1.1	Variation 1:	Aminocarbonylation of Vinyl Halides and Trifluoromethanesulfonates	114
21.1.4.2.1.2	Variation 2:	Palladium-Catalyzed Insertion into Aryl Halides and Trifluoromethanesulfonates	116
21.1.4.2.1.3	Variation 3:	Palladium-Catalyzed Insertion into Hypervalent Iodine Compounds and Diazonium Salts	122

21.1.4.2.1.4	Variation 4:	Palladium-Catalyzed Aminocarbonylation with In Situ Generated Carbon Monoxide	123
21.1.4.2.1.5	Variation 5:	Ammonia Equivalents for the Palladium-Catalyzed Preparation of N-Unsubstituted Amides	125
21.1.4.2.2	Method 2:	Palladium-Catalyzed Aminocarbonylation via Insertion into C—H Bonds	126
21.1.4.2.2.1	Variation 1:	Insertion into Aryl C—H Bonds	126
21.1.4.2.2.2	Variation 2:	Insertion into Acetylenic C—H Bonds	127
21.1.4.2.3	Method 3:	Aminocarbonylation Involving Migratory Insertion into Alkene and Alkyne π -Bonds	128
21.1.4.2.3.1	Variation 1:	Cobalt-Catalyzed Hydroformylation and Amination	128
21.1.4.2.3.2	Variation 2:	Palladium-Catalyzed Aminocarbonylation of Alkynes	128
21.1.4.2.3.3	Variation 3:	Palladium-Catalyzed Selenation and Carbonylation of Alkynes	129
21.1.4.2.4	Method 4:	Photochemical Aminocarbonylation of Alkyl Iodides	129
21.1.4.2.5	Method 5:	Ring Expansion of Aziridines	130
21.1.5	Synthesis by Rearrangement		
	W. R. Judd, C. E. Katz, and J. Aubé		
21.1.5	Synthesis by Rearrangement		133
21.1.5.1	Method 1:	Favorskii Rearrangement from α -Halo Ketones	133
21.1.5.1.1	Variation 1:	From Mono- α -halo Ketones	135
21.1.5.1.2	Variation 2:	From α -Substituted α -Halo Ketones	136
21.1.5.1.3	Variation 3:	Reactions with α, α' -Dihalo Ketones	138
21.1.5.2	Method 2:	Arndt–Eistert Synthesis from Diazo Ketones	139
21.1.5.2.1	Variation 1:	Intermolecular Reactions with Amines	142
21.1.5.2.2	Variation 2:	Synthesis of β -Amino Acids and β -Peptides	144
21.1.5.2.3	Variation 3:	Intramolecular Reactions	145
21.1.5.2.4	Variation 4:	Ring Contraction	145
21.1.5.3	Method 3:	Schmidt Reaction from Ketones with Hydrazoic Acid	146
21.1.5.3.1	Variation 1:	From Ketones with Alkyl Azides	150
21.1.5.3.2	Variation 2:	By Intramolecular Reactions of Alkyl Azides with Ketones	152
21.1.5.3.3	Variation 3:	From Hydroxyalkyl Azides	154
21.1.5.4	Method 4:	Beckmann Rearrangement from Oximes	156
21.1.5.4.1	Variation 1:	The Photochemical Beckmann Rearrangement	161
21.1.5.5	Method 5:	Chapman Rearrangement from Aryl Imidates	162
21.1.5.6	Method 6:	Aza-Claisen Rearrangement from Allyl Imidates	164
21.1.5.7	Method 7:	Rearrangement of Oxaziridines	168
21.1.5.8	Method 8:	Willgerodt Reaction from Aryl Ketones	173
21.1.5.8.1	Variation 1:	The Kindler Modification	175

21.1.6	Synthesis with Retention of the Functional Group	
	W.-R. Li	
<hr/>		
21.1.6	Synthesis with Retention of the Functional Group	179
21.1.6.1	Synthesis from Acyl Nitroso Compounds, Acyl Azides, <i>N</i> -Hydroxy Amides, <i>N</i> -Nitroso Amides, <i>N</i> -Nitro Amides, Acyl Hydrazines, Acyl Nitrenes, and Related Compounds	179
21.1.6.1.1	Method 1: Synthesis from Acyl Nitroso Compounds	179
21.1.6.1.2	Method 2: Reduction of Acyl Azides	180
21.1.6.1.2.1	Variation 1: With Hydride Reducing Agents	180
21.1.6.1.2.2	Variation 2: Conversion into Acetylated Amides with Acetic Anhydride and Chlorotrimethylsilane	181
21.1.6.1.3	Method 3: Synthesis from <i>N</i> -Hydroxy Amides and Their Derivatives	182
21.1.6.1.3.1	Variation 1: By Reductive Cleavage of <i>N</i> -Alkoxy Amides	182
21.1.6.1.3.2	Variation 2: By Reductive Cleavage of <i>N</i> -Benzyloxy β -Lactams	184
21.1.6.1.3.3	Variation 3: By Amidyl Radical–Alkene Cyclizations	185
21.1.6.1.3.4	Variation 4: By Diastereoselective Addition of Nucleophiles to the C3 Position of <i>N</i> -Tosyloxy β -Lactams	186
21.1.6.1.3.5	Variation 5: By Base-Promoted Reaction of <i>O</i> -Sulfonylated <i>N</i> -Hydroxy Amides with Nucleophiles	187
21.1.6.1.4	Method 4: Synthesis from <i>N</i> -Nitroso Amides or <i>N</i> -Nitro Amides	189
21.1.6.1.5	Method 5: Synthesis from Acyl Hydrazines	190
21.1.6.1.5.1	Variation 1: By Reductive Cleavage	190
21.1.6.1.5.2	Variation 2: By Oxidative Amidation	191
21.1.6.1.6	Method 6: Synthesis from Acyl Nitrenes	192
21.1.6.2	Synthesis from Formamides by Substitution of Hydrogen	193
21.1.6.2.1	Method 1: Palladium-Catalyzed Aminocarbonylation	193
21.1.6.2.2	Method 2: Carboxamidation of Organolithium and Organomagnesium Reagents	195
21.1.6.3	Synthesis from Imides (Diacylamines) and Triacylamines by Deacylation	196
21.1.6.3.1	Method 1: Samarium(II) Iodide Mediated Coupling Reaction	196
21.1.6.3.2	Method 2: Aluminum Trichloride Promoted Aminolysis of Cyclic Imides	197
21.1.6.3.3	Method 3: Hydride Reduction	198
21.1.6.3.4	Method 4: Photoinduced Single-Electron-Transfer (SET) Reaction	199
21.1.6.4	Synthesis from Enamides	199
21.1.6.4.1	Method 1: Asymmetric Hydrogenation	199
21.1.6.4.2	Method 2: Enantioselective Hydrogen Atom Transfer Reactions	206
21.1.6.4.3	Method 3: Chemoselective Conjugate Addition of Nucleophiles	207
21.1.6.4.4	Method 4: Cycloaddition Reactions	208
21.1.6.5	Synthesis from Other Amides by Transamidation	209
21.1.6.5.1	Method 1: Catalytic Transamidation	209
21.1.6.5.2	Method 2: Transamidation of Activated Amides	211
21.1.6.6	Synthesis from Other Amides by Acyl Exchange on Nitrogen	211
21.1.6.6.1	Method 1: Conversion of Carbamates	211

21.1.6.7	Synthesis from Other Amides by Modification of a Substituent on Nitrogen	212
21.1.6.7.1	Method 1: Amidoalkylation	212
21.1.6.7.1.1	Variation 1: Under Lewis Acid Catalysis	213
21.1.6.7.1.2	Variation 2: By Nucleophilic Attack	214
21.1.6.7.2	Method 2: Catalytic Asymmetric Allylation	215
21.1.6.7.3	Method 3: Radical Cyclization or Addition	216
21.1.6.7.4	Method 4: Oxidation	217
21.1.6.8	Synthesis from Other Amides by N-Alkylation	218
21.1.6.8.1	Method 1: Palladium-Catalyzed Alkylation	218
21.1.6.8.2	Method 2: Rhodium Carbenoid Reactions	219
21.1.6.8.3	Method 3: Ruthenium-Catalyzed Propargylic Substitution Reactions	220
21.1.6.8.4	Method 4: Copper(I)-Catalyzed Amidation	221
21.1.6.8.5	Method 5: Osmium-Catalyzed Asymmetric Aminohydroxylation of Alkenes	222
21.1.6.8.6	Method 6: Multicomponent Coupling of Aldehydes, Amides, and Dienophiles	223
21.1.6.9	Synthesis from Other Amides by N-Dealkylation	223
21.1.6.9.1	Method 1: Reduction by Lithium of Low-Molecular-Weight Amines and Ethane-1,2-diamine	223
21.1.6.9.2	Method 2: Ruthenium(VIII) Oxidation of Serine/Threonine Peptides	224
21.1.6.9.3	Method 3: Aza-Claisen Rearrangement	225
21.1.6.10	Synthesis from Lactams with Ring Opening	226
21.1.6.10.1	Method 1: Cleavage of the β -Lactam Ring	226
21.1.6.11	Synthesis from 2-Hydroxyamino Amides, α -Oxo Amides, α -Sulfanyl Amides, and Other Functionalized Amides	229
21.1.6.11.1	Method 1: Reduction of 2-Hydroxyamino Amides	229
21.1.6.11.2	Method 2: Reduction of α -Oxo Amides	230
21.1.6.11.3	Method 3: Desulfurization of α -Sulfanyl Amides	231
21.1.6.11.4	Method 4: Reduction of α -Functionalized Amides	231
21.1.6.11.5	Method 5: Free-Radical C-Allylation Reactions	233
21.1.6.11.6	Method 6: Sequential Elimination–Cyclopropanation Reactions	234
21.1.6.12	Synthesis from α -Amido Nitriles by Decyanation	235
21.1.6.12.1	Method 1: Catalytic Reduction of Nitriles	235
21.1.6.13	Synthesis from Alkynamides and Alkenamides by Reduction	236
21.1.6.13.1	Method 1: Enantioselective Conjugate Reduction with Semicorrin Cobalt Catalysts	236
21.1.6.13.2	Method 2: Regioselective Reduction with the Sodium Borohydride/Iodine System	237
21.1.6.14	Synthesis from Alkynamides and Alkenamides by Addition of Carbon Moieties to Carbon–Carbon Multiple Bonds, Other than 1,4-Addition of Heteroatoms	238
21.1.6.14.1	Method 1: Catalytic Conjugate Addition of Cyanide and Substituted Nitriles	238
21.1.6.14.2	Method 2: Lewis Acid Promoted Cyclization	240

21.1.6.14.3	Method 3: Palladium-Catalyzed Hydroarylation of Propynamides	241
21.1.6.15	Synthesis from Amides by α -Alkylation and α -Halogenation	243
21.1.6.15.1	Method 1: Asymmetric Alkylation Using Pseudoephedrine as a Chiral Auxiliary	243
21.1.6.15.1.1	Variation 1: By Alkylation with Haloalkanes	243
21.1.6.15.1.2	Variation 2: By Alkylation with Epoxides and Their Derivatives	244
21.1.6.15.1.3	Variation 3: By Asymmetric Michael Reactions	246
21.1.6.15.1.4	Variation 4: By Mannich Reaction with Enolizable Imines	247
21.1.6.15.1.5	Variation 5: By Asymmetric Aldol Reactions	247
21.1.6.15.2	Method 2: Diastereoselective α -Iodination Reactions	248
21.2	Product Class 2: Triacylamines, Imides (Diacylamines), and Related Compounds F. A. Luzzio	
21.2	Product Class 2: Triacylamines, Imides (Diacylamines), and Related Compounds	259
21.2.1	Product Subclass 1: Triacylamines	259
21.2.1.1	Synthesis of Product Subclass 1	259
21.2.1.1.1	Method 1: Acylation of Imides	259
21.2.2	Product Subclass 2: Imides (Diacylamines) Unsubstituted on Nitrogen ..	261
21.2.2.1	Synthesis of Product Subclass 2	262
21.2.2.1.1	Method 1: Acylation of Acid Halides	262
21.2.2.1.2	Method 2: Acylation of Dicarboxylic Acids	262
21.2.2.1.3	Method 3: Synthesis from Dicarboxylic Acids and Thiourea through Microwave Irradiation	263
21.2.2.1.4	Method 4: Acylation of Acid Anhydrides	264
21.2.2.1.5	Method 5: Amidation of Esters	265
21.2.2.1.6	Method 6: Synthesis from Ketene Dithioacetals via Nitriles	268
21.2.2.1.7	Method 7: Acylation of Amides and Thioamides	269
21.2.2.1.8	Method 8: Synthesis from Lactams	269
21.2.2.1.9	Method 9: Photodecarboxylation of <i>N</i> -Acylamino Acids	271
21.2.2.1.10	Method 10: Oxidation/Rearrangement of Azlactones	272
21.2.3	Product Subclass 3: Imides (Diacylamines) Substituted at Nitrogen by Groups Other than Acyl	274
21.2.3.1	Synthesis of Product Subclass 3	274
21.2.3.1.1	Method 1: Acylation of Acid Halides	274
21.2.3.1.2	Method 2: Amination and Dehydration of Carboxylic Acids	275
21.2.3.1.3	Method 3: Synthesis from Carboxylic Acid Anhydrides	282
21.2.3.1.4	Method 4: Synthesis from Activated Esters	293
21.2.3.1.5	Method 5: Rearrangement of Amides and Lactams	294
21.2.3.1.6	Method 6: Synthesis from Ketenes	296
21.2.3.1.7	Method 7: Rearrangement of β -Oxo Esters	296
21.2.3.1.8	Method 8: Acylation of Amides	297

21.2.3.1.9	Method 9:	Synthesis from Lactams by Oxidation of α -Methylene Groups	301
21.2.3.1.10	Method 10:	Synthesis from Isoimides by Rearrangement	303
21.2.3.1.11	Method 11:	Synthesis from Imides through N-Alkylation or N-Arylation	304
21.2.3.1.12	Method 12:	Synthesis from Esters and Amido Esters	313
21.2.3.1.13	Method 13:	Carbonylation of Alkynes and Amines	316
21.2.4	Product Subclass 4: Imides (Diacylamines) N-Substituted by Amino or Hydroxy Groups, or by a Halogen		317
21.2.4.1	Synthesis of Product Subclass 4		317
21.2.4.1.1	Method 1:	N-Aminated Imides from Anhydrides	317
21.2.4.1.2	Method 2:	N-Hydroxylated Imides from Anhydrides	318
21.2.4.1.3	Method 3:	N-Acyloxyated Imides from N-Hydroxylated Imides	319
21.2.4.1.4	Method 4:	N-Brominated Imides from Imides	320
21.2.4.1.5	Method 5:	Hydroxylated Imides by the Rearrangement of Cyclic Nitro Ketones	321
21.3	Product Class 3: N-[α-(Heteroatom)alkyl]-Substituted Alkanamides		
	J. K. Cha		
21.3	Product Class 3: N-[α-(Heteroatom)alkyl]-Substituted Alkanamides		325
21.3.1	Product Subclass 1: N-(1-Haloalkyl) Amides and Carbamates		325
21.3.1.1	Synthesis of Product Subclass 1		325
21.3.1.1.1	Method 1:	Treatment of N-(1-Hydroxyalkyl) Amides with Inorganic Halides	325
21.3.1.1.1.1	Variation 1:	Treatment of Amides with Paraformaldehyde	326
21.3.1.1.2	Method 2:	Addition of Acid Chlorides to Imines	326
21.3.1.1.3	Method 3:	Halogenation of Glycinates	327
21.3.1.2	Applications of Product Subclass 1 in Organic Synthesis		328
21.3.1.2.1	Method 1:	Displacement Reactions	328
21.3.1.2.2	Method 2:	α -Amidoalkylation	330
21.3.1.2.3	Method 3:	Free-Radical Reactions	331
21.3.2	Product Subclass 2: N-(1-Alkoxyalkyl) Amides and Carbamates		332
21.3.2.1	Synthesis of Product Subclass 2		332
21.3.2.1.1	Method 1:	Addition of Amides to Aldehydes	332
21.3.2.1.1.1	Variation 1:	Addition of N-Silylated Amides to Aldehydes	333
21.3.2.1.1.2	Variation 2:	Cyclization of Amides to Tethered Aldehydes	334
21.3.2.1.1.3	Variation 3:	Condensation of Amino Alcohols and Oxo Acids	335
21.3.2.2	Applications of Product Subclass 2 in Organic Synthesis		336
21.3.2.2.1	Method 1:	Hetero [4+2] Cycloadditions	336
21.3.2.2.2	Method 2:	Partial Reduction of Imides	338
21.3.2.2.2.1	Variation 1:	Diastereoselective Reduction of Imides	341
21.3.2.2.2.2	Variation 2:	Desymmetrization of <i>meso</i> -Imides	342
21.3.2.2.3	Method 3:	Addition of Grignard Reagents to Cyclic Imides	343
21.3.2.2.4	Method 4:	Kulinkovich Reactions of Vinyl-Tethered Imides	345
21.3.2.2.5	Method 5:	Treatment of Imines with Carboxylic Acid Anhydrides	347

21.3.2.2.6	Method 6:	Reduction of <i>N</i> -Acylimidates	347
21.3.2.2.7	Method 7:	Electrochemical Oxidation of Amides and Carbamates	348
21.3.2.2.7.1	Variation 1:	Anodic Oxidation of Carbamates in Acetic Acid	351
21.3.2.2.7.2	Variation 2:	Decarboxylative Oxidation of <i>N</i> -Acylamino Acids	351
21.3.2.2.7.3	Variation 3:	Oxidative Decarboxylation of <i>N</i> -Acylamino Acids by Chemical Methods	352
21.3.2.2.8	Method 8:	Ruthenium-Catalyzed Oxidation of Amides and Carbamates	353
21.3.2.2.8.1	Variation 1:	Decomposition of Diazonium Salts of 1-(2-Aminobenzoyl)azacycloalkanes	354
21.3.2.2.8.2	Variation 2:	Oxidation of Amines by 2-Iodoxybenzoic Acid	355
21.3.2.2.9	Methods 9:	Miscellaneous Procedures	355
21.3.2.2.10	Method 10:	Further Applications of Iminium and <i>N</i> -Acyliminium Ions in Total Synthesis	358
21.3.3	Product Subclass 3: <i>N</i>-(1-Amino- or 1-Acylaminoalkyl) Amides and Carbamates		358
21.3.3.1	Synthesis of Product Subclass 3		358
21.3.3.1.1	Method 1:	Condensation of Amides and Aldehydes	358
21.3.3.1.1.1	Variation 1:	Treatment of Acetals with Isocyanates	359
21.3.3.1.1.2	Variation 2:	Condensation of Amides, Formaldehyde, and Amines	360
21.3.3.1.1.3	Variation 3:	Use of Benzotriazole in a Mannich-Type Reaction	360
21.3.3.1.2	Method 2:	Curtius Rearrangement	361
21.3.3.1.3	Method 3:	Treatment of <i>N</i> -(1-Haloalkyl) or <i>N</i> -(1-Acyloxyalkyl) Amides and Carbamates with Amines or Azides	362
21.3.3.2	Applications of Product Subclass 3 in Organic Synthesis		362
21.3.3.2.1	Method 1:	α -Amidoalkylation	362
21.3.3.2.2	Method 2:	Reductive Cleavage of Reduced Pyridazines	362
21.3.3.2.3	Method 3:	α -Azidonation of Amides and Carbamates	363
21.3.4	Product Subclass 4: <i>N</i>-(1-Thioalkyl) Amides and Carbamates		365
21.3.4.1	Synthesis of Product Subclass 4		365
21.3.4.1.1	Method 1:	By Displacement Reactions	365
21.3.4.1.2	Method 2:	Acylation of Thiazolidines	366
21.3.4.1.3	Method 3:	Mannich Condensations Involving Sulfinic Acids	367
21.3.4.1.3.1	Variation 1:	Pummerer Reactions of Amido Sulfoxides	368
21.3.4.2	Applications of Product Subclass 4 in Organic Synthesis		369
21.3.4.2.1	Method 1:	Ring Cleavage via <i>N</i> -Acyliminium Ions	369
21.3.4.2.2	Method 2:	Generation of α -Acylamino Radicals	373
21.3.5	Product Subclass 5: <i>N</i>-(1-Phosphoniumalkyl) or <i>N</i>-(1-Phosphonylalkyl) Amides and Carbamates		374
21.3.5.1	Synthesis of Product Subclass 5		374
21.3.5.1.1	Method 1:	Displacement by Phosphine or Phosphite	374
21.3.5.1.2	Method 2:	Acylation of Amino Phosphonic and Phosphinic Acids	375
21.3.5.1.2.1	Variation 1:	Staudinger Reactions of 1-Azidoalkylphosphonates	376
21.3.5.1.3	Method 3:	Three-Component Coupling of Carbonyls, Amides, and Phosphorus-Based Nucleophiles	376

21.3.5.1.4	Method 4: Curtius Rearrangements of α -Acylazido Phosphonates	379
21.3.5.2	Applications of Product Subclass 5 in Organic Synthesis	380
21.3.5.2.1	Method 1: Wittig Alkenation	380
21.4	Product Class 4: <i>N</i>-Arylalkanamides, Ynamides, Enamides, Dienamides, and Allenamides M. R. Tracey, R. P. Hsung, J. Antoline, K. C. M. Kurtz, L. Shen, B. W. Slafer, and Y. Zhang	
21.4	Product Class 4: <i>N</i>-Arylalkanamides, Ynamides, Enamides, Dienamides, and Allenamides	387
21.4.1	Product Subclass 1: <i>N</i>-Arylalkanamides	387
21.4.1.1	Synthesis of Product Subclass 1	388
21.4.1.1.1	Method 1: Palladium-Catalyzed Intermolecular Coupling of Aryl Halides and Amides	388
21.4.1.1.1.1	Variation 1: Palladium(II)-Catalyzed Intermolecular Coupling of Aryl Halides and Lactams	389
21.4.1.1.1.2	Variation 2: Palladium(0)-Catalyzed Intermolecular Coupling of Aryl Halides and Carbamates	390
21.4.1.1.1.3	Variation 3: Palladium(II)-Catalyzed Intermolecular Coupling of Aryl Halides and Oxazolidinones	390
21.4.1.1.1.4	Variation 4: Palladium(0)-Catalyzed Intermolecular Coupling of Aryl Halides and Ureas	391
21.4.1.1.1.5	Variation 5: Palladium(II)-Catalyzed Intramolecular Cyclization of Amides	391
21.4.1.1.1.6	Variation 6: Palladium(II)-Catalyzed Intramolecular Cyclization of Chiral Amides	392
21.4.1.1.2	Method 2: Palladium(0)-Catalyzed Coupling of Epoxides and Isocyanates via a π -Allyl Intermediate	393
21.4.1.1.2.1	Variation 1: Palladium(0)-Catalyzed Coupling of Dicarbonates and Isocyanates via a π -Allyl Intermediate	393
21.4.1.1.3	Method 3: Copper(I)-Catalyzed Intermolecular Coupling of Aryl Halides and Amides (The Goldberg Reaction)	394
21.4.1.1.3.1	Variation 1: Copper(I)-Catalyzed Intermolecular Coupling of Hetaryl Halides with Carbamates	395
21.4.1.1.3.2	Variation 2: Copper(I)-Catalyzed Intermolecular Coupling of Aryl Halides and Hydrazides	395
21.4.1.1.3.3	Variation 3: Microwave-Enhanced Goldberg Reaction	396
21.4.1.1.4	Method 4: Alkylation of <i>N</i> -Aryl Amides with Alkyl Halides	396
21.4.1.1.4.1	Variation 1: Generation of Solid-Supported <i>N</i> -Arylalkanamides by Three-Component Coupling of <i>N</i> -Arylamines, Carbon Dioxide, and Merrifield's Resin	397
21.4.1.1.5	Method 5: Oxidation of Thioamides with 3-Chloroperoxybenzoic Acid	398
21.4.1.1.5.1	Variation 1: Oxidation of Thioamides with Vinyl λ^3 -Iodanes	398
21.4.1.1.6	Method 6: Dicyclohexylcarbodiimide Peptide Coupling	399
21.4.1.1.7	Method 7: Solid-Phase Synthesis of Boronic Acids Containing Amide Functionality via Ugi Reactions	400

21.4.1.1.8	Method 8:	2-Iodoxybenzoic Acid Mediated Radical Cyclization of N-Arylated Amides and Carbamates	400
21.4.1.1.9	Method 9:	Intramolecular Epoxide Opening and Oxazolidinone Formation	401
21.4.1.1.9.1	Variation 1:	Intermolecular Epoxide Opening and Oxazolidinone Formation	402
21.4.1.1.10	Method 10:	N-Pyridinylation of Amides with Pyridine 1-Oxide	402
21.4.1.1.11	Method 11:	Anionic Additions of Prop-2-yn-1-ols to Isocyanates	403
21.4.1.1.12	Method 12:	Hydrolysis of Imidazolium Chlorides under Basic Conditions	403
21.4.2	Product Subclass 2: Ynamides		404
21.4.2.1	Synthesis of Product Subclass 2		406
21.4.2.1.1	Method 1:	Addition of Amides to Alkynyliodonium Trifluoromethanesulfonates	406
21.4.2.1.1.1	Variation 1:	Ring-Opening of Aziridines with Lithium Alkynes, and Trapping with Alkynylated Iodonium Trifluoromethanesulfonates	407
21.4.2.1.2	Method 2:	Copper(II)-Catalyzed Coupling of Amides and Haloalkynes	407
21.4.2.1.2.1	Variation 1:	Copper(I)-Catalyzed Coupling of Amides and Haloalkynes	408
21.4.2.1.2.2	Variation 2:	Stoichiometric Copper(I) Coupling of Amides and Alkynes	409
21.4.2.1.3	Method 3:	Base-Induced Isomerization of Prop-2-yn-1-ylated Amides	410
21.4.2.1.4	Method 4:	Sonogashira Coupling of Unsubstituted Ynamides	410
21.4.2.1.4.1	Variation 1:	Negishi Coupling of Unsubstituted Ynamides	411
21.4.2.1.5	Method 5:	Elimination of Vinyl Chlorides	412
21.4.2.1.5.1	Variation 1:	Elimination of Vinyl Bromides	412
21.4.2.1.6	Method 6:	Acylation of C-Halogenated Ketenimines	413
21.4.2.1.6.1	Variation 1:	Acylation of β -Lithio- β -silyl Ketenimines	414
21.4.2.1.7	Method 7:	Pyrolysis of Alkynyl Azides	415
21.4.3	Product Subclass 3: Enamides		415
21.4.3.1	Synthesis of Product Subclass 3		416
21.4.3.1.1	Method 1:	Copper(I)-Catalyzed Coupling of Amides and Vinyl Iodides with Copper(I) Thiophenecarboxylate	416
21.4.3.1.1.1	Variation 1:	Copper(I)-Catalyzed Coupling of Amides and Vinyl Iodides with Copper(I) Iodide	417
21.4.3.1.1.2	Variation 2:	Copper(I)-Catalyzed Coupling of Amides and Vinyl Iodides with (Acetonitrile)copper(1 ⁺) Phosphorus Hexafluoride(1 ⁻)/Rubidium Carbonate	417
21.4.3.1.2	Method 2:	Palladium(II)-Catalyzed Amidation of Alkenes	418
21.4.3.1.2.1	Variation 1:	Palladium(0)-Catalyzed Amidation of Enol Trifluoromethanesulfonates and 4-Toluenesulfonates	419
21.4.3.1.2.2	Variation 2:	Palladium(II)-Catalyzed Amidation of Enol Ethers	420
21.4.3.1.2.3	Variation 3:	Palladium(II)-Catalyzed N,O-Acetal Formation and Isomerization	420
21.4.3.1.3	Method 3:	Titanium(II)-Mediated Coupling of Ynamides and Aldehydes	421
21.4.3.1.3.1	Variation 1:	Ruthenium(II)-Mediated Coupling of Alkynes and N-Allylated Amides	421
21.4.3.1.3.2	Variation 2:	Chromium(0)-Mediated Coupling of Amino Alcohols and Chromium Carbene Complexes	422
21.4.3.1.4	Method 4:	Base-Promoted Elimination of Substituted Alcohols	423

21.4.3.1.4.1	Variation 1:	Thermal Elimination of Sulfoxides	423
21.4.3.1.4.2	Variation 2:	Base-Promoted Elimination of Sulfones	424
21.4.3.1.4.3	Variation 3:	Thermal Elimination of Hydrogen Chloride and Carbon Dioxide	425
21.4.3.1.4.4	Variation 4:	Thermal Elimination of Amides	425
21.4.3.1.4.5	Variation 5:	Oxidative Elimination of Selenides	425
21.4.3.1.4.6	Variation 6:	Base-Promoted Elimination of a Benzylic Proton	426
21.4.3.1.5	Method 5:	Acylation of Imines	426
21.4.3.1.5.1	Variation 1:	Reductive Acylation of Nitroalkenes	427
21.4.3.1.5.2	Variation 2:	Reductive Acylation of Oximes	428
21.4.3.1.5.3	Variation 3:	Acylation of Enamines with Acid Chlorides	428
21.4.3.1.6	Method 6:	Alkenation Using Horner–Wadsworth–Emmons Conditions ..	429
21.4.3.1.6.1	Variation 1:	Alkenation Using Wittig Conditions	429
21.4.3.1.6.2	Variation 2:	Alkenation Using Thio-Wittig Conditions	430
21.4.3.1.6.3	Variation 3:	Alkenation Using Aza-Wittig Conditions	430
21.4.3.1.6.4	Variation 4:	Alkenation Using Peterson Conditions	431
21.4.3.1.6.5	Variation 5:	Alkenation Using Tebbe Conditions	431
21.4.3.1.6.6	Variation 6:	Alkenation by Ring-Closing Metathesis	432
21.4.3.1.6.7	Variation 7:	Alkenation by Dithiocarboxylation	432
21.4.3.1.6.8	Variation 8:	Tungsten(0)-Mediated Coupling of Thiocarbonyl and Thioacetal Groups	433
21.4.3.1.6.9	Variation 9:	Schöllkopf Formylamino-Methylenation	433
21.4.3.1.7	Method 7:	Tributyltin Hydride Mediated Radical Cyclization of Enamides	434
21.4.3.1.7.1	Variation 1:	Palladium(0)-Catalyzed Cyclization of Amides Bearing a But-3-yn-1-yl Side Chain	435
21.4.3.1.7.2	Variation 2:	Rhodium(I)-Catalyzed Cyclization of Ene-Allenes	435
21.4.3.1.7.3	Variation 3:	Copper(I)-Catalyzed Cyclization of Prop-2-ynyl Carbamates ..	436
21.4.3.1.8	Method 8:	Hetero [4 + 2] Cycloaddition	436
21.4.3.1.8.1	Variation 1:	[3 + 2] Cycloaddition and Rearrangement	437
21.4.3.1.8.2	Variation 2:	Aza-Annulation of Enaminones with Itaconic Anhydride	438
21.4.3.1.9	Method 9:	Isomerization of <i>N</i> -Allyl Amides with Pentacarbonyliron	438
21.4.3.1.9.1	Variation 1:	Isomerization of <i>N</i> -Allyl Amides with Carbonyl(hydrido)tris(triphenylphosphine)ruthenium(II)	439
21.4.3.1.9.2	Variation 2:	Isomerization of <i>N</i> -Allyl Amides with Dichlorobis(cyclooctadiene)diiridium(I)	440
21.4.3.1.9.3	Variation 3:	Isomerization of <i>N</i> -Allyl Amides with Hydridotetrakis(triphenylphosphine)rhodium	440
21.4.3.1.10	Method 10:	Dyotropic Rearrangement	441
21.4.3.1.10.1	Variation 1:	1,2-Thio-Wittig-Type Rearrangement Reactions	441
21.4.3.1.10.2	Variation 2:	Beckmann Rearrangement and α -Formylation	442
21.4.3.1.10.3	Variation 3:	Imine/Enamide Rearrangement	442
21.4.3.1.11	Method 11:	Condensation of Amides and Aldehydes	443
21.4.3.1.11.1	Variation 1:	Amide Addition to Acetals	444
21.4.3.1.12	Method 12:	Addition of Alcohols to Isocyanates	444
21.4.3.1.12.1	Variation 1:	Addition of Vinyl Anions to Isocyanates	445
21.4.3.1.12.2	Variation 2:	Addition of Alkyl Anions to Isocyanates	446
21.4.3.1.13	Method 13:	Hydrohalogenation of Ynamides	446
21.4.3.1.13.1	Variation 1:	Hydrostannylation of Ynamides	447
21.4.3.1.13.2	Variation 2:	Hydroboration/Suzuki–Miyaura Cross-Coupling of Ynamides ..	447

21.4.3.1.13.3	Variation 3:	Pauson–Khand Reactions of Ynamides	448
21.4.3.1.14	Method 14:	Oxazole Ring Opening with Amines	448
21.4.3.1.14.1	Variation 1:	Methanolysis of a 4-Methyleneoxazol-5(4 <i>H</i>)-one under Acid or Base Catalysis	449
21.4.3.1.14.2	Variation 2:	Ring Opening of a 4-Methyleneoxazol-5(4 <i>H</i>)-one by an Alcohol/Lewis Acid	450
21.4.3.1.15	Method 15:	Condensation of α -Acetamidobutenyl Boronates and Aldehydes	450
21.4.3.1.16	Method 16:	1,4-Addition of Allyl Anions to Furanones	451
21.4.3.1.17	Method 17:	Addition of Nitriles to Geminal Haloacylated Compounds	452
21.4.3.1.18	Method 18:	Amide Additions to Alkynes	452
21.4.3.1.19	Method 19:	Enol Ether Formation	453
21.4.4	Product Subclass 4: Dienamides		453
21.4.4.1	Synthesis of Product Subclass 4		454
21.4.4.1.1	Method 1:	Condensation of Amides and Aldehydes	455
21.4.4.1.1.1	Variation 1:	Addition of Amides to Allyl Bromide and Elimination of 1 <i>H</i> -Benzotriazole	455
21.4.4.1.2	Method 2:	Acylation of Eneimines with Acid Chlorides	456
21.4.4.1.3	Method 3:	From Vinylogous Amides by <i>O</i> -Silylation	456
21.4.4.1.4	Method 4:	Thermal Rearrangement of Pent-2-yn-1-yl 2,2,2- Trichloroethanimidoates	457
21.4.4.1.4.1	Variation 1:	Thermal Rearrangement of Acyl Azides (A Modified Curtius Rearrangement)	457
21.4.4.1.5	Method 5:	Palladium(0)-Catalyzed Elimination of Allyl Acetate	458
21.4.4.1.6	Method 6:	Ring-Closing Metathesis of Eneynamides	459
21.4.4.1.7	Method 7:	Titanium(II)-Mediated Coupling of Ynamides and Alkynes	460
21.4.4.1.7.1	Variation 1:	Chromium(0)-Mediated Coupling of Amino Alcohols and Chromium Carbene Complexes	460
21.4.4.1.8	Method 8:	Alkenation Using Wittig Conditions	461
21.4.5	Product Subclass 5: Allenamides		462
21.4.5.1	Synthesis of Product Subclass 5		463
21.4.5.1.1	Method 1:	Base-Induced Isomerization of Cyclic Amides	463
21.4.5.1.1.1	Variation 1:	Base-Induced Isomerization/Addition to Aldehydes	463
21.4.5.1.2	Method 2:	Base-Induced Isomerization of Acyclic Amides	464
21.4.5.1.3	Method 3:	Elimination of Vinyl Trifluoromethanesulfonates	465
21.4.5.1.4	Method 4:	Palladium(0)-Catalyzed Cyclizations of Yne-Bis(carbonates)	466
21.4.5.1.5	Method 5:	By a [3,3]-Sigmatropic Rearrangement of a Propynyl Imidate	467
21.4.5.1.5.1	Variation 1:	[2,3]-Sigmatropic Rearrangement	468
21.4.5.1.6	Method 6:	Copper(I)-Catalyzed Amide Additions to Alkynes	468
21.4.5.1.7	Method 7:	Alkenation of Ketenes Using Wittig Conditions	468
21.4.5.1.8	Method 8:	By the [2 + 2] Dimerization of a Ketene and the Subsequent Elimination of Carbon Dioxide	469

21.5	Product Class 5: α-Heteroatom-Substituted Alkanamides M. Pätzelt, S. Pritz, and J. Liebscher	
<hr/>		
21.5	Product Class 5: α-Heteroatom-Substituted Alkanamides	477
21.5.1	Product Subclass 1: Alkanamides with One (or More) Group 17 Element in the α-Position	477
21.5.1.1	Synthesis of Product Subclass 1	477
21.5.1.1.1	Method 1: Substitution of One (or More) α -Hydrogen Atom	477
21.5.1.1.1.1	Variation 1: Substitution by Fluorine Atoms	477
21.5.1.1.1.2	Variation 2: Substitution by Chlorine Atoms	478
21.5.1.1.1.3	Variation 3: Substitution by Bromine Atoms	479
21.5.1.1.1.4	Variation 4: Substitution by Iodine Atoms	481
21.5.1.1.2	Method 2: Substitution of Heteroatoms	482
21.5.1.1.2.1	Variation 1: Substitution by Fluorine Atoms	482
21.5.1.1.2.2	Variation 2: Substitution by Chlorine Atoms	482
21.5.1.1.2.3	Variation 3: Substitution by Bromine Atoms	483
21.5.1.1.2.4	Variation 4: Substitution by Iodine Atoms	484
21.5.1.1.3	Method 3: C—C Bond Formation between the Carbonyl Group and the α -Carbon Atom	484
21.5.1.1.4	Method 4: Addition of Halogen Atoms to α,β -Unsaturated Amides	485
21.5.1.1.5	Method 5: Addition to α,β -Unsaturated α -Halo Amides	485
21.5.1.1.6	Method 6: C—C Chain Elongation at the α -Carbon Atom	486
21.5.2	Product Subclass 2: Alkanamides with One (or More) Group 16 Element in the α-Position	487
21.5.2.1	Synthesis of Product Subclass 2	487
21.5.2.1.1	Method 1: Substitution of One (or More) α -Hydrogen Atom	487
21.5.2.1.1.1	Variation 1: Substitution by Oxygen Atoms	487
21.5.2.1.1.2	Variation 2: Substitution by Sulfur, Selenium, or Tellurium Atoms	488
21.5.2.1.1.3	Variation 3: Oxidation of α -Hydroxy and α -Sulfanyl Amides to α -Oxo and α -Thioxo Amides	490
21.5.2.1.2	Method 2: Substitution of Heteroatoms	491
21.5.2.1.2.1	Variation 1: Substitution by Oxygen Atoms	491
21.5.2.1.2.2	Variation 2: Substitution by Sulfur Atoms	493
21.5.2.1.2.3	Variation 3: Substitution by Selenium or Tellurium Atoms	495
21.5.2.1.3	Method 3: C—C Bond Formation between the Carbonyl Group and the α -Carbon Atom	496
21.5.2.1.4	Method 4: Addition of a Heteroatom Functionality to α,β -Unsaturated Amides	498
21.5.2.1.5	Method 5: Oxidation with C—C Bond Cleavage	501
21.5.2.1.6	Method 6: Reduction of α -Oxo Amides	501
21.5.2.1.7	Method 7: C—C Chain Elongation at the α -Carbon Atom	502
21.5.2.1.8	Methods 8: Miscellaneous Procedures	505
21.5.3	Product Subclass 3: Alkanamides with One (or More) Group 15 Element in the α-Position	506
21.5.3.1	Synthesis of Product Subclass 3	506

21.5.3.1.1	Method 1:	Substitution of One (or More) α -Hydrogen Atom	506
21.5.3.1.1.1	Variation 1:	Substitution by Nitrogen Atoms	506
21.5.3.1.1.2	Variation 2:	Substitution by Phosphorus Atoms	509
21.5.3.1.1.3	Variation 3:	Transformation of α -Amino Amides into α -Imino Amides and α -Diazo Amides	509
21.5.3.1.2	Method 2:	Substitution of Heteroatoms	510
21.5.3.1.2.1	Variation 1:	Substitution of Sulfur Atoms by Nitrogen Atoms	510
21.5.3.1.2.2	Variation 2:	Substitution of Oxygen or Nitrogen Atoms by Nitrogen Atoms	510
21.5.3.1.2.3	Variation 3:	Substitution of Halogen Atoms by Nitrogen Atoms	512
21.5.3.1.2.4	Variation 4:	Substitution by Phosphorus Atoms	515
21.5.3.1.3	Method 3:	C—C Bond Formation between the Carbonyl Group and the α -Carbon Atom	516
21.5.3.1.4	Method 4:	Addition of a Nitrogen Functionality to α,β -Unsaturated Amides	518
21.5.3.1.5	Method 5:	Addition to α,β -Unsaturated α -Amino Amides	519
21.5.3.1.6	Method 6:	Addition to α -Imino Amides	520
21.5.3.1.7	Method 7:	C—C Chain Elongation at the α -Carbon Atom	521
21.5.3.1.7.1	Variation 1:	Of α -Amino Amides	521
21.5.3.1.7.2	Variation 2:	Of α -Phosphoryl Amides	523
21.5.3.1.8	Methods 8:	Miscellaneous Procedures	524

21.6 Product Class 6: α,β -Unsaturated Amides: Alk-2-ynamides, Arenecarboxamides, and Alk-2-enamides

M. F. Lipton and M. A. Mauragis

21.6	Product Class 6: α,β-Unsaturated Amides: Alk-2-ynamides, Arenecarboxamides, and Alk-2-enamides	537	
21.6.1	Synthesis of Product Class 6	537	
21.6.1.1	Method 1:	Coupling of Activated Acyl Units and Amines	537
21.6.1.2	Method 2:	Connective Alkene Formation by Wittig Reaction	540
21.6.1.3	Method 3:	Elimination Reactions	543
21.6.1.4	Method 4:	Hydrolysis of Nitriles	547
21.6.1.5	Method 5:	Transition-Metal-Catalyzed Couplings	548
21.6.1.6	Method 6:	Reduction of Aroyl Azides	553
21.6.1.7	Method 7:	Direct Amine Oxidations	554
21.6.1.8	Method 8:	Stereoselective Isomerization of 2-Ynoic Amides	555
21.6.1.9	Method 9:	Electrophilic Substitution	557
21.6.1.10	Methods 10:	Additional Methods	560

21.7 Product Class 7: β -Heteroatom-Substituted Alkanamides

S. Manyem and M. P. Sibi

21.7	Product Class 7: β-Heteroatom-Substituted Alkanamides	565	
21.7.1	Product Subclass 1: β-Halogen-Substituted Alkanamides	565	
21.7.1.1	Synthesis of Product Subclass 1	565	
21.7.1.1.1	Method 1:	Addition of Chloride to Alkenimides	565

21.7.2	Product Subclass 2: β-Oxygen-Substituted Alkanamides	566
21.7.2.1	Synthesis of Product Subclass 2	566
21.7.2.1.1	Method 1: Diastereoselective Ene Reaction	566
21.7.2.1.2	Method 2: Intramolecular Conjugate Addition	567
21.7.2.1.3	Method 3: Tandem Acetalization–Conjugate Addition	568
21.7.3	Product Subclass 3: β-Sulfur-Substituted Alkanamides	568
21.7.3.1	Synthesis of Product Subclass 3	569
21.7.3.1.1	Method 1: Addition of Metal Thiolates	569
21.7.3.1.1.1	Variation 1: Addition of Aluminum Thiolates and Intramolecular Trapping with a Carbonyl Group	570
21.7.3.1.1.2	Variation 2: Addition of a Thiolate Derived from an Odorless Thiol	571
21.7.3.1.2	Method 2: Addition of Sulfur Nucleophiles Derived from Thioesters or Silyl Thioethers	571
21.7.3.1.3	Method 3: Stereoselective Addition of Thiols	572
21.7.3.1.4	Method 4: Intramolecular Transfer of Sulfur from a Thiocarbonyl Group ..	574
21.7.4	Product Subclass 4: β-Selenium-Substituted Alkanamides	575
21.7.4.1	Synthesis of Product Subclass 4	576
21.7.4.1.1	Method 1: Addition of Lithium Selenolates	576
21.7.5	Product Subclass 5: β-Nitrogen-Substituted Alkanamides	576
21.7.5.1	Synthesis of Product Subclass 5	576
21.7.5.1.1	Method 1: Addition of Phthalimide Salts to Alkenimides	576
21.7.5.1.2	Method 2: Addition of Hydroxylamines to Alkenamides	577
21.7.5.1.3	Method 3: Chiral Lewis Acid Catalyzed Addition of Hydrazoic Acid to Alkenimides	579
21.7.5.1.3.1	Variation 1: Enantioselective Addition of Azidotrimethylsilane to Alkenimides Using a Peptide Catalyst	580
21.7.5.1.3.2	Variation 2: Addition of Azide to Alkenimides Followed by Intramolecular Cycloaddition	580
21.7.5.1.4	Method 4: Addition of Carbamates to Alkenamides	581
21.7.5.1.5	Method 5: Addition of Lithium Amides	581
21.7.5.1.6	Method 6: Addition of Amino Esters to Alkenamides	582
21.7.5.1.6.1	Variation 1: Enantioselective Addition of Amines Using Dibenzofuran-4,6- diyl-2,2'-bis(4-phenyl-4,5-dihydrooxazole)–Nickel Catalyst ...	583
21.7.5.1.6.2	Variation 2: Aminohydroxylation Using a Solid-Supported Catalyst	584
21.7.5.1.7	Method 7: Diels–Alder Reaction of Buta-1,3-dien-1-amines with Alkenimides	585
21.7.6	Product Subclass 6: β-Phosphorus-Substituted Alkanamides	585
21.7.6.1	Synthesis of Product Subclass 6	585
21.7.6.1.1	Method 1: Addition of Secondary Phosphines	585
21.7.6.1.2	Method 2: Addition of Phosphinates	586
21.7.6.1.3	Method 3: Diastereoselective Addition of a Phosphite	587

21.8	Product Class 8: α-Lactams	
	R. V. Hoffman and V. Cesare	
<hr/>		
21.8	Product Class 8: α-Lactams	591
21.8.1	Synthesis of Product Class 8	593
21.8.1.1	Method 1: Dehydrohalogenation of α -Halo Amides	593
21.8.1.1.1	Variation 1: Using the <i>tert</i> -Butoxide Ion	594
21.8.1.1.2	Variation 2: Using Potassium Hydroxide and 18-Crown-6	595
21.8.1.1.3	Variation 3: Using Sodium Hydride and 15-Crown-5	596
21.8.1.2	Method 2: Cycloelimination of <i>N</i> -Sulfonyloxy Amides	597
21.8.1.2.1	Variation 1: Using Amines as Bases	597
21.8.1.2.2	Variation 2: Using Sodium Hydride as Base	599
21.8.2	Applications of Product Class 8 in Organic Synthesis	600
21.8.2.1	Method 1: Incorporation of Nucleophiles	600
21.8.2.1.1	Variation 1: Synthesis of <i>N</i> -Aminohydantoins	604
21.8.2.1.2	Variation 2: Synthesis of 1,2,4-Triazine-3,6-diones	604
21.8.2.2	Method 2: Cycloaddition Reactions Involving α -Lactams	605
21.9	Product Class 9: β-Lactams	
	C. Coates, J. Kabir, and E. Turos	
<hr/>		
21.9	Product Class 9: β-Lactams	609
21.9.1	Synthesis of Product Class 9	609
21.9.1.1	Method 1: Ketene–Imine Cycloadditions	609
21.9.1.1.1	Variation 1: Using Acid Chlorides	612
21.9.1.1.2	Variation 2: Using Carboxylic Acids or Their Salts	612
21.9.1.1.3	Variation 3: Using Amides via an Azetidin-2-ylideneammonium Salt	614
21.9.1.1.4	Variation 4: By Decomposition of α -Diazoketones	615
21.9.1.2	Method 2: Ester Enolate–Imine Cyclocondensations	616
21.9.1.2.1	Variation 1: From γ -Lactones	617
21.9.1.2.2	Variation 2: From 2-Pyridyl Thioesters	618
21.9.1.2.3	Variation 3: From 1,3-Dioxolan-4-ones	619
21.9.1.2.4	Variation 4: From Ethyl Bromodifluoroacetate	619
21.9.1.2.5	Variation 5: From Lithium Ynolates	620
21.9.1.3	Method 3: Cyclocondensation of β -Amino Acid Derivatives	621
21.9.1.3.1	Variation 1: Via Ugi Three-Component Reaction	623
21.9.1.3.2	Variation 2: From β -Lactones	623
21.9.1.4	Method 4: Ring Closure of 2-Aza-1,3-dienes	624
21.9.1.5	Method 5: Alkene–Isocyanate Cycloadditions	625
21.9.1.6	Method 6: Nitron Cycloadditions Employing Alkynes	626
21.9.1.7	Method 7: Ring Closures by Nucleophilic S_N2 Displacement	627
21.9.1.7.1	Variation 1: Mitsunobu Reactions of β -Hydroxy Hydroxamates	629
21.9.1.8	Method 8: Radical Ring Closures	630
21.9.1.9	Method 9: Photochemical Ring Contractions	631
21.9.1.9.1	Variation 1: Photochemical Processes in the Solid State	633

21.9.1.10	Method 10:	Ring Contractions of Isoxazolidines (Non-Photochemical Processes)	634
21.9.1.11	Method 11:	Ring Expansion of Cyclopropanones	635
21.9.1.12	Method 12:	Transition-Metal-Catalyzed Processes	636
21.9.1.12.1	Variation 1:	Carbonylation of Aziridines	637
21.9.1.12.2	Variation 2:	Use of Organoiron–Alkene Complexes	638
21.9.1.12.3	Variation 3:	Additions of Fischer Carbenes to Imines	639
21.9.1.12.4	Variation 4:	Rhodium-Catalyzed C–H Bond Insertion	640
21.9.1.12.5	Variation 5:	Reductive Coupling of Imines with Acrylates	641
21.9.1.13	Method 13:	1,4-Addition of Amines to 3-Phenylpropenoyl Chloride	642
21.10	Product Class 10: γ-Lactams and Larger Ring Lactams		
	M. B. Smith		
21.10	Product Class 10: γ-Lactams and Larger Ring Lactams		647
21.10.1	Product Subclass 1: Saturated Lactams		647
21.10.1.1	Synthesis of Product Subclass 1		647
21.10.1.1.1	Synthesis by Ring-Closure Reactions		647
21.10.1.1.1.1	Method 1: Direct Cyclization of Amino Acids		647
21.10.1.1.1.1.1	Variation 1: By Heating an Amino Acid on Alumina or Silica Gel		648
21.10.1.1.1.1.2	Variation 2: By Heating with Titanium(IV) Isopropoxide		649
21.10.1.1.1.1.3	Variation 3: By Dibutyltin Oxide Cyclization of Amino Acids		649
21.10.1.1.1.2	Method 2: Alkoxy and Alkylsulfanyl Lactams by Cyclization of Functionalized Amino Acids		650
21.10.1.1.1.3	Method 3: Direct Cyclization of Amino Esters		650
21.10.1.1.1.4	Method 4: Formation of an α -Alkoxy Lactam by Cyclization of an Alkoxy Amino Ester		652
21.10.1.1.1.5	Method 5: Cyclization of Amino Esters via Cyano Esters		653
21.10.1.1.1.5.1	Variation 1: Nitrile Surrogates by Nitrile–Enolate Alkylation		654
21.10.1.1.1.5.2	Variation 2: 1,4-Addition to Conjugated Nitriles		655
21.10.1.1.1.5.3	Variation 3: Enolate Alkylation of α -Halo Nitriles		656
21.10.1.1.1.6	Method 6: Cyclization of Amino Esters via Azido Esters		657
21.10.1.1.1.7	Method 7: Cyclization of Amino Esters via Nitro Esters		658
21.10.1.1.1.7.1	Variation 1: By Conjugate Addition of Nitro Enolates to Conjugated Esters		658
21.10.1.1.1.7.2	Variation 2: By Conjugate Addition of Enolate Anions to Nitroalkenes		659
21.10.1.1.1.7.3	Variation 3: By Lewis Acid Catalyzed Addition of Silyl Ketene Acetals to Nitroalkenes		660
21.10.1.1.1.8	Method 8: Oxo Lactams by Cyclization with Oxalates		661
21.10.1.1.1.9	Method 9: Oxo Lactams by Cyclization of Amido Diesters		662
21.10.1.1.1.10	Method 10: Cyclization of Functionalized Acid Derivatives		662
21.10.1.1.1.10.1	Variation 1: Reduction of Nitro Nitriles		663
21.10.1.1.1.10.2	Variation 2: 1-Aryl Lactams by Cyclization of Aromatic Amides		664
21.10.1.1.1.11	Method 11: Iodolactamization		664
21.10.1.1.1.12	Method 12: Radical Cyclization		665
21.10.1.1.1.12.1	Variation 1: Tin Hydride Mediated Radical Cyclization of N-Monosubstituted Amides		665

21.10.1.1.1.12.2	Variation 2:	Radical Cyclization of Unsymmetrical Dienes Containing an Amide Unit	666
21.10.1.1.1.12.3	Variation 3:	Borane-Mediated Radical Cyclization	667
21.10.1.1.1.12.4	Variation 4:	Cyclization of Amidyl Radicals	667
21.10.1.1.1.12.5	Variation 5:	Metal-Mediated Radical Cyclization Reactions	668
21.10.1.1.1.12.6	Variation 6:	Photocyclization	669
21.10.1.1.1.13	Method 13:	Metal-Catalyzed Cyclization	669
21.10.1.1.1.13.1	Variation 1:	Amine-Directed Hydrocarbonylation	669
21.10.1.1.1.14	Method 14:	[3 + 2] Annulation	670
21.10.1.1.2		Synthesis by Ring Transformation	671
21.10.1.1.2.1		Ring Enlargement	671
21.10.1.1.2.1.1	Method 1:	Beckmann Rearrangement	671
21.10.1.1.2.1.1.1	Variation 1:	From Ketoxime <i>O</i> -Sulfonic Acids	672
21.10.1.1.2.1.1.2	Variation 2:	Reaction with Ketoxime <i>O</i> -Carbonates	673
21.10.1.1.2.1.2	Method 2:	Schmidt Reaction	674
21.10.1.1.2.1.2.1	Variation 1:	By Reaction of Cyclic Ketones with Metal Azides and Acids ...	675
21.10.1.1.2.1.2.2	Variation 2:	By Reaction with Alkyl Azides and Acids	676
21.10.1.1.2.1.2.3	Variation 3:	By Photocyclization of Siloxy Azides	676
21.10.1.1.2.1.3	Method 3:	Photochemical Ring Expansion of Oxaziridines	677
21.10.1.1.2.1.4	Method 4:	Carbonylation of Cyclic Amines	678
21.10.1.1.2.1.5	Method 5:	Condensation of β -Lactones and Imines	678
21.10.1.1.2.1.6	Method 6:	Aza-Claisen Ring Expansion	679
21.10.1.1.2.2		Formal Exchange of Ring Members with Retention of the Ring Size	679
21.10.1.1.2.2.1	Method 1:	Conversion of Lactones into Lactams by Reaction with Amines	679
21.10.1.1.2.2.2	Method 2:	Reduction or Selective Alkylation of Imides	680
21.10.1.1.2.2.2.1	Variation 1:	Reduction of Cyclic Imides	681
21.10.1.1.2.2.2.2	Variation 2:	Reaction of Imides with Grignard Reagents	681
21.10.1.1.2.2.2.3	Variation 3:	5-Hydroxy Lactams by Reduction of Imides	682
21.10.1.1.2.2.2.4	Variation 4:	5-Alkyl-5-hydroxy Lactams	683
21.10.1.1.2.2.3	Method 3:	<i>N</i> -Amino-Substituted Lactams	683
21.10.1.1.2.3		Oxidation of Cyclic Amines	684
21.10.1.1.2.3.1	Method 1:	Direct Oxidation of Cyclic Amines by Ruthenium(IV) Oxide ...	684
21.10.1.1.2.3.2	Method 2:	Sequential Hydroxylation and Oxidation of Cyclic Amines ...	684
21.10.1.1.3		Synthesis by Substituent Modification	685
21.10.1.1.3.1		Substitution of Existing Substituents	685
21.10.1.1.3.1.1	Method 1:	Direct <i>N</i> -Acylation	685
21.10.1.1.3.1.2	Method 2:	<i>N</i> -Carbamate Protection of Lactams	686
21.10.1.1.3.1.3	Method 3:	Acylation of Lactam Anions with Pentafluorophenyl Esters ...	686
21.10.1.1.3.1.4	Method 4:	<i>N</i> -Alkylation	687
21.10.1.1.3.1.4.1	Variation 1:	By Base-Mediated <i>N</i> -Alkylation	687
21.10.1.1.3.1.4.2	Variation 2:	By Reductive Alkylation of Lactams with Aldehydes	688
21.10.1.1.3.1.4.3	Variation 3:	Functionalization of an <i>N</i> -Alkyl Group: Chloromethylation ...	689
21.10.1.1.3.1.5	Method 5:	<i>N</i> -Arylation	689
21.10.1.1.3.1.6	Method 6:	<i>N</i> -Alkenylation	690

21.10.1.1.3.1.7	Method 7:	α -Alkyl Lactams by Enolate Alkylation	690
21.10.1.1.3.1.7.1	Variation 1:	Via the N,α -Dianion	691
21.10.1.1.3.1.8	Method 8:	Direct α -Arylation	692
21.10.1.1.3.1.9	Method 9:	α -Alkylidene Lactams by Addition to Aldehydes or Ketones	692
21.10.1.1.3.1.10	Method 10:	Alkylation with Allylsilanes via N -Acyliminium Ion Intermediates	693
21.10.1.1.3.1.11	Method 11:	Alkylation at β - and More Remote Positions	694
21.10.1.1.3.1.11.1	Variation 1:	By Conjugate Addition to α,β -Unsaturated Lactams	694
21.10.1.1.3.1.11.2	Variation 2:	Addition of Organocuprates to Conjugated Lactams	695
21.10.1.1.3.1.12	Method 12:	α -Halogenation	696
21.10.1.1.3.1.13	Method 13:	α -Hydroxylation	697
21.10.1.1.3.1.14	Method 14:	Alkoxy Lactams by Electrochemical Oxidation of Lactams	698
21.10.1.1.3.1.15	Method 15:	α -Sulfides and α -Selenides	698
21.10.2	Product Subclass 2: Unsaturated Lactams		699
21.10.2.1	Synthesis of Product Subclass 2		699
21.10.2.1.1	Method 1:	Ring-Closing Metathesis	699
21.10.2.1.2	Method 2:	Metal-Mediated Coupling Reactions of Carbonyl Compounds	700
21.10.2.1.3	Method 3:	Carbonylative [4 + 1] Cycloaddition	701
21.10.2.1.4	Method 4:	Conjugate Addition–Cyclization	702
21.10.2.1.5	Method 5:	Hetero [4 + 2] Cycloadditions of (Trialkylsilyl)vinylketenes	702
21.10.2.1.6	Method 6:	Aza-Claisen Rearrangement of Acylaziridines	703
21.10.2.1.7	Method 7:	Via Azametallocyclopentene Complexes	704
21.10.2.1.8	Method 8:	Oxidation of Pyrroles	704
21.11	Product Class 11: Peptides		
	W. D. Lubell, J. W. Blankenship, G. Fridkin, and R. Kaul		
21.11	Product Class 11: Peptides		713
21.11.1	Amino Acid Protection–Deprotection		714
21.11.1.1	Method 1:	α -Amino Protection	715
21.11.1.1.1	Variation 1:	<i>tert</i> -Butoxycarbonyl Group	716
21.11.1.1.2	Variation 2:	9-Fluorenylmethoxycarbonyl Group	717
21.11.1.1.3	Variation 3:	Benzyloxycarbonyl Group	720
21.11.1.1.4	Variation 4:	Allyloxycarbonyl Group	721
21.11.1.1.5	Variation 5:	2-[(4-Nitrophenyl)sulfonyl]ethoxycarbonyl Group	721
21.11.1.2	Method 2:	α -Carboxylic Acid Protection	722
21.11.1.2.1	Variation 1:	Methyl Ester	723
21.11.1.2.2	Variation 2:	Benzyl Ester	724
21.11.1.2.3	Variation 3:	<i>tert</i> -Butyl Ester	724
21.11.1.2.4	Variation 4:	Phenacyl Ester	725
21.11.1.3	Method 3:	Acidic Side-Chain Protection	725
21.11.1.3.1	Variation 1:	Benzyl Ester	726
21.11.1.3.2	Variation 2:	Cyclohexyl Ester	727
21.11.1.3.3	Variation 3:	<i>tert</i> -Butyl Ester	728
21.11.1.4	Method 4:	Basic Side-Chain Protection	729
21.11.1.4.1	Variation 1:	Benzyloxycarbonyl Group and Derivatives	730

21.11.1.4.2	Variation 2:	2,4-Dinitrophenyl Group	731
21.11.1.4.3	Variation 3:	Benzyloxymethyl Group	732
21.11.1.4.4	Variation 4:	Arylsulfonyl Derivatives	732
21.11.1.4.5	Variation 5:	Formyl Group	733
21.11.1.4.6	Variation 6:	<i>tert</i> -Butoxycarbonyl Group	733
21.11.1.4.7	Variation 7:	Trityl Group and Derivatives	733
21.11.1.5	Method 5:	Alcoholic Side-Chain Protection	734
21.11.1.5.1	Variation 1:	Benzyl Group	735
21.11.1.5.2	Variation 2:	2-Bromobenzyloxycarbonyl Group	736
21.11.1.5.3	Variation 3:	<i>tert</i> -Butyl Group	736
21.11.1.5.4	Variation 4:	Trityl Group and Derivatives	738
21.11.1.6	Method 6:	Amide Side-Chain Protection	739
21.11.1.6.1	Variation 1:	9 <i>H</i> -Xanthen-9-yl Group	740
21.11.1.6.2	Variation 2:	2,4,6-Trimethoxybenzyl Group	740
21.11.1.6.3	Variation 3:	Trityl Group	740
21.11.1.7	Method 7:	Thiol Side-Chain Protection	741
21.11.1.7.1	Variation 1:	4-Methylbenzyl Group	742
21.11.1.7.2	Variation 2:	Acetamidomethyl Group	742
21.11.1.7.3	Variation 3:	Trityl Group	742
21.11.1.7.4	Variation 4:	<i>tert</i> -Butyl Group	743
21.11.1.7.5	Variation 5:	<i>tert</i> -Butylsulfanyl Group	743
21.11.1.7.6	Variation 6:	2,4,6-Trimethoxybenzyl Group	743
21.11.2	Amino Acid Activation		744
21.11.2.1	Method 1:	α -Amino Acid Halides	744
21.11.2.1.1	Variation 1:	<i>N</i> ^{α} -9-Fluorenylmethoxycarbonyl Amino Acid Chlorides	745
21.11.2.1.2	Variation 2:	<i>N</i> ^{α} -9-Fluorenylmethoxycarbonyl Amino Acid Fluorides	746
21.11.2.2	Method 2:	α -Amino Acid Anhydrides	747
21.11.2.2.1	Variation 1:	Symmetrical Anhydrides	747
21.11.2.2.2	Variation 2:	Urethane-Protected Amino Acid <i>N</i> -Carboxyanhydrides	748
21.11.2.2.3	Variation 3:	Mixed Anhydrides	750
21.11.2.3	Method 3:	Active Esters	750
21.11.2.3.1	Variation 1:	Halogenated Phenyl Esters	752
21.11.2.3.2	Variation 2:	Hydroxylamine-Derived Esters	753
21.11.2.3.3	Variation 3:	4-Nitrophenyl Esters	754
21.11.2.4	Method 4:	Carbodiimides	754
21.11.2.4.1	Variation 1:	Synthesis of Peptides in Solution Using Carbodiimides	755
21.11.2.4.2	Variation 2:	Solid-Phase Peptide Synthesis Using Carbodiimides	756
21.11.2.5	Method 5:	Phosphonium and Uronium/Guanidinium Salts	757
21.11.2.5.1	Variation 1:	Phosphonium Salts	759
21.11.2.5.2	Variation 2:	Uronium/Guanidinium Salts	761
21.11.3	Racemization		762
21.11.4	Supports for Solid-Phase Peptide Synthesis		766
21.11.4.1	Method 1:	Polystyrene-Based Resins	767
21.11.4.2	Method 2:	Polyacrylamide-Based Resins	768
21.11.4.3	Method 3:	Poly(ethylene glycol)-Based Resins	768
21.11.4.3.1	Variation 1:	TentaGel	768

21.11.4.3.2	Variation 2:	Poly(ethylene glycol)-Dimethylacrylamide Copolymer	770
21.11.4.3.3	Variation 3:	Cross-Linked Ethoxylate Acrylate Resin	770
21.11.4.3.4	Variation 4:	Polyethylene–Polystyrene and Polyethylene– Polyoxopropylene Resins	770
21.11.4.3.5	Variation 5:	Super Permeable Organic Combinatorial Chemistry Resin	771
21.11.5		Handles and Linkers for Solid-Phase Peptide Synthesis	772
21.11.5.1	Method 1:	Generation of C-Terminal Peptide Carboxylic Acids	772
21.11.5.1.1	Variation 1:	Merrifield Resin (Chloromethyl Cross-Linked Polystyrene Resin)	773
21.11.5.1.2	Variation 2:	Wang Resin (4-Benzyloxybenzyl Alcohol Cross-Linked Polystyrene)	776
21.11.5.1.3	Variation 3:	Super Acid Sensitive Resin	778
21.11.5.1.4	Variation 4:	PAM Resin	778
21.11.5.1.5	Variation 5:	Tryl Resin	779
21.11.5.1.6	Variation 6:	Rink Acid Resin	779
21.11.5.1.7	Variation 7:	HYCRAM Resin	779
21.11.5.1.8	Variation 8:	Photolabile Linkers	780
21.11.5.2	Method 2:	Generation of C-Terminal Peptide Amides	781
21.11.5.2.1	Variation 1:	Benzhydramine and 4-Methylbenzhydramine Resins	781
21.11.5.2.2	Variation 2:	Rink Amide Resin	781
21.11.5.2.3	Variation 3:	Sieber Amide Resin	782
21.11.5.2.4	Variation 4:	Oxime-Based (Kaiser–DeGrado) Resin	782
21.11.5.2.5	Variation 5:	4-Hydroxymethylbenzoic Acid Resin	784
21.11.5.3	Method 3:	Generation of Peptides with Other C-Terminal Modifications	784
21.11.5.4	Method 4:	Safety-Catch Linker Resins	785
21.11.5.5	Method 5:	Analytical Procedures for Determining Loading on the Solid Support	786
21.11.5.5.1	Variation 1:	Fmoc Monitoring	786
21.11.5.5.2	Variation 2:	Picric Acid Test	786
21.11.5.6	Method 6:	Qualitative Tests for Determination of Free Amino Groups on the Solid Support	787
21.11.5.6.1	Variation 1:	Ninhydrin (Kaiser) Test	787
21.11.5.6.2	Variation 2:	2,4,6-Trinitrobenzenesulfonic Acid Test	787
21.11.5.6.3	Variation 3:	Chloranil Test	787
21.11.6		Interpeptide Amide Bond Formation	788
21.11.6.1	Method 1:	Protected Segment Condensation	788
21.11.6.2	Method 2:	Chemoselective Ligation	789
21.11.6.2.1	Variation 1:	Native Chemical Ligation	789
21.11.6.2.2	Variation 2:	Auxiliary-Mediated Chemical Ligation	792

21.12	Product Class 12: Metal Amides and Imides T. R. Bailey	
21.12	Product Class 12: Metal Amides and Imides	811
21.12.1	Product Subclass 1: Group 15 (Arsenic, Antimony, and Bismuth) Amides and Imides	811
21.12.1.1	Synthesis of Product Subclass 1	812
21.12.1.1.1	Method 1: Synthesis from Arsenic, Antimony, and Bismuth Halides	812
21.12.1.1.2	Method 2: Generation by Ligand Displacement	813
21.12.2	Product Subclass 2: Silicon Amides and Imides	813
21.12.2.1	Synthesis of Product Subclass 2	814
21.12.2.1.1	Method 1: Synthesis from Trialkylhalosilanes	814
21.12.2.1.1.1	Variation 1: Anion Formation on Amide	814
21.12.2.1.1.2	Variation 2: Using Nitrogenous Bases	815
21.12.2.1.2	Method 2: Exchange with Silylated Nitrogen Compounds	815
21.12.2.1.2.1	Variation 1: With Hexamethyldisilazane	815
21.12.2.1.2.2	Variation 2: With N-Silylated Amides	816
21.12.2.1.3	Method 3: Exchange with <i>N,O</i> -Bis(trimethylsilyl)acetamide	816
21.12.2.1.4	Method 4: Synthesis from Acid Chlorides and Hexamethyldisilazane	817
21.12.2.1.5	Method 5: Oxidative Addition of Trialkylsilanes	817
21.12.3	Product Subclass 3: Group 14 (Germanium, Tin, and Lead) Amides and Imides	818
21.12.3.1	Synthesis of Product Subclass 3	818
21.12.3.1.1	Method 1: Synthesis from Trialkylmetal Halides	818
21.12.3.1.2	Method 2: Synthesis from Metal Oxides	819
21.12.4	Product Subclass 4: Boron Amides and Imides	819
21.12.4.1	Synthesis of Product Subclass 4	820
21.12.4.1.1	Method 1: Synthesis from Boron Halides	820
21.12.4.1.1.1	Variation 1: Via Transmetalation	820
21.12.4.1.1.2	Variation 2: By Addition of Dialkylbromoboranes	820
21.12.4.1.2	Method 2: Exchange with N-Silylated Amides	821
21.12.4.1.3	Method 3: Synthesis from Boron Imidates	822
21.12.5	Product Subclass 5: Groups 3–13 Transition Metal Amides	822
21.12.5.1	Synthesis of Product Subclass 5	822
21.12.5.1.1	Method 1: Synthesis from Metal Halides	822
21.12.5.1.2	Method 2: Synthesis from Diphenylmercury	823
21.12.6	Product Subclass 6: Group 2 (Beryllium, Magnesium, Calcium, and Barium) Amides and Imides	824
21.12.6.1	Synthesis of Product Subclass 6	824
21.12.6.1.1	Method 1: Metalation with Grignard Reagents	824
21.12.6.1.2	Method 2: Metalation with Metal Carbonates and Metal Hydroxides	825

21.12.7	Product Subclass 7: Group 1 (Lithium, Sodium, Potassium, Rubidium, and Cesium) Amides and Imides	825
21.12.7.1	Synthesis of Product Subclass 7	826
21.12.7.1.1	Method 1: Metalation with Potassium Fluoride on Alumina	826
21.12.7.1.2	Method 2: Metalation by Metal Hydrides	826
21.12.7.1.3	Method 3: Metalation with Metal Carbonates	827
21.12.7.1.4	Method 4: Metalation with Metal Hydroxides and Metal Alkoxides	827
21.12.7.1.4.1	Variation 1: With Sodium Hydroxide	827
21.12.7.1.4.2	Variation 2: With Potassium <i>tert</i> -Butoxide	828
21.12.7.1.5	Method 5: Metalation with Metal Amides	828
21.13	Product Class 13: N-Heteroatom-Substituted Alkanamides P. R. Blakemore	
21.13	Product Class 13: N-Heteroatom-Substituted Alkanamides	833
21.13.1	Product Subclass 1: Acyl Nitro Compounds	833
21.13.2	Product Subclass 2: Acyl Nitroso Compounds	834
21.13.3	Product Subclass 3: N-Acyl Sulfoximides and N-Acyl Sulfimides	835
21.13.3.1	Synthesis of Product Subclass 3	835
21.13.3.1.1	Method 1: Oxidative Imination of Sulfoxides and Sulfides	836
21.13.3.1.2	Method 2: N-Acylation of Sulfoximides and Sulfimides	837
21.13.4	Product Subclass 4: Acyl Azides	838
21.13.4.1	Synthesis of Product Subclass 4	838
21.13.4.1.1	Method 1: Oxidative Azidonation of Aldehydes	838
21.13.4.1.2	Method 2: Acyl Substitution with an Azide Nucleophile	840
21.13.4.1.2.1	Variation 1: From Activated Carboxylic Acid Derivatives	840
21.13.4.1.2.2	Variation 2: From Carboxylic Acids Using Diphenylphosphoryl Azide	841
21.13.4.1.2.3	Variation 3: From Esters Using Diethylaluminum Azide	843
21.13.4.1.3	Method 3: Nitrosation of Hydrazides	844
21.13.5	Product Subclass 5: Acyl Diazenes	845
21.13.5.1	Synthesis of Product Subclass 5	846
21.13.5.1.1	Method 1: Oxidation of Hydrazides	846
21.13.6	Product Subclass 6: (Acylimino)phosphoranes	847
21.13.6.1	Synthesis of Product Subclass 6	847
21.13.6.1.1	Method 1: N-Acylation of Iminophosphoranes	847
21.13.6.1.2	Method 2: Staudinger Reaction of Acyl Azides	848
21.13.7	Product Subclass 7: N,N-Diheteroatom-Substituted Amides (Anomeric Amides)	849
21.13.8	Product Subclass 8: N-Halo Amides	850
21.13.8.1	Synthesis of Product Subclass 8	850
21.13.8.1.1	Method 1: Oxidative Halogenation of Amides	850
21.13.8.1.1.1	Variation 1: Fluorination of Amides	851

21.13.8.1.1.2	Variation 2: Chlorination of Amides	851
21.13.8.1.1.3	Variation 3: Bromination of Amides	853
21.13.8.1.1.4	Variation 4: Iodination of Amides	854
21.13.9	Product Subclass 9: <i>N</i>-Hydroxy Amides	855
21.13.9.1	Synthesis of Product Subclass 9	856
21.13.9.1.1	Method 1: Oxidation of Amides, Hydroxylamines, and Amines	856
21.13.9.1.2	Method 2: <i>N</i> -Acylation of Hydroxylamines	857
21.13.9.1.3	Method 3: Deprotection of <i>N</i> -Siloxy, <i>N</i> -Acyloxy, or <i>N</i> -Alkoxy Amides	860
21.13.9.1.4	Method 4: Ene Reactions of Acyl Nitroso Compounds	862
21.13.9.1.5	Method 5: Synthesis from Nitro Compounds	864
21.13.10	Product Subclass 10: <i>N</i>-Acyloxy Amides	865
21.13.10.1	Synthesis of Product Subclass 10	865
21.13.10.1.1	Method 1: <i>O</i> - or <i>N</i> -Acylation	865
21.13.10.1.1.1	Variation 1: By <i>O</i> -Acylation of <i>N</i> -Hydroxy Amides	865
21.13.10.1.1.2	Variation 2: <i>N</i> -Acylation of <i>O</i> -Acyl Hydroxylamines	867
21.13.11	Product Subclass 11: <i>N</i>-Alkoxy Amides and <i>O</i>-Siloxy Amides	867
21.13.11.1	Synthesis of Product Subclass 11	868
21.13.11.1.1	Method 1: <i>O</i> -Alkylation or <i>O</i> -Silylation of <i>N</i> -Hydroxy Amides	868
21.13.11.1.1.1	Variation 1: <i>O</i> -Silylation of <i>N</i> -Hydroxy Amides	868
21.13.11.1.1.2	Variation 2: <i>O</i> -Alkylation of <i>N</i> -Hydroxy Amides	869
21.13.11.1.2	Method 2: <i>N</i> -Acylation of <i>O</i> -Alkyl or <i>O</i> -Silyl Hydroxylamine Derivatives ..	871
21.13.11.1.2.1	Variation 1: With Activated Carboxylic Acid Derivatives	871
21.13.11.1.2.2	Variation 2: Reactions of Esters and Imides with <i>O</i> -Alkyl <i>N</i> -Metalated Hydroxylamine Reagents	873
21.13.11.1.3	Method 3: Hetero-Diels–Alder Reaction of Acyl Nitroso Compounds	874
21.13.12	Product Subclass 12: <i>N</i>-Sulfonyl and <i>N</i>-Sulfinyl Amides	876
21.13.12.1	Synthesis of Product Subclass 12	876
21.13.12.1.1	Method 1: Oxidation of <i>N</i> -Sulfinyl and <i>N</i> -Sulfonyl Amides	876
21.13.12.1.2	Method 2: <i>N</i> -Acylation of Sulfonamides and Sulfinamides	877
21.13.12.1.3	Method 3: <i>N</i> -Sulfonylation of Amides	879
21.13.12.1.4	Method 4: Synthesis from <i>N</i> -Sulfonyl Isocyanates	880
21.13.13	Product Subclass 13: <i>N</i>-Sulfanyl Amides	882
21.13.13.1	Synthesis of Product Subclass 13	882
21.13.13.1.1	Method 1: <i>N</i> -Sulfanylation of Amides	882
21.13.13.1.2	Method 2: <i>N</i> -Acylation of Sulfenamides	883
21.13.14	Product Subclass 14: <i>N</i>-Nitro and <i>N</i>-Nitroso Amides	884
21.13.14.1	Synthesis of Product Subclass 14	885
21.13.14.1.1	Method 1: Nitration and Nitrosation of Amides	885
21.13.14.1.2	Method 2: Synthesis from Imidoyl Chlorides	886
21.13.15	Product Subclass 15: Acyl Hydrazones	887
21.13.15.1	Synthesis of Product Subclass 15	887

21.13.15.1.1	Method 1:	Acylation of Hydrazones	887
21.13.15.1.2	Method 2:	Synthesis from Hydrazides and Carbonyl Compounds	888
21.13.16	Product Subclass 16: Hydrazides		889
21.13.16.1	Synthesis of Product Subclass 16		890
21.13.16.1.1	Method 1:	Electrophilic Amination of Amides	890
21.13.16.1.2	Method 2:	Acylation of Hydrazine Derivatives	891
21.13.16.1.3	Method 3:	Reductive Processes	892
21.13.16.1.4	Method 4:	Addition of Carbon-Centered Nucleophiles to <i>N</i> -Acyl Hydrazones	894
21.14	Product Class 14: Acylphosphorus Compounds		
	A. Whitehead, S. R. Sieck, S. Mukherjee, and P. R. Hanson		
21.14	Product Class 14: Acylphosphorus Compounds		907
21.14.1	Product Subclass 1: Tetracoordinate Acylphosphorus Compounds		907
21.14.1.1	Synthesis of Product Subclass 1		907
21.14.1.1.1	Method 1:	The Arbuzov Reaction: Acylation of Phosphorus(III) Compounds	907
21.14.1.1.2	Method 2:	Dithiane Alkylation, Followed by Hydrolysis	908
21.14.1.1.3	Method 3:	Metal-Mediated Oxidations of α -Hydroxy Phosphonates	909
21.14.1.1.3.1	Variation 1:	Heterogeneous Reactions	910
21.14.1.1.3.2	Variation 2:	Solvent-Free Reactions	910
21.14.1.2	Applications of Product Subclass 1 in Organic Synthesis		911
21.14.1.2.1	Method 1:	Halogenation Reactions of Acylphosphonates	911
21.14.1.2.1.1	Variation 1:	Formation of α -Chloro Carboxylic Acids	911
21.14.1.2.1.2	Variation 2:	Selective Chlorination of α -Phosphorylated Aldehydes	913
21.14.1.2.1.3	Variation 3:	Fluorination of Acylphosphonates	913
21.14.1.2.2	Method 2:	Condensation of Acylphosphonates with Amines and Hydrazines, and Subsequent Reactions	914
21.14.1.2.2.1	Variation 1:	Reductive Amination	914
21.14.1.2.2.2	Variation 2:	Pyrazoles via the Vilsmeier–Haack Reaction	915
21.14.1.2.2.3	Variation 3:	Synthesis of Bis(acylphosphonates)	916
21.14.1.2.3	Method 3:	Reduction of Acylphosphonates	917
21.14.1.2.3.1	Variation 1:	Diastereoselective Reductions	917
21.14.1.2.3.2	Variation 2:	Enantioselective Reductions	918
21.14.1.2.4	Method 4:	Organometallic Additions to Acylphosphonates	918
21.14.1.2.4.1	Variation 1:	Grignard Additions	918
21.14.1.2.4.2	Variation 2:	Indium-Mediated Additions	919
21.14.1.2.5	Method 5:	Diels–Alder Reactions of Acylphosphonates	920
21.14.1.2.6	Method 6:	Mukaiyama–Michael Reactions of β,γ -Unsaturated Acylphosphonates	921
21.14.1.2.7	Method 7:	Enolization and Subsequent Reactions of Acylphosphonates	922
21.14.1.2.7.1	Variation 1:	<i>C</i> -Alkylation of Acylphosphonates	922
21.14.1.2.7.2	Variation 2:	Asymmetric Hydrogenation	923
21.14.1.2.7.3	Variation 3:	Cross-Coupling Reactions	924

21.14.1.2.8	Method 8:	Reaction of Acylphosphonates with Phosphorus(III) Compounds	925
21.14.1.2.8.1	Variation 1:	Reaction with Trialkyl Phosphites	925
21.14.1.2.8.2	Variation 2:	Reaction with 2-Isocyanato-4 <i>H</i> -1,3,2-benzodioxaphosphin-4-one	926
21.14.1.2.8.3	Variation 3:	Coupling Reactions of Aryl Acylphosphonates with Aryl Phosphonates	927
21.14.1.2.9	Method 9:	Metal-Mediated Reactions of Acylphosphonates	928
21.14.1.2.9.1	Variation 1:	Ytterbium-Promoted Rearrangements	928
21.14.1.2.9.2	Variation 2:	Samarium(II) Iodide Promoted Three-Component Couplings	929
21.14.1.2.9.3	Variation 3:	Tin-Catalyzed Intramolecular Acylations	930
21.14.1.2.10	Method 10:	Deprotection of Acylphosphonates	931
21.14.2	Product Subclass 2: Tricoordinate Acylphosphorus Compounds		932
21.14.2.1	Synthesis of Product Subclass 2		932
21.14.2.1.1	Method 1:	Alkylation of Secondary Acylphosphines	932
21.14.2.1.2	Method 2:	Acylation of Di- and Tricoordinate Phosphines	933
21.14.2.1.2.1	Variation 1:	Under Basic Conditions	933
21.14.2.1.2.2	Variation 2:	Under Nonbasic Conditions	934
21.14.2.1.3	Method 3:	Palladium-Mediated Cross-Coupling Reactions	935
21.14.2.2	Applications of Product Subclass 2 in Organic Synthesis		935
21.14.2.2.1	Method 1:	Enolization and Aldol Reactions of Acylphosphines	935
21.14.2.2.2	Method 2:	Reactions of Formylphosphines	936
Keyword Index			941
Author Index			979
Abbreviations			1031

