
**Volume 34:
Fluorine**

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	IX
	Introduction	
	J. M. Percy	1
34.1	Product Class 1: Fluoroalkanes	
	J. M. Percy	11
34.1.1	Synthesis by Substitution of Hydrogen	
	G. Sandford	21
34.1.2	Synthesis by Substitution of Metals	
	V. Gouverneur and M. Tredwell	39
34.1.3	Synthesis by Substitution of Carbon Functionalities	
	M. A. Carroll	49
34.1.4	Synthesis by Substitution of Heteroatoms	57
34.1.4.1	Synthesis by Substitution of a Halogen	
	T. P. Lequeux	57
34.1.4.2	Synthesis by Substitution of Hydroxy Groups in Alcohols	
	K. Dax	71
34.1.4.3	Synthesis by Substitution of Oxygen and Sulfur Functionalities	
	T. P. Lequeux	149
34.1.5	Synthesis by Addition Reactions to Alkenes	
	G. Haufe	169
34.1.6	Synthesis with Retention of the Functional Group	
	T. Yamazaki	225
34.2	Product Class 2: Fluorocyclopropanes	
	J. M. Percy	245
34.3	Product Class 3: (Fluoromethyl)cyclopropanes	
	J. M. Percy	267
34.4	Product Class 4: Fluorocyclobutanes	
	J. M. Percy	271
34.5	Product Class 5: Propargylic Fluorides	
	J. A. L. Miles and J. M. Percy	277

34.6	Product Class 6: Benzylic Fluorides	
	A. Sai Krishna Murthy, R. Tardivel, and R. Grée	295
34.7	Product Class 7: Allylic Fluorides	
	R. Roig and J. M. Percy	319
34.8	Product Class 8: Homoallylic Fluorides	
	J. M. Percy	341
34.9	Product Class 9: β-Fluoro Alcohols	
	G. Haufe	345
34.10	Product Class 10: β-Fluoroamines	
	J. M. Percy	379
	Keyword Index	387
	Author Index	403
	Abbreviations	419

Table of Contents

	Introduction	
	J. M. Percy	
	Introduction	1
34.1	Product Class 1: Fluoroalkanes	
	J. M. Percy	
34.1	Product Class 1: Fluoroalkanes	11
34.1.1	Synthesis by Substitution of Hydrogen	
	G. Sandford	
34.1.1	Synthesis by Substitution of Hydrogen	21
34.1.1.1	Method 1: Direct Fluorination with Elemental Fluorine	21
34.1.1.2	Method 2: Reaction with Selectfluor	29
34.1.1.3	Method 3: Reaction with Xenon Difluoride	32
34.1.1.4	Method 4: Reaction with Organic Hypofluorites	33
34.1.1.5	Method 5: Reaction with Cesium Fluoroxysulfate	35
34.1.1.6	Method 6: Reaction with Hydrogen Fluoride/Pyridine and Nitrosonium Tetrafluoroborate	37
34.1.2	Synthesis by Substitution of Metals	
	V. Gouverneur and M. Tredwell	
34.1.2	Synthesis by Substitution of Metals	39
34.1.2.1	Method 1: Synthesis from Organosilanes	40
34.1.2.2	Method 2: Synthesis from an Organothallium Compound	42
34.1.2.3	Method 3: Synthesis from Organomercury Compounds	43
34.1.2.4	Method 4: Synthesis from Organomagnesium Compounds	44
34.1.2.5	Method 5: Synthesis from Organolithium Compounds	45
34.1.2.5.1	Variation 1: Using Molecular Fluorine	45
34.1.2.5.2	Variation 2: Using Perchloryl Fluoride	46
34.1.3	Synthesis by Substitution of Carbon Functionalities	
	M. A. Carroll	
34.1.3	Synthesis by Substitution of Carbon Functionalities	49
34.1.3.1	Method 1: Synthesis from Alkanecarboxylates Using Fluorine	49
34.1.3.2	Method 2: Synthesis from Alkanecarboxylic Acids	50
34.1.3.2.1	Variation 1: Using Titanium(IV) Oxide/Silver(I) Fluoride	50
34.1.3.2.2	Variation 2: Using Xenon Difluoride	51
34.1.3.2.3	Variation 3: Using Bromine Trifluoride	53
34.1.3.2.4	Variation 4: Using Triethylamine Trihydrofluoride	54
34.1.3.3	Method 3: Synthesis from Cyclopropanes	54

34.1.4	Synthesis by Substitution of Heteroatoms		
34.1.4.1	Synthesis by Substitution of a Halogen		
	T. P. Lequeux		
<hr/>			
34.1.4.1	Synthesis by Substitution of a Halogen	57
34.1.4.1.1	Method 1: Substitution of Primary Halides	57
34.1.4.1.1.1	Variation 1: Using Metal Fluorides	57
34.1.4.1.1.2	Variation 2: Using Hydrogen Fluoride Complexes	60
34.1.4.1.1.3	Variation 3: Using Tetraalkylammonium Fluorides	61
34.1.4.1.1.4	Variation 4: Using Fluorosilicate Derivatives	62
34.1.4.1.2	Method 2: Substitution of Secondary Halides	62
34.1.4.1.2.1	Variation 1: Using Metal Fluorides	63
34.1.4.1.2.2	Variation 2: Using Hydrogen Fluoride Complexes	65
34.1.4.1.3	Method 3: Substitution of Tertiary Halides	66
34.1.4.1.3.1	Variation 1: Using Metal Fluorides	66
34.1.4.1.3.2	Variation 2: Using Base–Hydrogen Fluoride Complexes	67
34.1.4.1.3.3	Variation 3: Using Silver(I) Tetrafluoroborate	67
34.1.4.1.3.4	Variation 4: Using Ruthenium Complexes	68
34.1.4.2	Synthesis by Substitution of Hydroxy Groups in Alcohols		
	K. Dax		
<hr/>			
34.1.4.2	Synthesis by Substitution of Hydroxy Groups in Alcohols	71
34.1.4.2.1	Method 1: Reaction with Fluoro- λ^4 -sulfanes	72
34.1.4.2.1.1	Variation 1: With <i>N,N</i> -Diethylaminosulfur Trifluoride	76
34.1.4.2.1.2	Variation 2: With <i>N,N</i> -Bis(2-methoxyethyl)aminosulfur Trifluoride (Deoxo-Fluor)	108
34.1.4.2.1.3	Variation 3: With Morpholinosulfur Trifluoride	111
34.1.4.2.1.4	Variation 4: With <i>N,N</i> -Dimethylaminosulfur Trifluoride	113
34.1.4.2.1.5	Variation 5: With Other Dialkylaminofluoro- λ^4 -sulfanes	113
34.1.4.2.1.6	Variation 6: With Sulfur Tetrafluoride	114
34.1.4.2.1.7	Variation 7: With Alkoxy-sulfur Trifluorides	116
34.1.4.2.2	Method 2: Reaction with Selenium Tetrafluoride	117
34.1.4.2.3	Method 3: Reaction with Fluorophosphoranes	118
34.1.4.2.3.1	Variation 1: With Difluoro(triphenyl)phosphorane	119
34.1.4.2.3.2	Variation 2: With Trifluoro(diphenyl)phosphorane	119
34.1.4.2.3.3	Variation 3: With Tetrafluoro(phenyl)phosphorane	119
34.1.4.2.4	Method 4: Reaction with Fluoroalkylamine Reagents	121
34.1.4.2.4.1	Variation 1: With 2-Chloro- <i>N,N</i> -diethyl-1,1,2-trifluoroethylamine (Yarovenko Reagent)	122
34.1.4.2.4.2	Variation 2: With <i>N,N</i> -Diethyl-1,1,2,3,3,3-hexafluoropropylamine (Ishikawa Reagent)	124
34.1.4.2.4.3	Variation 3: With <i>N,N</i> -Diethyl(trifluoromethyl)amine	125
34.1.4.2.4.4	Variation 4: With 1,1-Difluoro- <i>N,N</i> -dimethyl-1-phenylmethanamine	126
34.1.4.2.4.5	Variation 5: With <i>N,N</i> -Dimethyl(1,1,2,2-tetrafluoroethyl)amine	126
34.1.4.2.4.6	Variation 6: With <i>N,N</i> -Diethyl-1,1-difluoro-1-(3-tolyl)methanamine	127
34.1.4.2.4.7	Variation 7: With 2,2-Difluoro-1,3-dimethylimidazolidine	129

34.1.4.2.4.8	Variation 8:	With Other Fluoroalkylamine Reagents	130
34.1.4.2.5	Method 5:	Reaction with Perfluorocyclobutane Ylides	132
34.1.4.2.6	Method 6:	Reaction with Perfluoro(2-methylpent-2-ene)	133
34.1.4.2.7	Method 7:	One-Pot Versions of the Sulfonate Displacement Route Using Alkane- or Arenesulfonyl Fluorides	134
34.1.4.2.8	Method 8:	Reaction with Hydrogen Fluoride	137
34.1.4.2.8.1	Variation 1:	In Combination with Organic Bases (Amines or Ethers)	138

34.1.4.3 **Synthesis by Substitution of Oxygen and Sulfur Functionalities**

T. P. Lequeux

34.1.4.3	Synthesis by Substitution of Oxygen and Sulfur Functionalities	149	
34.1.4.3.1	Method 1:	Substitution of Trifluoromethanesulfonates and Imidazolesulfonates	149
34.1.4.3.1.1	Variation 1:	Using Difluorosilicate Derivatives	149
34.1.4.3.1.2	Variation 2:	Using Tetrabutylammonium Fluoride	150
34.1.4.3.1.3	Variation 3:	Using Base–Hydrogen Fluoride Complexes	152
34.1.4.3.2	Method 2:	Substitution of Cyclic Sulfates	153
34.1.4.3.2.1	Variation 1:	Using Ammonium Fluoride	153
34.1.4.3.2.2	Variation 2:	Using Tetrabutylammonium Fluoride for the Substitution of Cyclic Sulfamates	155
34.1.4.3.3	Method 3:	Substitution of Carboxylic Esters and Cyclic Carbonates	156
34.1.4.3.4	Method 4:	Substitution of <i>O,S</i> -Dialkyl Dithiocarbonates	157
34.1.4.3.5	Method 5:	Substitution of Primary Sulfonates	159
34.1.4.3.5.1	Variation 1:	Using Potassium Fluoride	159
34.1.4.3.5.2	Variation 2:	Using an Ionic Liquid and Cesium Fluoride	160
34.1.4.3.5.3	Variation 3:	Using Ammonium Fluorides under High Pressure	160
34.1.4.3.5.4	Variation 4:	Using Ammonium Fluorides or Hydrogen Difluorides	161
34.1.4.3.5.5	Variation 5:	Using Difluorosilicate Derivatives	162
34.1.4.3.6	Method 6:	Substitution of Secondary Sulfonates	163
34.1.4.3.6.1	Variation 1:	Using Potassium Fluoride	163
34.1.4.3.6.2	Variation 2:	Using Ammonium Fluorides	164
34.1.4.3.6.3	Variation 3:	Using Reagents Containing Hydrogen Fluoride	164
34.1.4.3.7	Method 7:	Substitution of Sulfides	165

34.1.5 **Synthesis by Addition Reactions to Alkenes**

G. Haufe

34.1.5	Synthesis by Addition Reactions to Alkenes	169	
34.1.5.1	Vicinal Chlorofluoroalkanes from Alkenes	171	
34.1.5.1.1	Method 1:	Synthesis Using <i>N</i> -Chloro Imides and a Fluoride Source	172
34.1.5.1.1.1	Variation 1:	Using <i>N</i> -Chlorosuccinimide or <i>N</i> -Chlorosaccharin, and Hydrogen Fluoride/Pyridine	172
34.1.5.1.1.2	Variation 2:	Using <i>N</i> -Chlorosuccinimide and Triethylamine Trihydrofluoride	174
34.1.5.1.1.3	Variation 3:	Using Hexachloromelamine and Anhydrous Hydrogen Fluoride	175
34.1.5.1.2	Method 2:	Synthesis Using Chlorine and Silver(I) Fluoride	177
34.1.5.1.3	Method 3:	Synthesis Using Alkyl Hypochlorites and Boron Trifluoride	178

34.1.5.2	Vicinal Bromofluoroalkanes from Alkenes	179
34.1.5.2.1	Method 1: Synthesis Using <i>N</i> -Bromo Imides and a Fluoride Source	179
34.1.5.2.1.1	Variation 1: Using <i>N</i> -Bromosuccinimide and Anhydrous Hydrogen Fluoride in Coordinating Solvents	179
34.1.5.2.1.2	Variation 2: Using <i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione, and Hydrogen Fluoride/Pyridine or Polymer-Supported Hydrogen Fluoride/Pyridine	181
34.1.5.2.1.3	Variation 3: Using <i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione, and Triethylamine Trihydrofluoride or a Related Amine–Hydrogen Fluoride Reagent	184
34.1.5.2.1.4	Variation 4: <i>N</i> -Bromosuccinimide or 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione, and Tetrabutylammonium and Tetrabutylphosphonium Hydrogen Fluorides	187
34.1.5.2.1.5	Variation 5: 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione and Metal Fluoride–Hydrogen Fluoride Salts	189
34.1.5.2.2	Method 2: Synthesis Using Bromine Monofluoride Prepared In Situ	190
34.1.5.2.2.1	Variation 1: Preparation from Bromine and Fluorine	190
34.1.5.2.2.2	Variation 2: Preparation from Bromine and Silver(I) Fluoride	192
34.1.5.2.3	Method 3: Synthesis Using Other Fluoride Sources	193
34.1.5.3	Vicinal Fluoroiodoalkanes from Alkenes	194
34.1.5.3.1	Method 1: Reaction with Iodine Monofluoride Prepared In Situ	194
34.1.5.3.1.1	Variation 1: Prepared from Iodine and Fluorine	194
34.1.5.3.1.2	Variation 2: Prepared from Iodine and Metal Fluorides	196
34.1.5.3.2	Method 2: Reaction with <i>N</i> -Iodosuccinimide and Hydrogen Fluoride	197
34.1.5.3.2.1	Variation 1: In Coordinating Solvents	197
34.1.5.3.2.2	Variation 2: In Water with Phase-Transfer Catalysis	198
34.1.5.3.2.3	Variation 3: Using Hydrogen Fluoride/Pyridine	200
34.1.5.3.2.4	Variation 4: Using Polymer-Supported Hydrogen Fluoride/Pyridine	200
34.1.5.3.2.5	Variation 5: Using Triethylamine Trihydrofluoride	201
34.1.5.3.2.6	Variation 6: Using Metal Fluoride–Hydrogen Fluoride Salts	202
34.1.5.3.2.7	Variation 7: Using Ammonium Hydrogen Fluorides	203
34.1.5.3.2.8	Variation 8: Using Tetrabutylphosphonium Hydrogen Fluorides	204
34.1.5.3.2.9	Variation 9: Using Hexafluoropropene/Diethylamine Complex	205
34.1.5.3.3	Method 3: Reaction with Iodonium Equivalents Other Than Iodine or <i>N</i> -Iodosuccinimide and a Fluoride Source	206
34.1.5.4	Vicinal Fluoro(sulfanyl)alkanes	207
34.1.5.4.1	Method 1: Fluorosulfanylation of Alkenes	208
34.1.5.4.1.1	Variation 1: Using Dimethyl(methylsulfanyl)sulfonium Tetrafluoroborate and Triethylamine Trihydrofluoride	208
34.1.5.4.1.2	Variation 2: Using Benzenesulfonyl Chloride and Silver(I) Fluoride	210
34.1.5.4.1.3	Variation 3: Using <i>N</i> -(Phenylsulfanyl)phthalimide and Hydrogen Fluoride/Pyridine	211
34.1.5.4.1.4	Variation 4: Using Trifluoromethanesulfonyl Fluoride	212
34.1.5.5	Vicinal Fluoro(selanyl)alkanes	213
34.1.5.5.1	Method 1: Synthesis Using Benzeneselenenyl Bromide or Chloride and Silver(I) Fluoride	213

34.1.5.5.2	Method 2: Synthesis Using <i>N</i> -(Phenylselanyl)phthalimide and Triethylamine Trihydrofluoride	214
34.1.5.5.3	Method 3: Synthesis Using Diphenyl Diselenide and Xenon Difluoride ...	216
34.1.5.6	Vicinal Nitro- and Nitriminofluoroalkanes	218
34.1.5.6.1	Method 1: Nitrofluorination of Alkenes	218
34.1.5.6.2	Method 2: Nitriminofluorination of Alkenes	219
34.1.6	Synthesis with Retention of the Functional Group T. Yamazaki	
<hr/>		
34.1.6	Synthesis with Retention of the Functional Group	225
34.1.6.1	Method 1: α -Functional Group Elimination	225
34.1.6.1.1	Variation 1: Free-Radical-Mediated Dehalogenation with Tributyltin Hydride	225
34.1.6.1.2	Variation 2: Ring Expansion with Dehalogenation Mediated by Palladium Oxide or Acid	228
34.1.6.1.3	Variation 3: By Desulfonylation	230
34.1.6.1.4	Variation 4: By Denitration	230
34.1.6.2	Method 2: β -Functional Group Elimination	231
34.1.6.2.1	Variation 1: By Dehalogenation	231
34.1.6.2.2	Variation 2: By Ionic Deoxygenation	232
34.1.6.2.3	Variation 3: By Radical Deoxygenation	233
34.1.6.2.4	Variation 4: By Deselenation	235
34.1.6.3	Method 3: Hydrogenation of Unsaturated Compounds Containing Fluorine	236
34.1.6.3.1	Variation 1: Hydrogenation of Vinylic Fluorides	236
34.1.6.3.2	Variation 2: Hydrogenation of Allylic and Propargylic Fluorides	238
34.1.6.3.3	Variation 3: Reduction of Fluorinated Arenes	240
34.2	Product Class 2: Fluorocyclopropanes J. M. Percy	
<hr/>		
34.2	Product Class 2: Fluorocyclopropanes	245
34.2.1	Synthesis of Product Class 2	246
34.2.1.1	Method 1: Radical Dechlorination of Chlorofluorocyclopropanes Using Tributyltin Hydride	246
34.2.1.2	Method 2: Debromination of Bromofluorocyclopropanes with Zinc Powder	247
34.2.1.3	Method 3: Carbene and Carbenoid Additions to Fluoroalkenes	248
34.2.1.3.1	Variation 1: Simmons–Smith Reaction of Fluoroallylic Alcohols Using a Zinc/Copper Couple	249
34.2.1.3.2	Variation 2: Diastereoselective Simmons–Smith Reaction Using Diethylzinc(II)/Diiodomethane	250
34.2.1.3.3	Variation 3: Addition of Diazoacetic Esters to Fluoroalkenes	251
34.2.1.3.4	Variation 4: Diastereoselective Addition of Diazoacetic Esters to Fluoroalkenes	251

34.2.1.3.5	Variation 5:	Addition of Diazomethane to Ethyl (2 <i>E</i>)-3-Fluoro-2-phenylacrylate with Adduct Photolysis	252
34.2.1.3.6	Variation 6:	Intramolecular Carbenoid Addition to an Ethyl (2 <i>Z</i>)-2-Fluoroalk-2-enoate	253
34.2.1.4	Method 4:	Fluorohalocyclopropanes via Fluorohalocarbene Addition to Alkenes	253
34.2.1.4.1	Variation 1:	Phase-Transfer-Catalyzed Formation of Chlorofluorocyclopropanes	254
34.2.1.4.2	Variation 2:	Titanium-Mediated Formation of Chlorofluorocyclopropanes	255
34.2.1.4.3	Variation 3:	Generation of Chlorofluorocyclopropanes from Methyl Dichlorofluoroacetate	256
34.2.1.4.4	Variation 4:	Bromofluorocarbene Addition to Alkenes Using Phase-Transfer Catalysis	257
34.2.1.5	Method 5:	Direct Fluorocarbene Addition to Alkenes	257
34.2.1.6	Method 6:	Intermolecular Addition of Fluoroiodoacetate to Alkenes and Subsequent Anionic Cyclization	260
34.2.1.7	Method 7:	Fluorination of Cyclopropanes and Their Conjugate Bases	261
34.2.1.7.1	Variation 1:	Electrophilic Fluorination of Methylene-cyclopropane Carboxylate Esters with <i>N</i> -Fluorobis(phenylsulfonyl)amine	261
34.3	Product Class 3: (Fluoromethyl)cyclopropanes		
	J. M. Percy		
34.3	Product Class 3: (Fluoromethyl)cyclopropanes		267
34.3.1	Synthesis of Product Class 3		267
34.3.1.1	Method 1:	Fluorodehydroxylation of Cyclopropylmethanol with <i>N,N</i> -Diethylaminosulfur Trifluoride	267
34.3.1.2	Method 2:	In Situ Formation and Fluoride Ion Displacement of a Cyclopropylmethyl 4-Toluenesulfonate	268
34.3.1.3	Method 3:	Ring Contraction of Cyclobutanols	268
34.3.1.4	Method 4:	Transannular Epoxide Opening with Trimethylamine Trihydrofluoride	269
34.4	Product Class 4: Fluorocyclobutanes		
	J. M. Percy		
34.4	Product Class 4: Fluorocyclobutanes		271
34.4.1	Synthesis of Product Class 4		271
34.4.1.1	Method 1:	Fluorodehydroxylation of Cyclobutanols by Reaction with <i>N,N</i> -Diethylaminosulfur Trifluoride	272
34.4.1.2	Method 2:	Reaction of Halocyclobutanes with Fluorinating Agents	273
34.4.1.2.1	Variation 1:	Reaction of Iodocubane with Xenon Difluoride	273
34.4.1.3	Method 3:	Reaction of (Iodomethyl)cyclopropane with Xenon Difluoride	274
34.4.1.4	Method 4:	Addition of Iodine Fluoride to Methylene-cyclobutanes	274

34.5	Product Class 5: Propargylic Fluorides	
	J. A. L. Miles and J. M. Percy	
<hr/>		
34.5	Product Class 5: Propargylic Fluorides	277
34.5.1	Synthesis of Product Class 5	277
34.5.1.1	Method 1: Nucleophilic Substitution of Propargylic Alcohols with 1-Fluoro- <i>N,N</i> -diisopropyl-2-methylprop-1-en-1-amine	277
34.5.1.2	Method 2: Nucleophilic Substitution of Silyl Ethers with Piperidinosulfur Trifluoride	278
34.5.1.3	Method 3: Reaction of Prop-2-yn-1-ol with 2-Chloro- <i>N,N</i> -diethyl-1,1,2-trifluoroethanamine	280
34.5.1.4	Method 4: Nucleophilic Substitution with Tetrabutylammonium Fluoride	281
34.5.1.5	Method 5: Ring Opening of Oxetanes Using Silicon Tetrafluoride	282
34.5.1.6	Method 6: Nucleophilic Substitution Using Sulfur Tetrafluoride	282
34.5.1.7	Method 7: Nucleophilic Substitution of Propargylic Alcohols with <i>N,N</i> -Diethylaminosulfur Trifluoride	283
34.5.1.7.1	Variation 1: Inverse Addition of a Propargylic Alcohol Precursor to a Cold Solution of <i>N,N</i> -Diethylaminosulfur Trifluoride without Low Temperature Quenching	284
34.5.1.7.2	Variation 2: Inverse Addition of a Propargylic Alcohol Precursor to a Cold Solution of <i>N,N</i> -Diethylaminosulfur Trifluoride with Low Temperature Quenching	286
34.5.1.7.3	Variation 3: From Propargylic Alcohols by Inverse Addition to a Cooled Solution of <i>N,N</i> -Diethylaminosulfur Trifluoride	287
34.5.1.7.4	Variation 4: From Hexacarbonyldicobalt-Protected Propargylic Alcohols	288
34.5.1.8	Method 8: Synthesis From 3-Substituted 1,1,3-Tribromo-1-fluoropropanes via (Alk-1-ynyl)fluorocarbenes	291
34.6	Product Class 6: Benzylic Fluorides	
	A. Sai Krishna Murthy, R. Tardivel, and R. Grée	
<hr/>		
34.6	Product Class 6: Benzylic Fluorides	295
34.6.1	Synthesis of Product Class 6	295
34.6.1.1	Nucleophilic Fluorination	295
34.6.1.1.1	Method 1: Dehydrofluorination	295
34.6.1.1.1.1	Variation 1: Electrochemical Methods	295
34.6.1.1.1.2	Variation 2: Photochemical Methods	300
34.6.1.1.2	Method 2: Dehydroxyfluorination	300
34.6.1.1.2.1	Variation 1: With <i>N,N</i> -Diethylaminosulfur Trifluoride and Related Reagents	301
34.6.1.1.2.2	Variation 2: With Nonfluorobutanesulfonyl Fluoride with a Trialkylamine Trihydrofluoride and a Base	304
34.6.1.1.2.3	Variation 3: With Fluoroalkylamines and Related Reagents	304
34.6.1.1.2.4	Variation 4: Fluorination with Rearrangement	305
34.6.1.1.3	Method 3: Desulfurative Fluorinations	307
34.6.1.1.4	Method 4: Halogen-Exchange Reactions	307
34.6.1.1.5	Method 5: Nucleophilic Substitutions	311

34.6.1.2	Electrophilic Fluorination	313
34.6.1.2.1	Method 1: Fluorination of Alkylbenzenes with Cesium Fluoroxy sulfate ..	313
34.6.1.3	C—C Bond Formation of Fluorinated Compounds	314
34.6.1.3.1	Method 1: Transition-Metal-Catalyzed Reactions	314
34.6.1.3.2	Method 2: Cycloadditions to Vinylic Fluorides	315
34.7	Product Class 7: Allylic Fluorides R. Roig and J. M. Percy	
<hr/>		
34.7	Product Class 7: Allylic Fluorides	319
34.7.1	Product Subclass 1: Allyl Fluorides	319
34.7.1.1	Synthesis of Product Subclass 1	319
34.7.1.1.1	Method 1: Deoxofluorination of Allylic Alcohols with <i>N,N</i> -Diethylaminosulfur Trifluoride	319
34.7.1.1.1.1	Variation 1: Deoxofluorination of Allylic Alcohols with Bis(dialkylamino)sulfur Difluorides	322
34.7.1.1.2	Method 2: Addition to α -Fluoroalkynes	323
34.7.1.1.3	Method 3: Electrophilic Fluorination of Alkenes	325
34.7.1.1.3.1	Variation 1: Electrophilic Fluorination of Alkenes with Acetyl Hypofluorite	325
34.7.1.1.3.2	Variation 2: Electrophilic Fluorination of Activated Alkenes with Elemental Fluorine	326
34.7.1.1.3.3	Variation 3: Electrophilic Fluorination of Alkenes with <i>N</i> -Fluoropyridinium Salts	327
34.7.1.1.4	Method 4: Nucleophilic Substitution of Allylic Halides	328
34.7.1.1.4.1	Variation 1: Nucleophilic Substitution of Allylic Halides with Tetraethylammonium Fluoride	328
34.7.1.1.4.2	Variation 2: Heterogeneous Fluorination of Allylic Halides by the Combination of Lead(II) Fluoride and a Sodium Salt	329
34.7.1.1.4.3	Variation 3: A Facile Method for the Fluorination of Phenyl Thioethers via Sulfonium Salts Using Cesium Fluoride	330
34.7.1.1.5	Method 5: Fluoroalkenylation of 1,3-Bis(<i>tert</i> -butyldimethylsilyl) Ethers	331
34.7.1.1.6	Method 6: Oxidative Elimination of β -Fluoro Selenides	332
34.7.1.1.7	Methods 7: Additional Methods	332
34.7.2	Product Subclass 2: α-Fluoroallyl- and 3-Fluoroalk-1-enylphosphonate Esters	333
34.7.2.1	Synthesis of Product Subclass 2	334
34.7.2.1.1	Method 1: Deoxofluorination of α -Hydroxyallylphosphonate Esters with <i>N,N</i> -Diethylaminosulfur Trifluoride	334
34.7.2.1.2	Method 2: Coupling of α -Fluoro Phosphonate Esters with Vinylic Halides	334
34.7.2.1.3	Method 3: Catalytic Hydrogenation of α -Fluoropropargylphosphonate Esters	335
34.7.3	Product Subclass 3: γ-Fluoro α,β-Unsaturated Esters	337
34.7.3.1	Synthesis of Product Subclass 3	337
34.7.3.1.1	Method 1: Horner–Emmons Condensation of α -Fluoro Aldehydes and Ketones	337

34.8	Product Class 8: Homoallylic Fluorides J. M. Percy	
<hr/>		
34.8	Product Class 8: Homoallylic Fluorides	341
34.8.1	Synthesis of Product Class 8	341
34.8.1.1	Method 1: Ring Opening of Cyclopropylmethanols with a Fluoride Ion Source	341
34.9	Product Class 9: β-Fluoro Alcohols G. Haufe	
<hr/>		
34.9	Product Class 9: β-Fluoro Alcohols	345
34.9.1	Synthesis of Product Class 9	345
34.9.1.1	Method 1: Synthesis Using Hydrogen Fluoride	348
34.9.1.1.1	Variation 1: Aqueous Hydrogen Fluoride	348
34.9.1.1.2	Variation 2: Anhydrous Hydrogen Fluoride in Coordinating Solvents	349
34.9.1.1.3	Variation 3: Anhydrous Hydrogen Fluoride in the Presence of Lewis Acids	350
34.9.1.2	Method 2: Synthesis Using Metal Fluorides and Metal Hydrogen Fluorides	351
34.9.1.2.1	Variation 1: Alkali Metal Hydrogen Fluorides in Coordinating Solvents	351
34.9.1.2.2	Variation 2: Potassium Hydrogen Difluoride or Silver(I) Fluoride in the Presence of a Chiral Lewis Acid	355
34.9.1.3	Method 3: Synthesis Using Alkylammonium and Alkylphosphonium Fluorides	357
34.9.1.3.1	Variation 1: Tetrabutylammonium and Tetrabutylphosphonium Fluorides	357
34.9.1.3.2	Variation 2: Tetraethylammonium Fluorides	360
34.9.1.4	Method 4: Synthesis Using Amine Polyhydrofluorides	361
34.9.1.4.1	Variation 1: Hydrogen Fluoride/Pyridine	362
34.9.1.4.2	Variation 2: Alkylamine Hydrofluorides	367
34.9.1.5	Method 5: Synthesis Using Boron Trifluoride–Diethyl Ether Complex	374
34.10	Product Class 10: β-Fluoroamines J. M. Percy	
<hr/>		
34.10	Product Class 10: β-Fluoroamines	379
34.10.1	Synthesis of Product Class 10	379
34.10.1.1	Method 1: Reduction of β -Fluoro Azides	379
34.10.1.2	Method 2: Displacement of β -Fluoro 4-Toluenesulfonates by Amines	380
34.10.1.3	Method 3: Ring Opening of Aziridines with Hydrogen Fluoride Equivalents	381
34.10.1.3.1	Variation 1: Ring Opening of Aziridines by Fluoride Ion	382
34.10.1.3.2	Variation 2: Ring Opening of Azabicyclo[1.1.0]butanes with Hydrogen Fluoride/Pyridine	383
34.10.4	Method 4: Ring Opening of Cyclic Sulfamates with Fluoride Ion	384

Keyword Index	387
Author Index	403
Abbreviations	419