
**Volume 1:
Compounds with Transition Metal–Carbon π -Bonds
and Compounds of groups 10–8 (Ni, Pd, Pt, Co, Rh,
Ir, Fe, Ru, Os)**

	Preface	V
	Table of Contents	IX
	Introduction	
	M. Lautens	1
1.1	Product Class 1: Organometallic Complexes of Nickel	
	J. Montgomery	11
1.2	Product Class 2: Organometallic Complexes of Palladium	
1.2.1	Product Subclass 1: Palladium–Diene Complexes	
	J. M. Takacs, X. Jiang, and S. Vayalakkada	63
1.2.2	Product Subclass 2: Palladium–Allyl Complexes	
	R. W. Friesen	113
1.2.3	Product Subclass 3: Palladium–Alkyne Complexes	
	J. M. Takacs, S. Vayalakkada, and X. Jiang	265
1.2.4	Product Subclass 4: Palladium–Alkene Complexes	
	J. M. Takacs and S. Vayalakkada	319
1.3	Product Class 3: Organometallic Complexes of Platinum	
	A. Ogawa and T. Hirao	389
1.4	Product Class 4: Organometallic Complexes of Cobalt	
	M. Malacria, C. Aubert, and J.-L. Renaud	439
1.5	Product Class 5: Organometallic Complexes of Rhodium	
	I. Ojima, A. T. Vu, and D. Bonafoux	531
1.6	Product Class 6: Organometallic Complexes of Iridium	
	J. M. O’Connor	617

1.7	Product Class 7: Organometallic Complexes of Iron	
1.7.1	Product Subclass 1: Iron–Arene Complexes	
	G. R. Stephenson	749
1.7.2	Product Subclass 2: Iron–Dienyl Complexes	
	G. R. Stephenson	755
1.7.3	Product Subclass 3: Iron–Diene Complexes	
	G. R. Stephenson	778
1.7.4	Product Subclass 4: Iron–Allyl Complexes	
	G. R. Stephenson	826
1.7.5	Product Subclass 5: Iron–Alkene Complexes	
	G. R. Stephenson	839
1.7.6	Product Subclass 6: Iron–Carbene Complexes	
	G. R. Stephenson	846
1.7.7	Product Subclass 7: Iron–Alkyl Complexes	
	G. R. Stephenson	853
1.7.8	Product Subclass 8: Ferrocenes	
	M. Perseghini and A. Togni	889
1.8	Product Class 8: Organometallic Complexes of Ruthenium	
	N. Chatani	931
1.9	Product Class 9: Organometallic Complexes of Osmium	
	J. Gonzalez and W. D. Harman	981
	Keyword Index	1017
	Author Index	1055
	Abbreviations	1107

Table of Contents

Introduction

M. Lautens

Introduction	1
---------------------------	---

1.1 Product Class 1: Organometallic Complexes of Nickel

J. Montgomery

1.1	Product Class 1: Organometallic Complexes of Nickel	11
1.1.1	Product Subclass 1: Nickel Complexes of 1,3-Dienes	12
	Synthesis of Product Subclass 1	12
1.1.1.1	Method 1: Ligand Exchange with Bis(η^4 -cycloocta-1,5-diene)nickel(0) ...	12
	Applications of Product Subclass 1 in Organic Synthesis	13
1.1.1.2	Method 2: Diene–Diene Cycloadditions	13
1.1.1.3	Method 3: Diene–Alkyne Cycloadditions	14
1.1.1.4	Method 4: Diene–Aldehyde Reductive Cyclizations	15
1.1.1.4.1	Variation 1: Triethylsilane-Mediated Reactions	15
1.1.1.4.2	Variation 2: Triethylborane-Mediated Reactions	16
1.1.1.5	Method 5: 1,4-Dialkylation of Dienes	16
1.1.1.6	Method 6: Hydrocyanation of Dienes	17
1.1.2	Product Subclass 2: Nickel–Allyl Complexes	17
	Synthesis of Product Subclass 2	17
1.1.2.1	Method 1: Oxidative Addition of Nickel(0) with Allylic Electrophiles	17
1.1.2.2	Method 2: Addition of Allylmagnesium Halides to Nickel(II) Salts	18
1.1.2.3	Method 3: Oxidative Addition of Nickel(0) with Enones in the Presence of Lewis Acids	19
1.1.2.4	Method 4: Oxidative Cyclization of Nickel(0) Complexes of Conjugated Dienes	20
	Applications of Product Subclass 2 in Organic Synthesis	21
1.1.2.5	Method 5: Coupling of Allyl Halide Derived Nickel–Allyl Complexes with Alkyl Halides and Other Electrophiles	21
1.1.2.6	Method 6: Coupling of Enal-Derived Nickel–Allyl Complexes with Alkyl Halides and Other Electrophiles	22
1.1.2.7	Method 7: Coupling of Nickel–Allyl Complexes with Main Group Organometallics	24
1.1.2.7.1	Variation 1: Allylic Ether Derived π -Allyl Complexes	24
1.1.2.7.2	Variation 2: Enal-Derived π -Allyl Complexes	26
1.1.2.7.3	Variation 3: Allylic Alcohol Derived π -Allyl Complexes	26

1.1.2.8	Method 8:	Addition of Stabilized Nucleophiles to Nickel–Allyl Complexes	27
1.1.2.9	Method 9:	Alkyne Insertions with Nickel–Allyl Complexes	27
1.1.2.10	Method 10:	Alkene Insertions with Nickel–Allyl Complexes	29
1.1.3	Product Subclass 3: Nickel–Alkyne Complexes		29
	Synthesis of Product Subclass 3		30
1.1.3.1	Method 1:	Ligand Exchange with Nickel–Alkene Complexes	30
	Applications of Product Subclass 3 in Organic Synthesis		31
1.1.3.2	Method 2:	Coupling of Alkynes with Carbon Dioxide	31
1.1.3.3	Method 3:	Coupling of Alkynes with Isocyanides	32
1.1.3.4	Method 4:	Coupling of Alkynes with Aldehydes	32
1.1.3.5	Method 5:	Coupling of Two Alkynes	35
1.1.3.6	Method 6:	Coupling of Alkynes with Alkenes	36
1.1.3.7	Method 7:	[2+2+2] Cycloadditions	38
1.1.3.8	Method 8:	Alkyne Carbonylation	40
1.1.3.9	Method 9:	Alkyne Hydrocyanation	40
1.1.3.10	Method 10:	Alkyne Hydrosilylation	40
1.1.3.11	Method 11:	Alkyne Carbozincation	41
1.1.4	Product Subclass 4: Nickel–Alkene Complexes		42
	Synthesis of Product Subclass 4		42
1.1.4.1	Method 1:	Ligand Exchange with Nickel(0) Complexes	42
	Applications of Product Subclass 4 in Organic Synthesis		43
1.1.4.2	Method 2:	Conjugate Addition to Electrophilic Double Bonds	43
1.1.4.2.1	Variation 1:	Organoaluminums	43
1.1.4.2.2	Variation 2:	Organozincs	44
1.1.4.2.3	Variation 3:	Organozirconiums	46
1.1.4.2.4	Variation 4:	Direct Conjugate Addition of Alkyl Halides	47
1.1.4.3	Method 3:	Coupling of Two Alkenes	48
1.1.4.4	Method 4:	Alkene Carbonylation	51
1.1.4.5	Method 5:	Alkene Hydrocyanation	52
1.1.4.6	Method 6:	Alkene Hydrosilylation	53
1.1.4.7	Method 7:	Alkene Hydroalumination	53
1.1.4.8	Method 8:	Alkene Hydrozincation	55
1.1.4.9	Method 9:	Alkene Carbozincation	56
1.1.4.10	Method 10:	Homo-Diels–Alder Cycloadditions	57
1.1.4.11	Method 11:	Alkene Polymerization	57

1.2	Product Class 2: Organometallic Complexes of Palladium	
<hr/>		
1.2.1	Product Subclass 1: Palladium–Diene Complexes	
	J. M. Takacs, X. Jiang, and S. Vayalakkada	
<hr/>		
1.2.1	Product Subclass 1: Palladium–Diene Complexes	63
	Synthesis of Product Subclass 1	64
1.2.1.1	Method 1: Preparation and Characterization of Palladium–Diene Complexes	64
	Applications of Product Subclass 1 in Organic Synthesis	65
1.2.1.2	Method 2: 1,3-Dienes: The 1,4-Addition of Nucleophiles	65
1.2.1.2.1	Variation 1: The Oxidative Addition of Carbon Nucleophiles	67
1.2.1.2.2	Variation 2: The Reductive Addition of Carbon Nucleophiles	69
1.2.1.2.3	Variation 3: The Oxidative Addition of Oxygen Nucleophiles	70
1.2.1.2.4	Variation 4: The Reductive Addition of Oxygen Nucleophiles	77
1.2.1.2.5	Variation 5: The Addition of Nitrogen Nucleophiles	78
1.2.1.2.6	Variation 6: The Reductive Addition of Sulfur Nucleophiles	79
1.2.1.2.7	Variation 7: The Oxidative Carbonylation of 1,3-Dienes	80
1.2.1.2.8	Variation 8: The Reductive Carbonylation of 1,3-Dienes	81
1.2.1.3	Method 3: Allenes: The Addition of Nucleophiles	82
1.2.1.3.1	Variation 1: The Addition of Carbon and Hydrogen Across the Allene	83
1.2.1.3.2	Variation 2: The Addition of Carbon and Silicon Across the Allene	88
1.2.1.3.3	Variation 3: The Addition of Heteroatoms (i.e., O, N, S, or Se) and Hydrogen Across the Allene	89
1.2.1.3.4	Variation 4: The Addition of the Oxygen, Nitrogen, or Carbon and Carbon Moiety Across the Allene	93
1.2.1.3.5	Variation 5: The Addition of the Oxygen or Nitrogen and Halogen Moiety Across the Allene	104
1.2.1.3.6	Variation 6: The Addition of the Oxygen, Nitrogen, or Carbon and Carbon Moiety via the Insertion of Carbon Monoxide or an Alkene	105
1.2.2	Product Subclass 2: Palladium–Allyl Complexes	
	R. W. Friesen	
<hr/>		
1.2.2	Product Subclass 2: Palladium–Allyl Complexes	113
	Synthesis of Product Subclass 2	115
1.2.2.1	Method 1: Transmetalation with Allyl Organometallics	115
1.2.2.1.1	Variation 1: From Allylsilanes	115
1.2.2.1.2	Variation 2: From Allylstannanes	116
1.2.2.1.3	Variation 3: From Allylmercurials	117
1.2.2.1.4	Variation 4: From Allyl Grignard Reagents	118

1.2.2.2	Method 2:	From Allylic Hydrogen Abstraction of Alkenes	118
1.2.2.2.1	Variation 1:	Palladation of Unsaturated Esters	118
1.2.2.2.2	Variation 2:	Palladation of β -Oxo Esters and Diketene	119
1.2.2.2.3	Variation 3:	Palladation of Unsaturated Ketones	120
1.2.2.2.4	Variation 4:	Palladation of Unactivated Alkenes	121
1.2.2.3	Method 3:	Bridge Splitting	128
1.2.2.4	Method 4:	Palladation of 1,2-Dienes (Allenenes)	129
1.2.2.4.1	Variation 1:	From Reaction of Allenenes and Palladium Salts	129
1.2.2.4.2	Variation 2:	Insertion of Allenenes into Allylpalladium Complexes	131
1.2.2.5	Method 5:	Palladation of 1,3- and 1,4-Dienes	132
1.2.2.5.1	Variation 1:	Hydropalladation of 1,3-Dienes	132
1.2.2.5.2	Variation 2:	Heteropalladation of 1,3-Dienes	133
1.2.2.5.3	Variation 3:	Methoxypalladation of Cyclic 1,4-Dienes	138
1.2.2.5.4	Variation 4:	Insertion of 1,3-Dienes into Allylpalladium Complexes	139
1.2.2.5.5	Variation 5:	Palladation of Dienol Silyl Ethers	140
1.2.2.5.6	Variation 6:	Reaction of Dienes and Organomercurials with Palladium Salts	141
1.2.2.6	Method 6:	From Reaction of Allyl and Benzyl Halides	142
1.2.2.6.1	Variation 1:	From Reaction with Allyl Halides	142
1.2.2.6.2	Variation 2:	From Reaction with Benzyl Halides	145
1.2.2.7	Method 7:	Insertion of Palladium(0) into Allyloxy Derivatives	146
1.2.2.8	Method 8:	Palladation of Cyclopropane Derivatives	147
1.2.2.8.1	Variation 1:	From Vinylcyclopropanes	147
1.2.2.8.2	Variation 2:	From Methylene-cyclopropanes	149
1.2.2.8.3	Variation 3:	From Cyclopropenes	150
1.2.2.9	Method 9:	Palladative Coupling of Vinyl Organometallics with Alkenes	151
1.2.2.9.1	Variation 1:	Vinylpalladation of Alkenes Using Vinylmercurials	151
1.2.2.9.2	Variation 2:	Palladative Dimerization of Vinylsilanes	152
1.2.2.10	Method 10:	Ligand Metathesis	153
		Applications of Product Subclass 2 in Organic Synthesis	154
1.2.2.11	Method 11:	Allylsilanes from Reaction of Allylpalladium Complexes and Disilanes	157
1.2.2.12	Method 12:	Allylsilanes from Allylic Esters and Chlorides	158
1.2.2.12.1	Variation 1:	Via Reaction with (Trialkylsilyl)aluminum Reagents	158
1.2.2.12.2	Variation 2:	Via Palladium-Catalyzed Electroreductive Cleavage and Reaction with Trialkylchlorosilanes	159
1.2.2.12.3	Variation 3:	Via Reaction with Disilanes	159
1.2.2.13	Method 13:	Allylsilanes from Reduction of Allylic Carbonates	162
1.2.2.14	Method 14:	Allylsilanes from Hydrosilylation of 1,3-Dienes with Silanes	162
1.2.2.15	Method 15:	Allylstannanes from Allylic Acetates and Phosphates	163
1.2.2.15.1	Variation 1:	Via Reaction with Trialkylstannylaluminates	163
1.2.2.15.2	Variation 2:	Via Reaction with Trialkylchlorostannane and Samarium(II) Iodide	164
1.2.2.16	Method 16:	Allylmercurials from Reaction of Allylpalladium Complexes and Metallic Mercury	165
1.2.2.17	Method 17:	α,β -Unsaturated Esters from Dehydrogenation of Saturated Esters via Their Ketene Silyl Acetals	166

1.2.2.18	Method 18:	α,β -Unsaturated Nitriles from Decarboxylation of Allyl α -Cyanocarboxylates	167
1.2.2.19	Method 19:	β,γ -Unsaturated Esters from Carbonylation of Allylpalladium Complexes	168
1.2.2.20	Method 20:	β,γ -Unsaturated Esters from Carbonylation of Allylic Compounds	168
1.2.2.20.1	Variation 1:	Via Allylic Carbonates	169
1.2.2.20.2	Variation 2:	Via Allylic Esters	169
1.2.2.20.3	Variation 3:	Via Allylic Phosphates	170
1.2.2.21	Method 21:	β,γ -Unsaturated Nitriles from Cyanation of Allylic Carbonates and Acetates	171
1.2.2.22	Method 22:	γ,δ -Unsaturated Esters from Allylation of Ketene Silyl Acetals ..	172
1.2.2.23	Method 23:	Aldehydes and Ketones from Oxidation of Allyl Carbonates ..	173
1.2.2.24	Method 24:	α,β -Unsaturated Aldehydes and Ketones from Oxidation of Allylpalladium Complexes	173
1.2.2.25	Method 25:	α,β -Unsaturated Aldehydes and Ketones from Oxidation of Enol Derivatives	174
1.2.2.25.1	Variation 1:	From Oxidation of Enol Carbonates	175
1.2.2.25.2	Variation 2:	From Oxidation of Enol Acetates	176
1.2.2.25.3	Variation 3:	From Oxidation of Silyl Enol Ethers	176
1.2.2.26	Method 26:	α,β -Unsaturated Ketones from Decarboxylation of Allyl β -Oxocarboxylates	177
1.2.2.27	Method 27:	β,γ -Unsaturated Ketones from Reaction of Allylpalladium Complexes with Acyliron or Acylnickel Carbanions	178
1.2.2.28	Method 28:	β,γ -Unsaturated Aldehydes and Ketones from Carbonylation of Allyl Halides with Organostannanes	179
1.2.2.29	Method 29:	β,γ -Unsaturated Ketones from Rearrangement of Cyclic Vinyl Epoxides	181
1.2.2.30	Method 30:	γ,δ -Unsaturated Ketones from Allylation of Enolates and Enolate Equivalents	181
1.2.2.31	Method 31:	γ,δ -Unsaturated Ketones from Decarboxylative Allylation of β -Oxo Esters and Acids	184
1.2.2.31.1	Variation 1:	Decarboxylative Allylation of Allyl β -Oxocarboxylate Esters ..	184
1.2.2.31.2	Variation 2:	Decarboxylative Alkylation of β -Oxo Acids with Allylic Electrophiles	186
1.2.2.32	Method 32:	γ,δ -Unsaturated Aldehydes and Ketones from Rearrangement of Allyl Enol Carbonates	187
1.2.2.33	Method 33:	Allylic Esters from Allylic Acetoxylation of Alkenes	188
1.2.2.33.1	Variation 1:	γ -Acetoxy-(<i>E</i>)- α,β -Unsaturated Esters and Sulfones from Acetoxylation of β,γ -Unsaturated Esters and Sulfones	188
1.2.2.33.2	Variation 2:	Allylic Acetoxylation of Simple Alkenes	189
1.2.2.34	Method 34:	Allylic Esters from Allylpalladium Complexes	190
1.2.2.35	Method 35:	Allylic Esters from Reaction of Allyl Electrophiles with Carboxylate Anions	191

1.2.2.36	Method 36:	4-Heterosubstituted 1-Acetoxyalk-2-enes from 1,3-Dienes	192
1.2.2.36.1	Variation 1:	1,4-Diacetoxyalk-2-enes from 1,4-Diacetoxylation of 1,3-Dienes	193
1.2.2.36.2	Variation 2:	1-Acetoxy-4-chloroalk-2-enes from 1,4-Acetoxychlorination of 1,3-Dienes	194
1.2.2.36.3	Variation 3:	1-Acetoxy-4-(trifluoroacetoxy)alk-2-enes from 1,4-Acetoxytrifluoroacetoxylation of 1,3-Dienes	195
1.2.2.37	Method 37:	Allylic Acetates by Rearrangement	196
1.2.2.38	Method 38:	Allylic Ethers from Reaction of Allylic Electrophiles with Alcohols and Alkoxide Anions	197
1.2.2.39	Method 39:	Allylic Alcohols from Oxidation of Allylpalladium Complexes	198
1.2.2.40	Method 40:	Homoallylic Alcohols by Carbonyl Allylation with Allyl Organometallics Generated by Umpolung of Allylpalladium Complexes	199
1.2.2.41	Method 41:	S-Allyl Phosphorothioates from Rearrangement of O-Allyl Phosphorothioates	201
1.2.2.42	Method 42:	Allylic Sulfones from Reaction of Allylic Electrophiles with Sulfinates	202
1.2.2.43	Method 43:	Allylic Sulfones from Hydrosulfination of Allenes and 1,3-Dienes	205
1.2.2.44	Method 44:	Allylic Sulfones from Rearrangement of O-Allyl Sulfinates	206
1.2.2.45	Method 45:	Allylic Sulfones from 1,3-Rearrangement of Allylic Sulfones	207
1.2.2.46	Method 46:	Unsaturated Sulfones from Protiodepalladation of [4-Sulfonyl-(1,2,3- η)-alk-2-enyl]palladium Complexes	207
1.2.2.47	Method 47:	Allylic Sulfides from Reaction of Allylic Carbonates with Thiols	208
1.2.2.48	Method 48:	Allylic Amines from Amination of Allylpalladium Complexes	209
1.2.2.49	Method 49:	Allylic Amines from Amination of Allylic Electrophiles	210
1.2.2.49.1	Variation 1:	Allylic Amination with Primary and Secondary Amines	211
1.2.2.49.2	Variation 2:	Allylic Amination with Imides and Iminodicarbonates	213
1.2.2.49.3	Variation 3:	Allylic Amination with Sulfonamides	215
1.2.2.49.4	Variation 4:	Allylic Amination with Azide	216
1.2.2.50	Method 50:	Allylic Amines from Hydroamination of Allenes	217
1.2.2.51	Method 51:	4-Vinyloxazolidin-2-ones from Vinyl Epoxides and But-2-ene-1,4-diols	219
1.2.2.51.1	Variation 1:	From Vinyl Epoxides	219
1.2.2.51.2	Variation 2:	From But-2-ene-1,4-diols	220
1.2.2.52	Method 52:	Homoallylic Amines by Imine Allylation with Allylstannanes	221
1.2.2.53	Method 53:	Allylic Phosphine Sulfides from Displacement of Allylic Carboxylates with Diphenylphosphorothioyllithium	222
1.2.2.54	Method 54:	Allyl Arenes from Coupling of Allylic Electrophiles and Aryl Organometallics	222
1.2.2.54.1	Variation 1:	From Tetrabutylammonium Difluorotriphenylsilicate	223
1.2.2.54.2	Variation 2:	From Arylstannanes	223
1.2.2.54.3	Variation 3:	From Sodium Tetraphenylborate	225
1.2.2.54.4	Variation 4:	From Arylzincs	225
1.2.2.54.5	Variation 5:	From Aryl Grignard Reagents	226
1.2.2.55	Method 55:	1,3-Dienes from β -Elimination of Allylic Alcohol Derivatives	227

1.2.2.56	Method 56:	1,3-Dienes from Reductive Elimination of Dicarbonates of Ene-diols	229
1.2.2.57	Method 57:	1,3-Dienes from Decarboxylative Elimination of β -Acetoxy Carboxylic Acids	229
1.2.2.58	Method 58:	1,4-Dienes from Coupling of Alkenylzirconiums and Allylpalladium Complexes	230
1.2.2.59	Method 59:	1,4-Dienes from Coupling of Vinyl Organometallics and Allyl Electrophiles	231
1.2.2.59.1	Variation 1:	From Alkenylaluminum Reagents	231
1.2.2.59.2	Variation 2:	From Vinylstannanes	232
1.2.2.60	Method 60:	1,5-Dienes from Coupling of Allylstannanes and Allyl Electrophiles	234
1.2.2.61	Method 61:	1,6-Dienes from Dimerization of Butadienes (Telomerization)	235
1.2.2.62	Method 62:	Methylenecyclopentenes via [3+2]-Cycloaddition Reactions of Trimethylenemethanes	237
1.2.2.63	Method 63:	Vinylcyclopentanes via [3+2]-Cycloaddition Reactions of Vinylcyclopropanes	240
1.2.2.64	Method 64:	Vinylcyclopentanes from Palladium-Catalyzed Intramolecular Ene Reactions	241
1.2.2.65	Method 65:	Alkenes from Reduction of Allylic Heterosubstituents	243
1.2.2.66	Method 66:	4-Substituted Alkenes from Alkylation of Stabilized Carbon Nucleophiles with Allyl Electrophiles	245
1.2.3	Product Subclass 3: Palladium–Alkyne Complexes		
	J. M. Takacs, S. Vayalakkada, and X. Jiang		
1.2.3	Product Subclass 3: Palladium–Alkyne Complexes		265
	Synthesis of Product Subclass 3		266
1.2.3.1	Method 1:	Preparation and Characterization of Palladium–Alkyne Complexes	266
	Applications of Product Subclass 3 in Organic Synthesis		268
1.2.3.2	Method 2:	Addition of Oxygen Nucleophiles: Carboxylates	268
1.2.3.2.1	Variation 1:	Intramolecular Addition of Carboxylates Followed by Protonation	269
1.2.3.2.2	Variation 2:	Intramolecular Addition of Carboxylates Followed by Allylation	272
1.2.3.2.3	Variation 3:	Intramolecular Addition of Carboxylates Followed by Arylation or Vinylation	274
1.2.3.3	Method 3:	Addition of Oxygen Nucleophiles: Hydroxy Moieties	276
1.2.3.3.1	Variation 1:	Intramolecular Addition of Alcohols Followed by Protonation	277
1.2.3.3.2	Variation 2:	Intramolecular Addition of Alcohols Followed by Carbon Monoxide Insertion	280
1.2.3.3.3	Variation 3:	Intramolecular Addition of Alcohols Followed by Allylation	282

1.2.3.3.4	Variation 4:	Intramolecular Addition of Alcohols Followed by Vinylolation or Arylation	284
1.2.3.4	Method 4:	Addition of Nitrogen Nucleophiles	287
1.2.3.4.1	Variation 1:	Intramolecular Addition of Nitrogen Nucleophiles Followed by Protonation	288
1.2.3.4.2	Variation 2:	Intramolecular Addition of Nitrogen Nucleophiles Followed by Allylation	291
1.2.3.4.3	Variation 3:	Intramolecular Addition of Nitrogen Nucleophiles Followed by Vinylolation or Arylation	294
1.2.3.4.4	Variation 4:	Intramolecular Addition of Nitrogen Nucleophiles Followed by Vinyl or Aryl Carbonylation	297
1.2.3.5	Method 5:	Addition of Carbon Nucleophiles	298
1.2.3.5.1	Variation 1:	Intramolecular Addition of Malononitriles to Alkynes under Neutral Conditions	299
1.2.3.5.2	Variation 2:	Tandem Michael Addition Followed by Intramolecular Addition of Malonate Derivatives to Alkynes	301
1.2.3.5.3	Variation 3:	Intramolecular Addition of Malonate Derivatives to Alkynes under Strongly Basic Conditions: Four Modes of Reaction	302
1.2.3.6	Method 6:	Addition of Sulfur Nucleophiles	303
1.2.3.6.1	Variation 1:	Addition of Arenethiols to Alkynes To Form Vinyl Sulfides	304
1.2.3.6.2	Variation 2:	Thiocarbonylation of Alkynes with Thiols and Carbon Monoxide	306
1.2.3.6.3	Variation 3:	Addition of Diaryl Disulfides to Alkynes To Form 1,2-Disulfanylalkenes	308
1.2.3.6.4	Variation 4:	Thiocarbonylation of Acetylenes with Disulfides	309
1.2.3.6.5	Variation 5:	Palladium-Catalyzed Thioboration of Acetylenes with 9-(Alkylsulfanyl)-9-borabicyclo[3.3.1]nonanes	311
1.2.3.7	Method 7:	Addition of Halides	312
1.2.3.7.1	Variation 1:	Palladium-Catalyzed Addition of Halides to Alkynes Followed by Alkene Insertion and Protonolysis	313
1.2.3.7.2	Variation 2:	Palladium-Catalyzed Addition of Halides to Alkynes Followed by Alkene Insertion and β -Elimination	314
1.2.3.7.3	Variation 3:	Palladium-Catalyzed Addition of Halides to Alkynes Followed by Alkene Insertion and Oxidation	315
1.2.4	Product Subclass 4: Palladium–Alkene Complexes J. M. Takacs and S. Vayalakkada		
1.2.4	Product Subclass 4: Palladium–Alkene Complexes		319
	Synthesis of Product Subclass 4		320
1.2.4.1	Method 1:	From a Palladium(II) Salt and an Alkene	320
1.2.4.2	Method 2:	From Palladium(0) and an Alkene	321
	Applications of Product Subclass 4 in Organic Synthesis		322
1.2.4.3	Method 3:	Palladium-Catalyzed Intermolecular Addition of Oxygen Nucleophiles: Water and Alcohols	322

1.2.4.3.1	Variation 1:	Addition of Water to Terminal Alkenes To Form Ketones; the Wacker Oxidation	323
1.2.4.3.2	Variation 2:	The Wacker Oxidation Using a Fluorous Biphasic System	327
1.2.4.3.3	Variation 3:	The Wacker Oxidation in Solid-Phase Synthesis	329
1.2.4.3.4	Variation 4:	Addition of Water to Terminal Alkenes To Form Aldehydes	330
1.2.4.3.5	Variation 5:	Addition of Water to Allylic Carbonates To Form α,β -Unsaturated Aldehydes	333
1.2.4.3.6	Variation 6:	Palladium-Catalyzed Oxidative Removal of Allyl Protecting Groups	334
1.2.4.3.7	Variation 7:	Palladium-Catalyzed Oxidation of Internal Alkenes: Allylic and Homoallylic Ethers	335
1.2.4.3.8	Variation 8:	Palladium-Catalyzed Oxidation of Internal Alkenes: Unsaturated Carbonyl Compounds	337
1.2.4.3.9	Variation 9:	Intermolecular Addition of Alcohol To Form Acetals and Ketals	338
1.2.4.3.10	Variation 10:	Intermolecular Addition of Alcohol To Form Acetals from α,β -Unsaturated Carbonyl Compounds	339
1.2.4.4	Method 4:	Palladium-Catalyzed Heterocyclization: Intramolecular Addition of Oxygen Nucleophiles	340
1.2.4.4.1	Variation 1:	Intramolecular Addition of Alcohol Followed by β -Hydroxide Elimination	340
1.2.4.4.2	Variation 2:	Intramolecular Addition of Alcohol Followed by β -Hydrogen Elimination	342
1.2.4.4.3	Variation 3:	Intramolecular Addition of Alcohol Followed by β -Hydrogen Elimination: A Catalytic Asymmetric Variant	344
1.2.4.4.4	Variation 4:	Double Addition of Alcohol To Form Mixed Ketals	345
1.2.4.4.5	Variation 5:	Intramolecular Addition of Alcohol Followed by Carbon Monoxide Insertion and Alcoholysis	347
1.2.4.4.6	Variation 6:	Addition of Alcohol Followed by Alkene Insertion	350
1.2.4.4.7	Variation 7:	Intramolecular Addition of Carboxylate Followed by β -Hydride Elimination	352
1.2.4.4.8	Variation 8:	Intramolecular Addition of Carboxylate Followed by Carbon Monoxide Trapping	354
1.2.4.5	Method 5:	Intermolecular Addition of Nitrogen Nucleophiles	355
1.2.4.5.1	Variation 1:	Intermolecular Addition of Amines Followed by β -Hydride Elimination	356
1.2.4.5.2	Variation 2:	Intermolecular Addition of Amides and Carbamates	356
1.2.4.6	Method 6:	Palladium-Catalyzed Heterocyclization: Intramolecular Addition of Nitrogen Nucleophiles	357
1.2.4.6.1	Variation 1:	Intramolecular Addition of Amine Followed by β -Hydride Elimination	358
1.2.4.6.2	Variation 2:	Intramolecular Addition of Amine Followed by β -Elimination: In Situ Reduction of Aromatic Nitro Compounds	359
1.2.4.6.3	Variation 3:	Intramolecular Addition of Amine Followed by Carbon Monoxide Insertion	360
1.2.4.6.4	Variation 4:	Intramolecular Addition of <i>N</i> -Sulfonyl and <i>N</i> -Acyl Derivatives Followed by β -Hydrogen Elimination	361

1.2.4.6.5	Variation 5:	Intramolecular Addition of <i>N</i> -Acyl and <i>N</i> -Sulfonyl Derivatives Followed by Carbon Monoxide Insertion (Carbonylation)	363
1.2.4.6.6	Variation 6:	Intramolecular Addition of <i>N</i> -Acyl and <i>N</i> -Sulfonyl Derivatives Followed by Alkene Insertion	367
1.2.4.7	Method 7:	Palladium(II)-Catalyzed [3,3]-Sigmatropic Rearrangements	367
1.2.4.7.1	Variation 1:	Palladium(II)-Catalyzed Cope Rearrangements	368
1.2.4.7.2	Variation 2:	Oxy-Cope Rearrangement	371
1.2.4.7.3	Variation 3:	Claisen and Thia-Claisen Rearrangements	371
1.2.4.7.4	Variation 4:	Enolate Claisen Rearrangements	374
1.2.4.7.5	Variation 5:	Allylic Imidate Rearrangements	375
1.2.4.7.6	Variation 6:	Allylic Ester Rearrangement	379
1.3	Product Class 3: Organometallic Complexes of Platinum		
	A. Ogawa and T. Hirao		
1.3	Product Class 3: Organometallic Complexes of Platinum		389
1.3.1	Product Subclass 1: Platinum–Cyclopentadienyl Complexes		389
	Synthesis of Product Subclass 1		389
1.3.1.1	Method 1:	Cyclopentadienylplatinum(II) Complexes from Platinum Halide Complexes and Cyclopentadienyl Anions	389
1.3.1.2	Method 2:	Cyclopentadienylplatinum(IV) Complexes from Platinum Halide Complexes and Cyclopentadienyl Anions	391
1.3.2	Product Subclass 2: Platinum–Diene Complexes		394
	Synthesis of Product Subclass 2		394
1.3.2.1	Method 1:	Platinum(0)–Allene Complexes	394
1.3.2.2	Method 2:	Platinum(II)–Allene Complexes	396
1.3.2.3	Method 3:	Platinum(0)–Conjugated Polyene Complexes	397
1.3.2.4	Method 4:	Platinum(II)–Conjugated Polyene Complexes	399
1.3.2.5	Method 5:	Platinum(0)–Nonconjugated Polyene Complexes	400
1.3.2.6	Method 6:	Platinum(II)–Nonconjugated Polyene Complexes	402
	Applications of Product Subclass 2 in Organic Synthesis		404
1.3.2.7	Method 7:	Platinum(0)-Catalyzed Dimerization of Conjugated Dienes and Related Reactions	404
1.3.3	Product Subclass 3: Platinum–Allyl Complexes		405
	Synthesis of Product Subclass 3		405
1.3.3.1	Method 1:	Allylplatinum Complexes from Platinum(II) Complexes and Allylic Compounds	405
1.3.3.2	Method 2:	Allylplatinum Complexes by Addition of Platinum(II) Hydrides to Unsaturated Bonds	406
1.3.3.3	Method 3:	Allylplatinum Complexes from Allylic Platinum(II) Precursors	407
1.3.3.4	Method 4:	Allylplatinum Complexes from Platinum(0) Precursors	409

1.3.4	Product Subclass 4: Platinum–Alkyne Complexes	411
	Synthesis of Product Subclass 4	411
1.3.4.1	Method 1: Platinum(0)–Alkyne Complexes Starting from Platinum(II) Complexes	411
1.3.4.2	Method 2: Platinum(0)–Alkyne Complexes by Ligand-Exchange Reactions with Platinum(0)–Phosphine Complexes	413
1.3.4.3	Method 3: Platinum(0)–Alkyne Complexes by Ligand-Exchange Reactions with Platinum(0)–Alkene Complexes	414
1.3.4.4	Method 4: Platinum(II)–Alkyne Complexes by Ligand-Exchange Reactions with Platinum(II) Halide and Related Complexes	416
	Applications of Product Subclass 4 in Organic Synthesis	417
1.3.4.5	Method 5: Catalytic Addition of Main Group Element–Hydrogen Bond Compounds to Acetylenes	417
1.3.4.5.1	Variation 1: Hydrosilylation	417
1.3.4.5.2	Variation 2: Addition of Other Main Group Element–Hydrogen Bond Compounds	418
1.3.5	Product Subclass 5: Platinum–Alkene Complexes	420
	Synthesis of Product Subclass 5	420
1.3.5.1	Method 1: Platinum(0)–Monoalkene Polydentate Complexes	420
1.3.5.2	Method 2: Platinum(II)–Monoalkene Polydentate Complexes	421
1.3.5.3	Method 3: Platinum(0)–Monoalkene Monodentate Complexes Starting from Platinum(II) Complexes	423
1.3.5.4	Method 4: Platinum(0)–Monoalkene Monodentate Complexes by Ligand-Exchange Reactions with Platinum(0) Complexes ..	425
1.3.5.5	Method 5: Platinum(II)–Monoalkene Monodentate Complexes by Ligand-Exchange Reactions	427
1.3.5.6	Method 6: Pentacoordinate Platinum(II)–Monoalkene Monodentate Complexes	428
	Applications of Product Subclass 5 in Organic Synthesis	430
1.3.5.7	Method 7: Catalytic Hydrogenation of Alkenes	430
1.3.5.8	Method 8: Catalytic Hydrosilylation of Alkenes and Related Addition Reactions	431
1.4	Product Class 4: Organometallic Complexes of Cobalt M. Malacria, C. Aubert, and J.-L. Renaud	
1.4	Product Class 4: Organometallic Complexes of Cobalt	439
1.4.1	Product Subclass 1: Cobalt–Dienyl Complexes	439
	Synthesis of Product Subclass 1	440
1.4.1.1	Method 1: Bis(alkene)(cyclopentadienyl)cobalt(I) Complexes by Ligand Exchange	440
1.4.1.1.1	Variation 1: Via Displacement of Carbon Monoxide	440
1.4.1.1.2	Variation 2: Via Ligand Substitution	441

1.4.1.2	Method 2:	Bis(alkene)(η^5 -cyclopentadienyl)cobalt(I) Complexes by Reduction of Cobalt(II) Complexes	442
1.4.1.2.1	Variation 1:	Via Elimination of Alkali Metal Cyclopentadienide	442
1.4.1.2.2	Variation 2:	Via Reduction of (Pentaalkylcyclopentadienyl)cobalt(II) Halide Dimers	443
1.4.1.3	Method 3:	Dicarbonyl(η^5 -cyclopentadienyl)cobalt(I) by Oxidative Addition	444
1.4.1.4	Method 4:	Cyclopentadienyl(maleoyl)cobalt(III) and Cyclopentadienyl(phthaloyl)cobalt(III) Complexes by Insertion into Substituted Cyclobutenediones	444
1.4.1.5	Method 5:	Cyclopentadienylbis(triarylphosphine)cobalt(I) Complexes by Reduction of Cobalt(III) Complexes	445
		Applications of Product Subclass 1 in Organic Synthesis	446
1.4.1.6	Method 6:	Hydroacylation	446
1.4.1.7	Method 7:	Epoxide Opening	447
1.4.1.8	Method 8:	Inter- and Intramolecular [2 + 2 + 2] Cyclizations	448
1.4.1.8.1	Variation 1:	Intermolecular [2 + 2 + 2] Cyclization of Dienes and Nitriles: Synthesis of Pyridines	448
1.4.1.8.2	Variation 2:	Inter- and Intramolecular [2 + 2 + 2] Cyclization of Triynes in Aromatic and Aqueous Solvents	451
1.4.1.8.3	Variation 3:	Inter- and Intramolecular [2 + 2 + 2] Cyclization of Eneynes and Alleneynes	455
1.4.1.8.4	Variation 4:	Inter- and Intramolecular [2 + 2 + 2] Cyclization of Dienes with Heteroatom-Substituted Multiple Bonds	458
1.4.1.9	Method 9:	Inter- and Intramolecular [2 + 2] Cyclizations	461
1.4.1.10	Method 10:	Cobalt-Mediated Ene-Yne Cyclizations	462
1.4.1.10.1	Variation 1:	Alder Ene-Type Cyclizations of Enynes and Allenynes	463
1.4.1.10.2	Variation 2:	Ene-Type Reactions of β -Oxo Ester ϵ -Ynes	464
1.4.1.11	Method 11:	Synthesis of Quinones	466
1.4.2		Product Subclass 2: Cobalt-Diene Complexes	467
		Synthesis of Product Subclass 2	468
1.4.2.1	Method 1:	Tricarbonyl(η^4 -diene)cobalt(I) Tetrafluoroborate Complexes	468
		Applications of Product Subclass 2 in Organic Synthesis	468
1.4.2.2	Method 2:	1,4-Difunctionalization of Dienes	468
1.4.2.2.1	Variation 1:	Synthesis of Z-Disubstituted Alkenes	469
1.4.2.2.2	Variation 2:	Synthesis of Heterocyclic Compounds	469
1.4.3		Product Subclass 3: Cobalt-Allyl Complexes	472
		Synthesis of Product Subclass 3	472
1.4.3.1	Method 1:	Allylcobalt Complexes by Ligand Exchange	472
1.4.3.2	Method 2:	Allylcobalt Complexes by Elimination of Leaving Groups	473
1.4.3.3	Method 3:	Allylcobalt Complexes by Hydridocobaltation of 1,3-Dienes	475
1.4.3.4	Method 4:	Allylcobalt Complexes by Addition of Alkyl- and Acylcobalt Complexes to Conjugated Dienes and Various Unsaturated Compounds	476

	Applications of Product Subclass 3 in Organic Synthesis	478
1.4.3.5	Method 5: Synthesis of Acyldienes	478
1.4.3.6	Method 6: 1,4-Acylation/Alkylation of 1,3-Dienes and Allenes: Synthesis of Substituted Enones	479
1.4.3.7	Method 7: Acylation–Cyclization of Allenes: Synthesis of Heterocycles	481
1.4.3.8	Method 8: Synthesis of Butenolides	482
1.4.4	Product Subclass 4: Miscellaneous Complexes	483
	Synthesis of Product Subclass 4	483
1.4.4.1	Method 1: Cobalt(III) Complexes	483
1.4.4.1.1	Variation 1: From Cobalt(III) Complexes	484
1.4.4.1.2	Variation 2: From Cobalt(II) Complexes	485
1.4.4.1.3	Variation 3: From Cobalt(I) Complexes	486
1.4.4.2	Method 2: (μ -Alkyne)hexacarbonyldicobalt(0) Complexes by Ligand Exchange	487
1.4.4.3	Method 3: Chlorotris(triphenylphosphine)cobalt(I)	488
1.4.4.4	Method 4: Tetrakis(trimethylphosphine)cobalt(0) by Reduction of Cobalt(II) Chloride	489
1.4.4.5	Method 5: Tetracarbonylhydridocobalt(I)	490
1.4.4.6	Method 6: Tris(acetylacetonato)cobalt(III) as a Precatalyst	491
1.4.4.7	Method 7: Cobalt(II) Complexes as Precatalysts	491
	Applications of Product Subclass 4 in Organic Synthesis	493
1.4.4.8	Method 8: Reformatsky- and Aldol-Type Reactions	493
1.4.4.9	Method 9: Silylcarbonylation	494
1.4.4.10	Method 10: Hydroformylation	496
1.4.4.11	Method 11: Synthesis of Epoxides	498
1.4.4.11.1	Variation 1: Synthesis of Enantiomerically Pure Epoxides Using Cobalt(III) Complexes	498
1.4.4.11.2	Variation 2: Synthesis of Epoxides Using Cobalt(II) Complexes under Neutral Conditions	499
1.4.4.12	Method 12: Carbon–Heteroatom Bond Formation	500
1.4.4.12.1	Variation 1: Cobalt(II)-Mediated Aerobic Oxygenation of Alkenes	500
1.4.4.12.2	Variation 2: Cobalt(II) Chloride Catalyzed Carbon–Heteroatom Bond Formation	501
1.4.4.13	Method 13: Synthesis of Carbonyl Compounds	502
1.4.4.13.1	Variation 1: Syntheses Catalyzed by Cobalt(II) Complexes	502
1.4.4.13.2	Variation 2: Syntheses Catalyzed by Chlorotris(triphenylphosphine)cobalt(I)	504
1.4.4.14	Method 14: C–C Bond Formation by Addition	504
1.4.4.14.1	Variation 1: Formation of C–C Bonds via Radical Addition Reactions	505
1.4.4.14.2	Variation 2: The Nicholas Reaction	508
1.4.4.14.3	Variation 3: The Inter- and Intramolecular Pauson–Khand Reaction	512
1.4.4.15	Method 15: C–C Bond Formation by Rearrangement	517
1.4.4.15.1	Variation 1: Rearrangement of 1-(Alk-1-ynyl)cyclopropanols	518
1.4.4.15.2	Variation 2: Diels–Alder Reaction with 2-Cobaloxime-Substituted 1,3-Dienes	519

1.4.4.15.3	Variation 3: Homo-Diels–Alder Reactions	520
1.4.4.15.4	Variation 4: Additional Methods	521
1.5	Product Class 5: Organometallic Complexes of Rhodium I. Ojima, A. T. Vu, and D. Bonafoux	
1.5	Product Class 5: Organometallic Complexes of Rhodium	531
1.5.1	Product Subclass 1: Rhodium–Arene Complexes	532
	Synthesis of Product Subclass 1	532
1.5.1.1	Method 1: Cationic Complexes by Ligand Substitution	532
1.5.1.1.1	Variation 1: From Arenes and Cationic Rhodium–Diene Complexes	532
1.5.1.1.2	Variation 2: From Arenes and Rhodium–Acetylacetonate Complexes	533
1.5.1.1.3	Variation 3: From Arenes and Rhodium(III) Chloride	534
1.5.1.1.4	Variation 4: From Arenes and Rhodium–Acetate Complexes	534
1.5.1.1.5	Variation 5: Via Displacement of Weakly Bound Ligands	535
1.5.2	Product Subclass 2: Rhodium–Cumulene Complexes	536
	Synthesis of Product Subclass 2	536
1.5.2.1	Method 1: Cumulatriene Complexes by Ligand Substitution	536
1.5.2.2	Method 2: Cumulapentaene Complex by Ligand Substitution	537
1.5.3	Product Subclass 3: Rhodium–Dienyl Complexes	537
	Synthesis of Product Subclass 3	538
1.5.3.1	Method 1: Cyclopentadienylrhodium Complexes by Ligand Substitution	538
1.5.3.1.1	Variation 1: From Cyclopentadienyl Anions and Rhodium Halides	538
1.5.3.1.2	Variation 2: Cationic Bis(cyclopentadienyl) Complexes by Ligand Substitution	539
1.5.3.2	Method 2: From Pentamethylcyclopentadienyl Anions and Rhodium Halides	540
1.5.3.2.1	Variation 1: Dimeric Pentamethylcyclopentadienyl Complexes	541
1.5.3.2.2	Variation 2: Monomeric Pentamethylcyclopentadienyl Complexes	542
1.5.3.3	Method 3: Indenyl Complexes by Ligand Substitution	542
1.5.3.4	Method 4: Acyclic Pentadienyl Complexes by Dehydration	544
1.5.3.5	Method 5: η^5 -Cyclohexadienyl Complexes	544
1.5.3.5.1	Variation 1: Via Ligand Substitution	545
1.5.3.5.2	Variation 2: Cationic Complexes via Hydride Abstraction	546
1.5.3.5.3	Variation 3: Via Nucleophilic Addition to an Arene Ligand	546
1.5.3.6	Method 6: Norbornadienyl Complexes by Dehydration	547
1.5.3.7	Method 7: η^5 -Cycloheptadienyl Complexes by Nucleophilic Addition	548
1.5.3.8	Method 8: η^5 -Cyclooctadienyl Complexes	548
1.5.4	Product Subclass 4: Rhodium–Diene Complexes	549
	Synthesis of Product Subclass 4	549
1.5.4.1	Method 1: Allene Complexes by Ligand Substitution	549
1.5.4.2	Method 2: Alka-1,3-diene Complexes	550
1.5.4.2.1	Variation 1: Via Ligand Substitution	551

1.5.4.2.2	Variation 2:	Via Displacement of Weakly Bound Ligands	551
1.5.4.2.3	Variation 3:	Cationic Complexes via Ligand Substitution	553
1.5.4.2.4	Variation 4:	Cyclobutadiene Complexes via Alkyne Cyclodimerization	553
1.5.4.2.5	Variation 5:	η^4 -Cyclopentadiene Complexes via Nucleophilic Addition to η^5 -Cyclopentadienyl Ligands	555
1.5.4.2.6	Variation 6:	η^4 -Cyclopentadienone Complexes	556
1.5.4.3	Method 3:	Cycloocta-1,5-diene Complexes	558
1.5.4.3.1	Variation 1:	Via Ligand Substitution	558
1.5.4.3.2	Variation 2:	Via Displacement of Weakly Bound Ligands	559
1.5.4.3.3	Variation 3:	Homoleptic Cationic Cycloocta-1,5-diene Complexes via Anionic Ligand Abstraction	560
1.5.4.3.4	Variation 4:	Monomeric Cycloocta-1,5-diene Complexes	561
1.5.4.4	Method 4:	Norbornadiene Complexes	563
1.5.4.4.1	Variation 1:	Via Ligand Substitution	563
1.5.4.4.2	Variation 2:	Via Displacement of Weakly Bound Ligands	564
1.5.4.4.3	Variation 3:	Homoleptic, Cationic Norbornadiene Complexes via Anionic Ligand Abstraction	565
1.5.4.4.4	Variation 4:	Monomeric Norbornadiene Complexes	566
1.5.4.5	Method 5:	Cycloocta-1,3,5,7-tetraene Complexes	567
1.5.4.6	Method 6:	Synthesis of Cationic Chiral Diene Complexes	569
		Applications of Product Subclass 4 in Organic Synthesis	571
1.5.4.7	Method 7:	Reactions Involving Allenes	571
1.5.4.7.1	Variation 1:	Carbonylative [4+1] Cycloaddition of Vinylallene	571
1.5.4.7.2	Variation 2:	[4+2] Diene–Allene Cycloaddition	573
1.5.4.7.3	Variation 3:	[5+2] Vinylcyclopropane–Allene Cycloaddition	573
1.5.4.8	Method 8:	[4+2] Cycloaddition Involving 1,3-Dienes	574
1.5.5		Product Subclass 5: Rhodium–Allyl Complexes	577
		Synthesis of Product Subclass 5	577
1.5.5.1	Method 1:	Monoallyl Complexes via Transmetalation	577
1.5.5.2	Method 2:	Allyl Complexes by Hydrometalation	579
1.5.5.3	Method 3:	Allyl Complexes by Allylation of Metal Salts	583
1.5.5.4	Method 4:	Allyl Complexes by Oxidative Addition	583
1.5.5.5	Method 5:	Bis(allyl) Complexes	585
1.5.5.6	Method 6:	Tris(allyl) Complexes	587
		Applications of Product Subclass 5 in Organic Synthesis	588
1.5.5.7	Method 6:	Metallo-Ene Cyclization	588
1.5.6		Product Subclass 6: Rhodium–Alkyne Complexes	589
		Synthesis of Product Subclass 6	589
1.5.6.1	Method 1:	Via Simple Alkyne Addition	589
1.5.6.2	Method 2:	Via Displacement of Weakly Bound Ligands	590
1.5.6.3	Method 3:	Alkyne-Bridged Dimeric Complexes via Ligand Displacement	592
		Applications of Product Subclass 6 in Organic Synthesis	594
1.5.6.4	Method 4:	[2+2+2] Cycloaddition	594

1.5.6.4.1	Variation 1:	[2+2+2] Cyclotrimerization	594
1.5.6.4.2	Variation 2:	Silylcarbocyclization of Triynes	596
1.5.6.5	Method 5:	Rhodium-Catalyzed Pauson–Khand Reaction	596
1.5.6.6	Method 6:	[5+2] Vinylcyclopropane–Alkyne Cycloaddition	597
1.5.6.6.1	Variation 1:	Intramolecular [5+2] Cycloaddition	598
1.5.6.6.2	Variation 2:	Intermolecular [5+2] Cycloaddition	599
1.5.6.7	Method 7:	Enyne Carbocyclization	600
1.5.6.8	Method 8:	Silylcarbocyclization	600
1.5.6.8.1	Variation 1:	Silylcarbocyclization of 1,6-Diynes	600
1.5.6.8.2	Variation 2:	Silylcarbocyclization of Enynes	601
1.5.7	Product Subclass 7: Rhodium–Alkene Complexes		603
	Synthesis of Product Subclass 7		604
1.5.7.1	Method 1:	Via Ligand Substitution	604
1.5.7.2	Method 2:	Monomeric Complexes via Chlorine-Bridge Cleavage Reactions	605
1.5.7.3	Method 3:	Via Displacement of the Ethene Ligand	606
1.5.7.4	Method 4:	Via Displacement of Weakly Bound Ligands	607
	Applications of Product Subclass 7 in Organic Synthesis		608
1.5.7.5	Method 5:	[5+2] Vinylcyclopropane–Alkene Cycloaddition	608
1.5.7.6	Method 6:	Carbocyclization of 1,6-Dienes	609
1.5.7.7	Method 7:	Intramolecular Hydroacylation	610
1.6	Product Class 6: Organometallic Complexes of Iridium		
	J. M. O'Connor		
1.6	Product Class 6: Organometallic Complexes of Iridium		617
1.6.1	Product Subclass 1: Iridium–Arene Complexes		617
	Synthesis of Product Subclass 1		618
1.6.1.1	Method 1:	Preparation of Cationic Iridium(I)–Arene Complexes by Ligand Substitution	618
1.6.1.2	Method 2:	Preparation of Cationic Iridium(I)–Arene Complexes by Elimination	618
1.6.1.2.1	Variation 1:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^4\text{-cod})_2]$ or $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^4\text{-Me}_3\text{TFB})_2]$ and Silver(I) Tetrafluoroborate	618
1.6.1.2.2	Variation 2:	From $[\text{Ir}(\text{acac})(\eta^4\text{-cod})]$ and Triphenylcarbenium Tetrafluoroborate	620
1.6.1.2.3	Variation 3:	From $[\text{Ir}_2(\mu\text{-OMe})_2(\eta^4\text{-cod})_2]$ and Tetrafluoroboric Acid	620
1.6.1.2.4	Variation 4:	From $[\text{IrCl}(\eta^4\text{-TFB})_2]$ and Silver(I) Tetrafluoroborate	621
1.6.1.2.5	Variation 5:	From $[\text{Ir}_2(\mu\text{-Cl})_2\text{Cl}_2\text{H}_2(\eta^4\text{-cod})_2]$ and Silver(I) Tetrafluoroborate	622
1.6.1.2.6	Variation 6:	From $[\text{IrH}_2(\text{OCMe}_2)_2(\text{PPh}_3)_2]\text{SbF}_6$	623
1.6.1.3	Method 3:	Preparation of Cationic Iridium(I)–Arene Complexes by Addition	623
1.6.1.4	Method 4:	Preparation of Dicationic Iridium(III)–Arene Complexes by Elimination	624

1.6.1.4.1	Variation 1:	From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$ and Silver(I) Hexafluorophosphate or Tetrafluoroborate	624
1.6.1.4.2	Variation 2:	From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$ and Silver(I) Tetrafluoroborate Using an Acidic Workup	626
1.6.1.4.3	Variation 3:	From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$ and Trifluoroacetic Acid	627
		Applications of Product Subclass 1 in Organic Synthesis	628
1.6.1.5	Method 5:	Dehydration of Cyclohexene	628
1.6.2	Product Subclass 2: Iridium–Dienyl Complexes		628
		Synthesis of Product Subclass 2	630
1.6.2.1	Method 1:	Preparation of Neutral Iridium(I)–Dienyl Complexes by Ligand Substitution	630
1.6.2.1.1	Variation 1:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^4\text{-cod})_2]$	630
1.6.2.1.2	Variation 2:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$	632
1.6.2.1.3	Variation 3:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$ and Phosphines	632
1.6.2.1.4	Variation 4:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$ and Ethene	634
1.6.2.1.5	Variation 5:	From $[\text{Ir}_n\text{Cl}_n(\text{CO})_{3n}]$	635
1.6.2.1.6	Variation 6:	From $[\text{IrCl}_3 \cdot 3\text{H}_2\text{O}]$	635
1.6.2.2	Method 2:	Preparation of Cationic Iridium(III)–Dienyl Complexes by Elimination	636
1.6.2.2.1	Variation 1:	From $[\text{IrH}_2(\text{OCMe}_2)_2(\text{PPh}_3)_2]\text{X}$ (X = SbF_6 or BF_4)	636
1.6.2.2.2	Variation 2:	From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$	637
1.6.2.3	Method 3:	Preparation of Cationic Iridium(I)–Dienyl Complexes by Rearrangement	638
1.6.2.4	Method 4:	Preparation of Cationic Iridium(III)–Cyclohexadienyl and Iridium(III)–Cycloheptadienyl Complexes by Elimination	640
1.6.2.4.1	Variation 1:	From $[\text{IrH}_2(\text{OCMe}_2)_2(\text{PPh}_3)_2]\text{BF}_4$	640
1.6.2.4.2	Variation 2:	From $[\text{Ir}(\eta^4\text{-cod})(\text{L})_2]\text{SbF}_6$ (L = phosphine)	641
1.6.2.4.3	Variation 3:	Oxo- η^5 -cyclohexadienyl Complexes from $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$	641
1.6.2.4.4	Variation 4:	Imino- η^5 -cyclohexadienyl Complexes from $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$	642
1.6.2.5	Method 5:	Preparation of Cationic Iridium(III)–Cyclohexadienyl Complexes by Addition	644
1.6.2.6	Method 6:	Preparation of (Dienyl)iridium(III) Complexes with Retention of the Cyclopentadienyl Ligand	645
1.6.2.6.1	Variation 1:	Dienyl Hydrides from Borohydride and (Dienyl)iridium Halides	645
1.6.2.6.2	Variation 2:	Dienyl Hydrides from Reaction of Dienyl Halides and Zinc/Acetic Acid	646
1.6.2.6.3	Variation 3:	Conversion of $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})\text{Cl}_2(\mu\text{-H})]$ into $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-H})_3]\text{PF}_6$	647
1.6.2.6.4	Variation 4:	Conversion of $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-H})_3]\text{PF}_6$ into $[\text{Ir}(\text{Cp}^*)\text{H}_4]$	648
1.6.2.6.5	Variation 5:	Dienyl Hydrides from Protonation at Iridium	649
1.6.2.6.6	Variation 6:	Dienyl Fluoride Complexes by Ligand Substitution	650
1.6.2.6.7	Variation 7:	Dienyl Alkoxide Complexes by Ligand Substitution	651
1.6.2.6.8	Variation 8:	Dienyl Acetate Complexes by Ligand Substitution	652
1.6.2.6.9	Variation 9:	Dienyl α -Amino Acidate Complexes by Ligand Substitution	652

1.6.2.6.10	Variation 10:	Dienyl Triflate (Coordinated) Complexes by Substitution	654
1.6.2.6.11	Variation 11:	Dienyl Hydroxo Complexes by Ligand Substitution	655
1.6.2.6.12	Variation 12:	A Dienyl μ -Oxo Complex by Ligand Substitution	656
1.6.2.6.13	Variation 13:	Dienyl Imido Complexes by Ligand Substitution	656
1.6.2.6.14	Variation 14:	A Mononuclear (Dienyl)iridium–Nitrosyl Complex by Ligand Substitution	657
1.6.2.6.15	Variation 15:	A Mononuclear (Dienyl)iridium–Aryldiazenido Complex by Ligand Substitution	658
1.6.2.6.16	Variation 16:	A Mononuclear (Dienyl)iridium–Amido Complex by Ligand Substitution	659
1.6.2.6.17	Variation 17:	(Dienyl)iridium–Amine Complexes by Ligand Addition	660
1.6.2.6.18	Variation 18:	Cationic (Dienyl)iridium–Amine Complexes by Ligand Addition	661
1.6.2.6.19	Variation 19:	Cationic (Dienyl)iridium–Acetonitrile Complexes	662
1.6.2.6.20	Variation 20:	(Dienyl)iridium–Alkyl Complexes by Substitution of Alkyl for Halide	663
1.6.2.6.21	Variation 21:	(Dienyl)iridium–Alkyl Complexes by Alkylation of a Dienyl Metalate Anion	664
1.6.2.6.22	Variation 22:	(Dienyl)iridium–Alkyl Complexes by Oxidative Addition of Alkanes to $[\text{Ir}(\text{Cp}^*)(\text{PMe}_3)]$	665
1.6.2.6.23	Variation 23:	(Dienyl)iridium–Aryl Complexes by Oxidative Addition of Arenes	666
1.6.2.6.24	Variation 24:	(Dienyl)iridium–Alkyl Complexes by Oxidative Addition of Alkyl Halides	667
1.6.2.6.25	Variation 25:	(Dienyl)iridium–Carbon Monoxide Complexes by Substitution	667
1.6.2.6.26	Variation 26:	(Dienyl)iridium–Carbon Monoxide Complexes by Addition	668
1.6.2.6.27	Variation 27:	Dienyl Chloride Complexes by Oxidative Addition of Chlorine	669
1.6.2.6.28	Variation 28:	Dienyl Bis(Sulfido) Complexes by Substitution	669
1.6.2.6.29	Variation 29:	Dienyl Phosphine Complexes by Substitution	671
1.6.2.6.30	Variation 30:	$[\text{Ir}(\text{Cp}^*)\{\text{P}(\text{OMe})_3\}_3](\text{ClO}_4)_2$ from $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$	672
1.6.2.6.31	Variation 31:	Dienyl Silyl Complexes by Silylation of a Dienyl Metalate Anion	673
1.6.2.6.32	Variation 32:	Dienyl Bromo Complexes by Substitution	673
1.6.2.6.33	Variation 33:	Dienyl Bromo Complexes by Oxidative Addition of Bromine	674
1.6.2.6.34	Variation 34:	Dienyl Diselenolate Complexes by Oxidative Addition of Diselenides	674
1.6.2.6.35	Variation 35:	Dienyl Iodo Complexes by Oxidative Addition of Iodine	675
		Applications of Product Subclass 2 in Organic Synthesis	675
1.6.2.7	Method 7:	Conversion of Alkynes and Hexaborane(10) into Alkenylboranes	675
1.6.3		Product Subclass 3: Iridium–Diene Complexes	676
		Synthesis of Product Subclass 3	677
1.6.3.1	Method 1:	Iridium–Diene Complexes by Ligand Substitution	677
1.6.3.1.1	Variation 1:	Synthesis of $[\text{Ir}(\eta^4\text{-C}_6\text{H}_6)(\text{triphos})]\text{BPh}_4$	677
1.6.3.1.2	Variation 2:	From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$	678
1.6.3.2	Method 2:	Iridium–Diene Complexes by Ligand Elimination	678

1.6.3.2.1	Variation 1:	Synthesis of $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^4\text{-cod})_2]$	679
1.6.3.2.2	Variation 2:	Synthesis of $[\text{IrCl}(\eta^4\text{-TFB})_2]$	680
1.6.3.2.3	Variation 3:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})_2]\text{BF}_4$	680
1.6.3.2.4	Variation 4:	Synthesis of $[\text{IrH}(\eta^4\text{-1,3-C}_6\text{H}_8)(\eta^4\text{-cod})]$	681
1.6.3.3	Method 3:	Iridium–Diene Complexes by Addition Reactions	682
1.6.3.3.1	Variation 1:	Synthesis of $[\text{Ir}(\text{Cp}^*)(\eta^4\text{-1,3-C}_6\text{H}_8)]$ from $[\text{Ir}(\text{Cp}^*)(\eta^6\text{-C}_6\text{H}_6)](\text{BF}_4)_2$	682
1.6.3.3.2	Variation 2:	Synthesis of the η^4 -Cyclohexadienone Complex $[\text{Ir}(\text{Cp}^*)(\eta^4\text{-C}_6\text{H}_5(\text{O})\text{OMe})]$	683
1.6.3.4	Method 4:	Iridium–Diene Complexes by Rearrangement	684
1.6.3.5	Method 5:	Preparation of Iridium–Diene Complexes with Retention of the Diene Ligand	685
1.6.3.5.1	Variation 1:	Synthesis of a (Diene)iridium Dihydride Complex: <i>cis,trans</i> - $[\text{IrH}_2(\eta^4\text{-cod})(\text{PMePh}_2)_2]\text{PF}_6$	685
1.6.3.5.2	Variation 2:	Synthesis of (Diene)iridium Hydride Complexes from HX Addition to Iridium	686
1.6.3.5.3	Variation 3:	Synthesis of $[\text{IrH}(\eta^4\text{-cod})(\text{PPh}_3)_2]$	686
1.6.3.5.4	Variation 4:	Synthesis of $[\text{Ir}_2(\mu\text{-OMe})_2(\eta^4\text{-cod})_2]$	687
1.6.3.5.5	Variation 5:	Synthesis of $[\text{Ir}(\text{hfac})(\eta^4\text{-cod})]$	688
1.6.3.5.6	Variation 6:	Synthesis of Iridium–Amine Complexes: $[\text{IrCl}(\text{bipy})(\eta^4\text{-TFB})]$..	688
1.6.3.5.7	Variation 7:	Synthesis of $[\text{Ir}(\text{Tp})(\eta^4\text{-cod})]$	689
1.6.3.5.8	Variation 8:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})(\text{py})_2]\text{PF}_6$	690
1.6.3.5.9	Variation 9:	Synthesis of Iridium–Alkynyl Complexes: $[\text{Ir}(\text{C}\equiv\text{CPh})(\eta^4\text{-cod})(\text{PCy}_3)]$	691
1.6.3.5.10	Variation 10:	Synthesis of Iridium–Alkyl Complexes: $[\text{Ir}(\text{Me})(\eta^4\text{-1,3-C}_6\text{H}_8)_2]$	691
1.6.3.5.11	Variation 11:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})(\text{py})(\text{PCy}_3)]\text{PF}_6$	692
1.6.3.5.12	Variation 12:	Synthesis of a Phosphinodihydrooxazole Complex: $[\text{Ir}(\eta^4\text{-cod})(\text{NP})]\text{BARF}$	692
1.6.3.5.13	Variation 13:	Synthesis of a Neutral Phosphine Complex: $[\text{IrCl}(\eta^4\text{-cod})(\text{PPh}_3)]$	693
1.6.3.5.14	Variation 14:	Synthesis of Neutral Phosphine Complexes with Retention of the Diene Ligand: $[\text{IrCl}(\eta^4\text{-cod})\{(-)\text{-Chiraphos}\}]$	694
1.6.3.5.15	Variation 15:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})(\text{PPh}_3)_2]\text{BF}_4$	695
1.6.3.5.16	Variation 16:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})(\text{PMe}_3)_3]\text{Cl}$	696
1.6.3.5.17	Variation 17:	Synthesis of $[\text{Ir}(\eta^4\text{-cod})\{(+)\text{-degusph}\}]\text{BF}_4$	697
		Applications of Product Subclass 3 in Organic Synthesis	698
1.6.3.6	Method 6:	Iridium–Diene Complexes as Catalyst Precursors	698
1.6.3.6.1	Variation 1:	Hydrogenation of Carbonyl Compounds via Hydrogen Atom Transfer from Propan-2-ol	698
1.6.3.6.2	Variation 2:	Hydrogenation of Ketones with Hydrogen	700
1.6.3.6.3	Variation 3:	Asymmetric Hydrosilylation of Ketones	703
1.6.3.6.4	Variation 4:	Asymmetric Hydrogenation of Imines	705
1.6.3.6.5	Variation 5:	Hydrogenation of Alkenes with $[\text{Ir}(\eta^4\text{-cod})(\text{py})(\text{PCy}_3)]\text{PF}_6$	709
1.6.3.6.6	Variation 6:	Asymmetric Hydrogenation of Alkenes	710
1.6.3.6.7	Variation 7:	Allylic Alkylation	711

1.6.3.6.8	Variation 8: Isomerization of Allyl Ethers	712
1.6.4	Product Subclass 4: Iridium–Allyl Complexes	714
	Synthesis of Product Subclass 4	715
1.6.4.1	Method 1: Preparation of Iridium–Allyl Complexes by Ligand Substitution	715
1.6.4.1.1	Variation 1: From Iridium Halides and Grignard or Organolithium Reagents	715
1.6.4.1.2	Variation 2: Synthesis of the Cyclopropenyl Complex $[\text{Ir}(\eta^3\text{-C}_3\text{t-Bu}_3)(\text{CO})_3]$	716
1.6.4.2	Method 2: Preparation of Iridium–Allyl Complexes by Addition	717
1.6.4.2.1	Variation 1: From Iridium(I) Precursors and Allyl Halides	717
1.6.4.2.2	Variation 2: From $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$ and Allylbenzene	718
1.6.4.2.3	Variation 3: From Diene Insertion into Ir–H Bonds	718
1.6.4.2.4	Variation 4: From Nucleophilic Attack on a η^1 -Allenyl Ligand	719
1.6.4.3	Method 3: Preparation of Iridium–Allyl Complexes by Elimination	720
1.6.4.3.1	Variation 1: From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$ and Dienes in the Presence of Alcohol and Base	720
1.6.4.3.2	Variation 2: From $[\text{Ir}_2(\text{Cp}^*)_2(\mu\text{-Cl})_2\text{Cl}_2]$, Silver(I) Salts, and an Alkene	721
	Applications of Product Subclass 4 in Organic Synthesis	722
1.6.4.4	Method 4: Nucleophilic Attack on π -Allyl Intermediates	722
1.6.5	Product Subclass 5: Iridium–Alkyne Complexes	722
	Synthesis of Product Subclass 5	723
1.6.5.1	Method 1: Preparation of Iridium–Alkyne Complexes by Ligand Substitution	723
1.6.5.2	Method 2: Preparation of Iridium–Alkyne Complexes by Addition	724
1.6.6	Product Subclass 6: Iridium–Alkene Complexes	725
	Synthesis of Product Subclass 6	726
1.6.6.1	Method 1: Preparation of Iridium–Alkene Complexes by Ligand Substitution	726
1.6.6.2	Method 2: Preparation of Iridium–Alkene Complexes by Addition	727
1.6.6.3	Method 3: Preparation of Iridium–Alkene Complexes by Elimination	728
	Applications of Product Subclass 6 in Organic Synthesis	729
1.6.6.4	Method 4: Iridium–Alkene Complexes in Catalysis	729
1.6.7	Product Subclass 7: Iridium–Carbene Complexes	729
	Synthesis of Product Subclass 7	730
1.6.7.1	Method 1: Preparation of Iridium–Carbene Complexes by Ligand Substitution	730
1.6.7.1.1	Variation 1: From $[\text{Ir}(\text{R}^1\text{C}=\text{CR}^1\text{CR}^1=\text{CR}^1)(\text{NCMe})_2(\text{PPh}_3)_2]\text{BF}_4$ and But-3-yn-1-ol	730
1.6.7.1.2	Variation 2: A Vinylidene Complex from $[\text{Ir}\{\text{N}(\text{SiMe}_2\text{CH}_2\text{PPh}_2)_2\}(\eta^2\text{-coe})]$ and Acetylene	731
1.6.7.1.3	Variation 3: A Vinylidene Complex from $[\text{Ir}_2(\mu\text{-Cl})_2(\eta^2\text{-coe})_4]$ and Sodium/1-Chloro-2-methylprop-1-ene	731
1.6.7.2	Method 2: Preparation of Iridium–Carbene Complexes by Addition	732

1.6.7.2.1	Variation 1:	From [IrCl(CO)(PPh ₃) ₂] and (Chloromethylene)dimethylammonium Chloride	732
1.6.7.2.2	Variation 2:	From [IrClH(OTf)(CO)(PPh ₃) ₂] and Benzylidene(methyl)ammonium Triflate	733
1.6.7.3	Method 3:	Preparation of Iridium–Carbene Complexes by Elimination	733
1.6.7.3.1	Variation 1:	From [IrCl(CO)(PPh ₃) ₂] and Electron-Rich Alkenes	733
1.6.7.3.2	Variation 2:	From [IrCl ₂ H(PPh ₃) ₃] and Bis(trichloromethyl)mercury(II)	734
1.6.7.3.3	Variation 3:	From [IrClH ₂ (P-iPr ₃) ₂] and Acetylene	734
1.6.7.3.4	Variation 4:	An Iridium–Allenylidene Complex from [Ir(C≡CPh ₂ OH)ClH(P-iPr ₃) ₂]	735
1.6.7.4	Method 4:	Preparation of Iridium–Vinylidene Complexes by Rearrangement	736
1.6.8	Product Subclass 8: Iridium–Carbyne Complexes		736
	Synthesis of Product Subclass 8		736
1.7	Product Class 7: Organometallic Complexes of Iron		
	G. R. Stephenson		
1.7	Product Class 7: Organometallic Complexes of Iron		745
1.7.1	Product Subclass 1: Iron–Arene Complexes		749
	Synthesis of Product Subclass 1		749
1.7.1.1	Method 1:	Direct Complexation of Arenes	749
1.7.1.2	Method 2:	Modification of η ⁶ -Complexes	750
1.7.1.2.1	Variation 1:	Replacement of Chloride in Chlorobenzene Complexes by Nucleophiles	751
1.7.1.2.2	Variation 2:	Use of Palladium-Catalyzed Coupling in the Presence of Cationic Iron–Cyclopentadienyl Complexes	752
1.7.1.2.3	Variation 3:	Use of Nucleophilic Complexes Obtained by Deprotonation of Arene–Cyclopentadienyliron Complexes	752
1.7.1.2.4	Variation 4:	Nucleophile Addition to a Carbonyl Ligand	753
1.7.1.2.5	Variation 5:	Hydrogenation of Ligands in the Presence of Cationic Iron–Cyclopentadienyl Complexes	753
	Applications of Product Subclass 1 in Organic Synthesis		753
1.7.1.3	Method 3:	Metal Removal To Give Organic Products	753
1.7.2	Product Subclass 2: Iron–Dienyl Complexes		755
	Synthesis of Product Subclass 2		755
1.7.2.1	Method 1:	Direct Complexation	755
1.7.2.1.1	Variation 1:	Reaction of Cyclopentadienyl Anions with Iron Salts	755
1.7.2.1.2	Variation 2:	Transfer of Cyclopentadienyliron	756
1.7.2.1.3	Variation 3:	From Neutral Cyclopentadiene Derivatives	756
1.7.2.2	Method 2:	Modification of η ⁵ -Cyclopentadienyl Complexes	757
1.7.2.2.1	Variation 1:	Friedel–Crafts Acylation of Ferrocene Complexes	757
1.7.2.2.2	Variation 2:	Metalation of Ferrocene Complexes	758

1.7.2.2.3	Variation 3:	Modification of Substituents on Ferrocene Complexes	758
1.7.2.2.4	Variation 4:	Redox Chemistry at the Metal of Ferrocene Complexes	759
1.7.2.2.5	Variation 5:	Protonation at Iron	759
1.7.2.2.6	Variation 6:	Manipulation of Di- μ -carbonyldicarbonylbis(η^5 -cyclopentadienyl)diiron	759
1.7.2.3	Method 3:	Preparation by Hydride Abstraction	760
1.7.2.3.1	Variation 1:	Regioisomer Preparation without Rearrangement	761
1.7.2.3.2	Variation 2:	Regioisomer Preparation with Rearrangement	762
1.7.2.4	Method 4:	Preparation from η^4 -Triene Complexes with Electrophiles	762
1.7.2.5	Method 5:	Preparation from Dienol Complexes with Acid	763
1.7.2.5.1	Variation 1:	Without Rearrangement	764
1.7.2.5.2	Variation 2:	With Rearrangement	765
1.7.2.6	Method 6:	Preparation by Demethoxylation in Acid	765
1.7.2.7	Method 7:	Preparation by Oxidation with Thallium(III) Salts	767
1.7.2.8	Method 8:	Preparation from Dienone Complexes	767
1.7.2.9	Method 9:	Preparation from η^6 -Complexes	768
1.7.2.9.1	Variation 1:	Nucleophile Addition to η^6 -Complexes at the π -System	768
1.7.2.9.2	Variation 2:	Dealkoxylation of η^6 -Complexes	770
1.7.2.10	Method 10:	Nucleophile Addition to η^5 -Complexes	770
1.7.2.10.1	Variation 1:	Addition at the π -System	770
1.7.2.10.2	Variation 2:	Addition next to the π -System	770
1.7.2.10.3	Variation 3:	Addition at a Carbonyl Group	771
1.7.2.11	Method 11:	Access to Salts by a Sequence of Nucleophile Addition and Leaving-Group Removal	771
1.7.2.11.1	Variation 1:	Without Rearrangement	772
1.7.2.11.2	Variation 2:	With Rearrangement	773
1.7.2.12	Method 12:	Opening Cyclopropane Rings	774
1.7.2.13	Method 13:	Preparation of Nonracemic Complexes	774
1.7.2.13.1	Variation 1:	From Ferrocene Complexes by Asymmetric Induction	774
1.7.2.13.2	Variation 2:	From Complexes Originating from Resolution or Asymmetric Induction	775
1.7.2.13.3	Variation 3:	From Complexes Originating from Biological Sources	776
		Applications of Product Subclass 2 in Organic Synthesis	777
1.7.2.14	Method 14:	Metal Removal To Give Organic Products	777
1.7.2.14.1	Variation 1:	From Ferrocene Complexes	777
1.7.2.14.2	Variation 2:	From Cationic η^5 -Ligated Tricarbonyliron Complexes	777
1.7.2.14.3	Variation 3:	From η^5 -Cyclopentadienyl-Iron Complexes Formed by Nucleophilic Addition to η^6 -Complexes	778
1.7.3		Product Subclass 3: Iron-Diene Complexes	778
		Synthesis of Product Subclass 3	778
1.7.3.1	Method 1:	Preparation by Complexation	778
1.7.3.1.1	Variation 1:	From Dienes without Rearrangement	778
1.7.3.1.2	Variation 2:	From Dienes with Rearrangement	780
1.7.3.1.3	Variation 3:	From Dienes and Alkynes by Reaction with η^1 -Complexes	781
1.7.3.1.4	Variation 4:	From Cyclohexadienones by Reduction	782

1.7.3.1.5	Variation 5:	From Dihydrothiophene 1,1-Dioxides	782
1.7.3.1.6	Variation 6:	From Allyl Alcohols	782
1.7.3.1.7	Variation 7:	From Dihalides, Allyl Halides, and Phosphate Esters	782
1.7.3.1.8	Variation 8:	From Pyrones	783
1.7.3.1.9	Variation 9:	From Dimethylcyclopropenes	783
1.7.3.1.10	Variation 10:	From Vinylcyclopropanes	784
1.7.3.1.11	Variation 11:	From Allenes via Trimethylenemethane Lactones	784
1.7.3.2	Method 2:	Preparation from η^3, η^1 -Complexes	784
1.7.3.2.1	Variation 1:	From Ferralactone Complexes	785
1.7.3.2.2	Variation 2:	From η^3, η^1 -Allenyl Complexes	785
1.7.3.2.3	Variation 3:	Nucleophile Addition to Cationic η^3, η^1 -Carbene Complexes	786
1.7.3.3	Method 3:	Cyclodimerization of η^2 -Ligands	786
1.7.3.4	Method 4:	Nucleophile Addition to η^5 -Complexes at the π -System	787
1.7.3.4.1	Variation 1:	Cyclohexadienyl Complexes	787
1.7.3.4.2	Variation 2:	Cycloheptadienyl Complexes	794
1.7.3.4.3	Variation 3:	Cyclooctadienyl Complexes	795
1.7.3.4.4	Variation 4:	Acyclic Dienyl Complexes	795
1.7.3.4.5	Variation 5:	In Situ Generation of Acyclic Dienyl Complexes	797
1.7.3.4.6	Variation 6:	Cyclopentadienyl Complexes	799
1.7.3.5	Method 5:	Metal-Centered Reduction of η^5 -Complexes at the π -System	799
1.7.3.6	Method 6:	Modification of η^4 -Complexes	799
1.7.3.6.1	Variation 1:	By Acylation	799
1.7.3.6.2	Variation 2:	By Lithiation and Addition of Electrophiles	800
1.7.3.6.3	Variation 3:	By Palladium Coupling	801
1.7.3.6.4	Variation 4:	Nucleophile Addition to η^4 -Complexes at the π -System	802
1.7.3.6.5	Variation 5:	Nucleophile Addition to η^4 -Complexes at a Carbonyl Ligand	802
1.7.3.6.6	Variation 6:	Nucleophile Addition to η^4 -Complexes next to the π -System	803
1.7.3.6.7	Variation 7:	Reactions of Enolates and Silyl Enol Ethers	806
1.7.3.6.8	Variation 8:	Epoxide Formation and Cyclopropanation next to the π -System	807
1.7.3.6.9	Variation 9:	Diol Synthesis next to the π -System	808
1.7.3.6.10	Variation 10:	Cycloaddition Reactions next to the π -System	808
1.7.3.6.11	Variation 11:	Functionalization of Cycloheptatriene Complexes	810
1.7.3.7	Method 7:	Complexation of Heterodienes	810
1.7.3.8	Method 8:	Additional Methods for the Formation of η^4 -Complexes	811
1.7.3.8.1	Variation 1:	Alkylation of η^3 -Anions	811
1.7.3.8.2	Variation 2:	From Pentacarbonyliron by Nucleophile Addition at Carbonyl	812
1.7.3.8.3	Variation 3:	Exchange of Carbonyl for Phosphines, Phosphites, and Nitrosonium	812
1.7.3.9	Method 9:	Preparation of Nonracemic Complexes	813
1.7.3.9.1	Variation 1:	Asymmetric Complexation	813
1.7.3.9.2	Variation 2:	Asymmetric Modification of Prochiral η^4 -Complexes	815
1.7.3.9.3	Variation 3:	By Asymmetric Induction and Kinetic Resolution with η^5 -Complexes	816
1.7.3.9.4	Variation 4:	Classical Resolution of Chiral η^4 -Complexes	817
1.7.3.9.5	Variation 5:	Kinetic Resolution of Chiral η^4 -Complexes	818

	Applications of Product Subclass 3 in Organic Synthesis	818
1.7.3.10	Method 10: Metal Removal To Give Organic Products	818
1.7.3.10.1	Variation 1: Decomplexation without Ligand Modification	818
1.7.3.10.2	Variation 2: Decomplexation with Ligand Modification	822
1.7.3.11	Method 11: Reactions next to η^3 -Complexes, Followed by Rearrangement	826
1.7.4	Product Subclass 4: Iron–Allyl Complexes	826
	Synthesis of Product Subclass 4	826
1.7.4.1	Method 1: Protonation of Diene Complexes	826
1.7.4.1.1	Variation 1: From η^2 -Complexes	827
1.7.4.1.2	Variation 2: From η^4 -Complexes	827
1.7.4.1.3	Variation 3: During Direct Complexation of Allyl Alcohols and Dienes in the Presence of Acid	827
1.7.4.2	Method 2: Preparation by Leaving-Group Displacement from η^2 -Complexes	827
1.7.4.3	Method 3: Preparation by Opening Vinyl Epoxides and Cyclopropanes	828
1.7.4.3.1	Variation 1: From Epoxides	828
1.7.4.3.2	Variation 2: From Aziridines	830
1.7.4.3.3	Variation 3: From Cyclopropanes	830
1.7.4.4	Method 4: Nucleophile Addition at a Complexed π -System	830
1.7.4.4.1	Variation 1: Nucleophile Addition to η^4 -Complexes	830
1.7.4.4.2	Variation 2: Nucleophile Addition to η^5 -Complexes	831
1.7.4.5	Method 5: Nucleophile Addition to η^3 -Complexes next to the π -System	832
1.7.4.6	Method 6: Nucleophile Addition at a Carbonyl Ligand	833
1.7.4.6.1	Variation 1: Nucleophile Addition to η^4 -Complexes	833
1.7.4.6.2	Variation 2: Nucleophile Addition to η^2, η^2 -Complexes	834
1.7.4.7	Method 7: Additional Methods for the Formation of η^3 -Complexes	834
1.7.4.7.1	Variation 1: From η^5 - to η^3 -Diene Complexes by Carbonyl Insertion	834
1.7.4.7.2	Variation 2: Alkene Insertion	834
1.7.4.7.3	Variation 3: From η^4 -Vinylketene Complexes	835
1.7.4.7.4	Variation 4: Reductive Methods To Make Anionic η^3 -Complexes	835
1.7.4.7.5	Variation 5: Exchange of Carbonyl for Nitrosonium	835
1.7.4.8	Method 8: Preparation of Nonracemic Complexes	835
	Applications of Product Subclass 4 in Organic Synthesis	836
1.7.4.9	Method 9: Metal Removal To Give Organic Products	836
1.7.5	Product Subclass 5: Iron–Alkene Complexes	839
	Synthesis of Product Subclass 5	839
1.7.5.1	Method 1: Direct Complexation of Alkenes	839
1.7.5.1.1	Variation 1: Ligand Exchange with a Butene Complex	839
1.7.5.1.2	Variation 2: Reaction with Nonacarbonyliron	839
1.7.5.1.3	Variation 3: Reaction with Pentacarbonyliron	840
1.7.5.2	Method 2: Preparation by Protonation of η^1 -Complexes	840
1.7.5.2.1	Variation 1: Protonation of η^1 -Allyl Complexes	840
1.7.5.2.2	Variation 2: Removal of Leaving Groups from η^1 -Alkyl Complexes	841
1.7.5.2.3	Variation 3: Protonation at Iron	841

1.7.5.3	Method 3:	Reactions of η^1 -Allyl Complexes with Electrophiles	841
1.7.5.3.1	Variation 1:	Reaction with Aldehydes and Ketones in the Presence of a Lewis Acid	841
1.7.5.3.2	Variation 2:	Reaction with Activated Alkenes	842
1.7.5.3.3	Variation 3:	Reaction with η^2 -Alkene Complexes	843
1.7.5.3.4	Variation 4:	Reaction with η^5 -Dienyl Complexes	843
1.7.5.4	Method 4:	Nucleophile Addition at a Complexed π -System	843
1.7.5.4.1	Variation 1:	Nucleophile Addition to η^3 -Complexes	843
1.7.5.4.2	Variation 2:	Nucleophile Addition to η^4 -Complexes	843
1.7.5.4.3	Variation 3:	Nucleophile Addition to η^5 -Complexes	844
1.7.5.5	Method 5:	Preparation of Nonracemic Complexes	844
		Applications of Product Subclass 5 in Organic Synthesis	845
1.7.5.6	Method 6:	Metal Removal To Give Organic Products	845
1.7.6		Product Subclass 6: Iron–Carbene Complexes	846
		Synthesis of Product Subclass 6	846
1.7.6.1	Method 1:	Preparation by the Fischer Carbene Method	846
1.7.6.2	Method 2:	Removal of Leaving Groups from Metal–Alkyl Complexes	847
1.7.6.3	Method 3:	Modification of Other Carbene Complexes	848
1.7.6.3.1	Variation 1:	Exchange of Substituents at the Carbene Complex	848
1.7.6.3.2	Variation 2:	Reactions at Functional Groups Adjacent to the Carbene Complexes	848
1.7.6.4	Method 4:	Preparation by Ring Expansion	849
1.7.6.5	Method 5:	Preparation of Bridging Carbene Complexes	849
1.7.6.6	Method 6:	Preparation of Nonracemic Complexes	851
		Applications of Product Subclass 6 in Organic Synthesis	852
1.7.6.7	Method 7:	Cyclopropanation by Transfer of Diazoesters	852
1.7.6.8	Method 8:	C–H Insertion Reactions	852
1.7.6.9	Method 9:	Cyclization with Alkynes To Form Naphthols	852
1.7.6.10	Method 10:	Removal of the Metal by Oxidation	853
1.7.7		Product Subclass 7: Iron–Alkyl Complexes	853
		Synthesis of Product Subclass 7	853
1.7.7.1	Method 1:	Metal Addition to Organic Electrophiles	853
1.7.7.2	Method 2:	Metal Addition to Organic Nucleophiles/Lewis Bases	854
1.7.7.3	Method 3:	Nucleophile Addition to η^2 -Alkene Complexes	854
1.7.7.4	Method 4:	Additional Methods for the Formation of η^1 -Alkyl Complexes	855
1.7.7.4.1	Variation 1:	Nucleophile Addition to η^1 -Carbene Complexes	855
1.7.7.4.2	Variation 2:	Nucleophile Addition to η^2 -Alkyne Complexes	855
1.7.7.4.3	Variation 3:	Nucleophile Addition to Carbonyl Complexes	855
1.7.7.4.4	Variation 4:	Deprotonation of η^2 -Alkene Complexes	856
1.7.7.5	Method 5:	Reactions of Allyl Complexes	856
1.7.7.5.1	Variation 1:	η^1 -Allyl Complexes	856
1.7.7.5.2	Variation 2:	η^3 -Allyl Complexes	857
1.7.7.6	Method 6:	Modification of Ligands in η^1 -Complexes	857
1.7.7.7	Method 7:	Preparation of Nonracemic Complexes	859

	Applications of Product Subclass 7 in Organic Synthesis	860
1.7.7.8	Method 8: Oxidation of η^1 -Products	860
1.7.7.8.1	Variation 1: Metal Removal To Generate a Carboxylic Acid	860
1.7.7.8.2	Variation 2: Metal Removal To Generate an Ester	861
1.7.7.8.3	Variation 3: Metal Removal To Generate an Amide	862
1.7.7.8.4	Variation 4: Metal Removal To Generate Alkyl Bromides or Epoxides	862
1.7.7.8.5	Variation 5: Metal Removal To Generate Cyclic Ketones	863
1.7.7.8.6	Variation 6: Metal Removal with Transmetalation to Mercury	863
1.7.7.9	Method 9: Additional Methods for Decomplexation of η^1 -Alkyl Complexes	864
1.7.7.9.1	Variation 1: Disproportionation of η^1 -Products	864
1.7.7.9.2	Variation 2: Photochemical Dimerization	864
1.7.7.9.3	Variation 3: Asymmetric Cycloaddition	864
1.7.7.10	Method 10: Formation and Reaction of Oxyallyl Cation Complexes	864
1.7.7.10.1	Variation 1: [4+3] Cycloaddition	864
1.7.7.10.2	Variation 2: [2+3] Cycloaddition	865
1.7.7.10.3	Variation 3: Electrophilic Substitution	865
1.7.7.11	Method 11: Application of Collman's Reagent	865
1.7.7.11.1	Variation 1: Cyclization to Alkenes	866
1.7.7.11.2	Variation 2: Reductions with the Tetracarbonylhydroferrate Complex	867
1.7.8	Product Subclass 8: Ferrocenes M. Perseghini and A. Togni	
1.7.8	Product Subclass 8: Ferrocenes	889
	Synthesis of Product Subclass 8	890
1.7.8.1	Method 1: Monosubstituted and 1,1'-Disubstituted Ferrocenes via Metalated Intermediates	890
1.7.8.1.1	Variation 1: Synthesis of Halogenated Ferrocenes	890
1.7.8.1.2	Variation 2: Synthesis of Hydroxyferrocene and 1,1'-Dihydroxyferrocene via the Ferroceneboronic Acids	891
1.7.8.1.3	Variation 3: Synthesis of Aminoferrocene and 1,1'-Diaminoferrocene	892
1.7.8.1.4	Variation 4: Synthesis of Carboxyferrocene, Formylferrocene, 1,1'-Dicarboxyferrocene, and 1,1'-Diformylferrocene	894
1.7.8.2	Method 2: Acylferrocenes under Friedel-Crafts Conditions	895
1.7.8.3	Method 3: Chiral 1-Ferrocenylalkyl Alcohols and 1-Ferrocenylalkylamines	895
1.7.8.3.1	Variation 1: Via Stereoselective Alkylation of Formylferrocene	896
1.7.8.3.2	Variation 2: Via Stereoselective Reduction of Acyl Intermediates	896
1.7.8.3.3	Variation 3: Via Enzymatic Methods	897
1.7.8.3.4	Variation 4: Via Racemate Resolution: Preparation of (<i>R</i>)- and (<i>S</i>)-1-Ferrocenyl- <i>N,N</i> -dimethylethylamine	897
1.7.8.4	Method 4: Chiral (4,5-Dihydrooxazol-2-yl)ferrocenes	898
1.7.8.5	Method 5: Chiral Ferrocenyl Acetals	900
1.7.8.6	Method 6: Chiral Ferrocenyl Sulfoxides	902

1.7.8.7	Method 7:	Chiral 1,2-Disubstituted Ferrocenes by Diastereoselective Functionalization	903
1.7.8.7.1	Variation 1:	From 1-Ferrocenyl- <i>N,N</i> -dimethylethylamine	903
1.7.8.7.2	Variation 2:	From (4,5-Dihydrooxazol-2-yl)ferrocenes	907
1.7.8.7.3	Variation 3:	From Chiral Ferrocenyl Acetals	908
1.7.8.7.4	Variation 4:	From Chiral Ferrocenyl Sulfoxides	909
1.7.8.8	Method 8:	Chiral 1,2-Disubstituted Ferrocenes via Enantioselective Sparteine-Mediated Lithiation	910
1.7.8.9	Method 9:	1,1',2-Trisubstituted Ferrocenes (BPPFA Ligand Type)	911
1.7.8.10	Method 10:	Tetra- to Decasubstituted Ferrocenes	913
1.7.8.10.1	Variation 1:	From 1,1'-Bis(1-aminoalkyl)ferrocenes	913
1.7.8.10.2	Variation 2:	From 1,1'-Bis(4,5-dihydrooxazol-2-yl)ferrocenes	915
1.7.8.10.3	Variation 3:	Via Enantioselective Sparteine-Mediated Lithiation	916
1.7.8.10.4	Variation 4:	Synthesis of 4-(Dimethylamino)pyridine Analogues via Racemate Resolution	916
1.7.8.10.5	Variation 5:	From Chiral Fulvene Derivatives	917
1.7.8.10.6	Variation 6:	From Fully Substituted Cyclopentadienyl Salts	919
1.7.8.11	Method 11:	Chiral Biferrocenes	921
		Applications of Product Subclass 8 in Organic Synthesis	923
1.7.8.12	Method 12:	Catalytic Enantioselective Hydrogenation	923
1.7.8.13	Method 13:	Catalytic Enantioselective Hydroboration	923
1.7.8.14	Method 14:	Catalytic Enantioselective Hydrosilylation	924
1.7.8.15	Method 15:	Catalytic Enantioselective Allylic Substitution	924
1.7.8.16	Method 16:	Catalytic Enantioselective Aldol Reactions	924
1.8	Product Class 8: Organometallic Complexes of Ruthenium		
	N. Chatani		
1.8	Product Class 8: Organometallic Complexes of Ruthenium		931
1.8.1	Product Subclass 1: Ruthenium–Arene Complexes		931
	Synthesis of Product Subclass 1		932
1.8.1.1	Method 1:	Preparation of Ruthenium(II)–Arene Complexes	932
1.8.1.1.1	Variation 1:	From Dienes	933
1.8.1.1.2	Variation 2:	By Ligand Exchange	934
1.8.1.2	Method 2:	Preparation of Ruthenium(0)–Arene Complexes	934
1.8.1.2.1	Variation 1:	From Ruthenium(II) Complexes	935
1.8.1.2.2	Variation 2:	By Ligand Exchange	936
	Applications of Product Subclass 1 in Organic Synthesis		937
1.8.1.3	Method 3:	Reactions Involving Ruthenium–Arene Complexes	937
1.8.2	Product Subclass 2: Ruthenium–Cyclopentadienyl and Ruthenium–Pentadienyl Complexes		939
	Synthesis of Product Subclass 2		941
1.8.2.1	Method 1:	Preparation of Ruthenium–Cyclopentadienyl Complexes	941

1.8.2.1.1	Variation 1:	From Cyclopentadienes (CpH)	942
1.8.2.1.2	Variation 2:	From Organometallic Cyclopentadienyl Reagents (MCp)	944
1.8.2.1.3	Variation 3:	By Ligand Exchange	945
1.8.2.1.4	Variation 4:	By Ligand Substitution	946
1.8.2.2	Method 2:	Preparation of Cationic Ruthenium–Cyclopentadienyl Complexes	946
		Applications of Product Subclass 2 in Organic Synthesis	947
1.8.2.3	Method 3:	Reactions with Alkyl lithium Reagents	947
1.8.2.4	Method 4:	Electrophilic Substitution (Friedel–Crafts-type Reaction)	947
1.8.2.5	Method 5:	Preparation of Ruthenium–Vinylidene–Cyclopentadienyl Complexes	948
1.8.3		Product Subclass 3: Ruthenium–Diene Complexes	949
		Synthesis of Product Subclass 3	951
1.8.3.1	Method 1:	Preparation of Ruthenium–Diene Complexes by Ligand Exchange	951
		Applications of Product Subclass 3 in Organic Synthesis	951
1.8.3.2	Method 2:	Reactions Involving Ruthenium–Diene Complexes	951
1.8.4		Product Subclass 4: Ruthenium–Allyl Complexes	952
		Synthesis of Product Subclass 4	953
1.8.4.1	Method 1:	Preparation of Ruthenium–Allyl Complexes	953
		Applications of Product Subclass 4 in Organic Synthesis	954
1.8.4.2	Method 2:	Reactions Involving Ruthenium–Allyl Complexes	954
1.8.5		Product Subclass 5: Ruthenium–Alkyne Complexes	956
		Synthesis of Product Subclass 5	959
1.8.5.1	Method 1:	Preparation of Ruthenium–Alkyne Complexes by Irradiation .	959
		Applications of Product Subclass 5 in Organic Synthesis	959
1.8.5.2	Method 2:	Reactions Involving Ruthenium–Alkyne Complexes	959
1.8.6		Product Subclass 6: Ruthenium–Alkene Complexes	963
		Synthesis of Product Subclass 6	965
1.8.6.1	Method 1:	Preparation of Ruthenium(II)–Alkene Complexes	965
1.8.6.2	Method 2:	Preparation of Ruthenium(0)–Alkene Complexes	965
		Applications of Product Subclass 6 in Organic Synthesis	967
1.8.6.3	Method 3:	Reactions Involving Ruthenium–Alkene Complexes	967

1.9	Product Class 9: Organometallic Complexes of Osmium J. Gonzalez and W. D. Harman	
1.9	Product Class 9: Organometallic Complexes of Osmium	973
1.9.1	Product Subclass 1: Osmium-η^2-Arene and -η^2-Heteroarene Complexes	977
	Synthesis of Product Subclass 1	981
1.9.1.1	Method 1: Exchange of a Trifluoromethanesulfonate Anion for an Organic Ligand	981
1.9.1.2	Method 2: Electrophilic Aromatic Substitution on the Ligand	983
	Applications of Product Subclass 1 in Organic Synthesis	984
1.9.1.3	Method 3: Electrophilic Addition and Substitution	984
1.9.1.4	Method 4: Sequential Addition of Electrophiles and Nucleophiles	987
1.9.1.4.1	Variation 1: [4+2]-Cycloaddition Reactions	990
1.9.1.4.2	Variation 2: 1,3-Dipolar Cycloadditions	993
1.9.1.4.3	Variation 3: Michael-Michael Ring Closures and Related Annulation Reactions	997
1.9.1.5	Method 5: Addition of Nucleophiles to S-Alkylthiophenium Complexes	1002
1.9.2	Product Subclass 2: Osmium-Allyl Complexes	1003
	Synthesis of Product Subclass 2	1003
1.9.2.1	Method 1: Elimination of Labile Allylic Substituents	1003
1.9.2.2	Method 2: Addition of Electrophiles to Diene and Arene Complexes	1004
	Applications of Product Subclass 2 in Organic Synthesis	1005
1.9.2.3	Method 3: Addition of Carbon Nucleophiles and Tandem Difunctionalizations	1005
1.9.3	Product Subclass 3: Osmium-Carbonyl Complexes	1007
1.9.4	Product Subclass 4: Osmate Esters and Related Species	1008
	Keyword Index	1017
	Author Index	1055
	Abbreviations	1107

